

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de julio a 30 de septiembre de 2001)

Alonso Morales F, Barbero NB, Cuevas N, Fernández Fernández I, Gálvez Alcaraz L, García T, Guerrero García FJ, Jiménez López AM, Lahoz Rallo B, Manteca González AM, Martínez Larios B, Mejías López ME, Requena Ramos JM, Rodríguez Pappalardo V, Rosado Bello I, Sánchez García C

Médicos de Familia.

Los artículos, publicados entre el 1 de julio de 2001 a 30 de septiembre de 2001, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada una de las cuales aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2, o más, epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas, aparece el tipo de estudio, según la clasificación que se expone a continuación, y separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO.

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico de Casos y Controles
- (S) Observacional analítico de Seguimiento / Cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas
- (GPC) Guía de Práctica Clínica

GRADO DE INTERÉS:

- Alto: I.
- Muy alto: II.
- Imprescindible: III.

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS_bases conceptuales, medicina de familia_profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

Rodríguez E, Espí F, Canteras M, Gómez A. Consumo de alcohol entre profesionales médicos de atención primaria. *Aten Primaria* 2001; 28: 259-262. [T, I].

Thomson H, Petticrew M, Morrison D. Health effects of housing improvement: systematic review of intervention studies. *BMJ* 2001; 323: 187-90. [M, I].

Webb E, Shankleman J, Evans MR, Brooks R. The health of children in refuges for women victims of domestic violence: cross sectional descriptive survey. *BMJ* 2001; 323: 210-213. [T, I].

Thompson WT, Coppes ME, Sibbett CH, Skan DI, Bradley T. Challenge of culture conscience and contract to general practitioners' care of their own health: qualitative study. *BMJ* 2001; 323: 728-731 [C, I].

Coleman T, Wynn AT, Stevenson K, Cheater F. Quality study of pilot payment aimed at increasing general practitioners' antismoking advice to smokers. *BMJ* 2001; 323: 432-435. [C, I].

Rhoades D; McFarland K; Holmes Finch W; Johnson A. Speaking and interruptions during primary care office visits. *Fam Med* 2001;33:528-532 [T, I].

Elwyn G, Edwards A, Eccles M, Rovner D. Decision analysis in patient care. *Lancet* 2001; 358: 571-574. [R, I].

Rajaratnam S, Arendt J. Health in a 24-h society. *Lancet* 2001; 358: 999-1005 [R, I].

Landon BE, Reschovsky J, Reed M, Blumenthal D. Personal, organizational, and market level influences on physicians' practice patterns: results of a national survey of primary care physicians. *Med Care* 2001;39:889-905 [T, I].

Smith RC, Gardiner JC, Armatti S, Johnson M, Lyles JS. Screening for high utilizing somatizing patients using a prediction rule derived from the management information system of an HMO: a preliminary study. *Med Care* 2001; 39: 968-978 [EC, II].

Kersnik J, Svab I, Vegnuti M. Frequent attenders in general practice: quality of life, patient satisfaction, use of medical services and GP characteristics. *Scand J Prim Health Care* 2001;19:174-177 [T, II].

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Rao G. Carvedilol reduced mortality and hospitalization in severe chronic heart failure. *ACP Journal Club* 2001; 135: 85-88 [EC, I].

Wells PS, Anderson DR, Rodger M, Stiell I, Dreyer JF, Barnes D. Excluding pulmonary embolism at the bedside without diagnostic imaging: management of patients with suspected pulmonary embolism presenting to the emergency department by using a simple clinical model and d-dimer. *Ann Intern Med* 2001; 135: 98-107 [S, II].

Jafar TH, Schmid CH, Landa M, Giatras I, Toto R, Remuzzi G et al. Angiotensin-converting enzyme inhibitors and progression of non-diabetic renal disease. A meta-analysis of patient level data. *Ann Intern Med* 2001; 135: 138-139 [M, II].

Ridker PM, Danesh J, Youngman L, Collins R, Stampfer MJ, Peto R et al. A prospective study of Helicobacter pylori seropositivity and the risk for future myocardial infarction among socioeconomically similar U.S. men. *Ann Intern Med* 2001; 135:184-188 [CC, II].

Tovillas FJ, Dalfó A, Romea S, Sisó A, Senar E, Miracle M. Morbilidad cardiovascular y su relación con la hipertrofia ventricular izquierda

- da de una cohorte de pacientes hipertensos: estudio Gotic. *Aten Primaria* 2001; 28: 315-319. [S, I].
- Pocock SJ, McCormack V, Gueyffier F, Boutitie F, Fagard RH, Boissel JP on behalf of the indana project steering committee. A score for predicting risk of death from cardiovascular disease in adults with raised blood pressure based on individual patient data from randomised controlled trials. *BMJ*; 2001;323: 75-81 [M,II].
- Nuesch R, Schroeder K, Dieterle T, Martina B, Battergay E. Relation between insufficient response to antihypertensive treatment and poor compliance with treatment: a prospective case-control study. *BMJ* 2001; 323: 142-146 [CC, II].
- Tod AM, Read C, Lacey A, Abbott J. Barriers to uptake of services for coronary heart disease: qualitative study. *BMJ* 2001; 323: 214-217 [C,I].
- Bive L, Lang E, McMurray JJV, Davie AP, McDonagh TA, Murdoch DR, et al. Randomised controlled trial of specialist nurse intervention in heart failure. *BMJ* 2001;323:715-718 [EC,II].
- Channon K. Current Management of symptomatic atrial fibrillation. *Drugs* 2001;61: 1425-1437 [R,I].
- Paluzie G, Sans S, Balañá L, Puig T, González-Sastre F, Balaguer-Vintró I. Tendencias seculares del tabaquismo según el nivel educativo entre 1986 y 1996: estudio MONICA-Cataluña. *Gac Sanit* 2001; 15: 303 - 311 [T,I].
- Bonet A, Gosalbes V, Fito M, Navarro J. Prescripción racional y reducción de costes en el tratamiento de la hipertensión arterial: un ejercicio de simulación. *Gac Sanit* 2001; 15: 327-335 [T, II].
- Gerstein HC, Mann JF, Yi Q, Zinman B, Dinneen SF, Hoogwerf B et al. Albuminuria and risk of cardiovascular events, death, and heart failure in diabetic and nondiabetic individuals. *JAMA* 2001;286: 421-426 [S, II].
- Otsuka R, Watanabe H, Hirata K, Tokai K, Muro T, Yoshiyama M et al. Acute effects of passive smoking on the coronary circulation in healthy young adults. *JAMA* 2001; 286: 436-441 [S, I].
- Mukherjee D, Nissen SE, Topol ES. Risk of cardiovascular events associated with selective COX-2 Inhibitors. *JAMA* 2001; 286: 954-959 [R, I].
- Gum PA, Thamilarasam M, Watarabe J, Blackstore EH, Lauer MS. Aspirin use and all-cause mortality among patients being evaluated for known or suspected coronary artery disease. *JAMA* 2001; 286:1195-1200. [S, II].
- Hirsch AT, Criqui MH, Treat-Jacobson D, Regensteiner JG, Creager MA, Olin JW et al. peripheral arterial disease detection, awareness, and treatment in primary care. *JAMA* 2001; 286: 1317-1324 [EC, I].
- MacMahon S, Neal B, Tzourio C, Rodgers A, Woodward M, Cutler J et al. Randomised trial of a perindopril-based blood-pressure-lowering regimen among 6105 individuals with previous stroke or transient ischaemic attack. *Lancet* 2001; 358: 1033-1041 [EC,I].
- Williams GC, Deci EL. Activating patients for smoking cessation through physician autonomy support. *Med Care* 2001;39:813-23 [CC,I].
- Lange RA, Hillis LD. Cardiovascular complications of cocaine Use. *N England J Med* 2001; 345:351-358 [AO,I].
- Chobanian AV. Control of hypertension. An important national priority. *N Engl J Med* 2001; 345:534-535 [AO,I].
- Petersson U, Kjellström T. Thyroid function tests, serum lipids and gender interrelations in a middle-aged population. *Scand J Prim Health Care* 2001;19:183-185 [CC,II].
- Lawrence JM, Bennett P, Young A, Robinson AM. Screening for diabetes in general practice: cross sectional population study. *BMJ* 2001; 323:548-551 [T,II].
- The Diabetes Atorvastatin Lipid Intervention (DALI) Study Group. The effect of aggressive versus standard lipid lowering by atorvastatin on diabetic dyslipidemia: the DALI study: a double-blind, randomized, placebo-controlled trial in patients with type 2 diabetes and diabetic dyslipidemia. *Diabetes Care* 2001; 24: 1335-1341 [EC, I].
- Peters EJ, Lavery LA. International Working Group on the Diabetic Foot. Effectiveness of the diabetic foot risk classification system of the International Working Group on the Diabetic Foot. *Diabetes Care* 2001; 24: 1442-1447 [S, II].
- Hillier TA, Pedula KL. Characteristics of an adult population with newly diagnosed type 2 diabetes: the relation of obesity and age of onset. *Diabetes Care* 2001; 24: 1522-1527 [T, I].
- Gerber RA, Cappelleri JC, Kourides IA, Gelfand RA. Treatment satisfaction with inhaled insulin in patients with type 1 diabetes: a randomized controlled trial. *Diabetes Care* 2001; 24: 1556-1559 [EC, I].
- Tabaei BP, Al-Kassab AS, Ilag LL, Zawacki CM, Herman WH. Does microalbuminuria predict diabetic nephropathy? *Diabetes Care* 2001; 24: 1560-1566 [S, II].
- Franciosi M, Pellegrini F, De Berardis G, Belfiglio M, Cavaliere doN, Di Nardo B, et al. The impact of blood glucose self-monitoring on metabolic control and quality of life in type 2 diabetic patients: An urgent need for better educational strategies. *Diabetes Care* 2001; 24: 1870-1877 [T, II].
- Isomaa B, Henricsson M, Almgren P, Tuomi T, Taskinen MR, Groop L. The metabolic syndrome influences the risk of chronic complications in patients with type II diabetes. *Diabetologia* 2001; 44: 1148-1154 [T, I].
- Albright TL; Parchman M; Burge SK. Predictors of self-care behavior in adults with type 2 diabetes: An RRNeST study. *Fam Med* 2001;33:354-360 [S,II].
- Sutherland JE, Hoehns JD, O'Donnell B, Wiblin RT. Diabetes management quality improvement in a Family Practice Residence Program. *J Am Board Fam Pract* 2001; 14:243-251 [S, I].
- Gerstein HC, Mann JF, Yi Q, Zinman B, Dinneen SF, Hoogwerf B et al. Albuminuria and risk of cardiovascular events, death, and heart failure in diabetic and nondiabetic individuals. *JAMA* 2001;286: 421-426 [S, II].
- Boulé NG, Haddad E, Kenny GP, Wells GA, Sigal RJ. Effects of exercise on glycemic control and body mass in type 2 diabetes mellitus. *JAMA* 2001; 286:1218-1227 [M, II].
- Scheid DC, McCarthy LH, Lawler FH, Hamm RM, Reilly KEH. Screening for microalbuminuria to prevent nephropathy in patients with diabetes: a systematic review of the evidence. *J Fam Pract* 2001; 50:661-668 [M, II].
- Hueston WJ, Scibelli S, Mainous AG. Use of microalbuminuria testing in persons with type 2 diabetes: are the right patients being tested? *J Fam Pract* 2001; 50:669-673 [S, I].
- Owens DR, Zinman B, Bolli GB. Insulins today and beyond. *Lancet* 2001; 358: 739-746 [R,I].
- Hu F, Manson J, Stampfer M, Colditz G, Liu S, Solomon C, et al. Diet, lifestyle, and the risk of type 2 diabetes mellitus in women. *N Engl J Med* 2001; 345:790-797 [S,II].

DIABETES.

- Costa B. Consignas para la prevención de la diabetes tipo 2 en atención primaria de salud. El dilema del estado prediabético. *Aten Primaria* 2001; 28: 193-200. [R,II].

CÁNCER. Incluye: mama, cérvix, próstata, colon, otros.

- Tramer MR, Carrol D, Campbell FA, Reynolds DJM, Moore RA, Mcquay HJ. Cannabinoids for control of chemotherapy induced nausea and vomiting: quantitative systematic review. *BMJ* 2001; 323: 16-21 [M,I].

Baxter N. Canadian Task Force on Preventive Health Care. Preventive Health Care, 2001 update: Should women be routinely taught breast self-examination to screen for breast cancer? *Can Med Assoc J* 2001;164: 1837-1846 [R,II].

Nutting PA, Baier M, Werner JJ, Cutter G, Conry C, Stewart L. Competing demands in the office visit: what influences mamography recommendations? *J Am Board Fam Pract* 2001; 14:352-361 [T, I].

Macht SD, Kanzler MH, Mraz-Gernhard S. Depth of Excision of Melanomas. *JAMA* 2001; 286: 167-168 (AO, I).

Michaud DS, Giovannucci E, Willet WC, Colditz GA, Stampfer MJ, Fuchs Ch S. Physical activity, obesity, height, and the risk of pancreatic cancer. *JAMA* 2001; 286: 921-929 (S, II).

Emery J, Lucassen A, Murphy M. Common hereditary cancers and implications for primary care. *Lancet* 2001; 358: 56-63 [R,I].

Atkinson MA, Einsenbarth GS. Type 1 diabetes: new perspectives on disease pathogenesis and treatment. *Lancet* 2001; 358: 221-229 [R,I].

Green JA, Kirwan J M, Tierney J F, Symonds P, Fresco L, Collingwood M et al. Survival and recurrence after concomitant chemotherapy and radiotherapy for cancer of the uterine cervix: a systematic review and meta-analysis. *Lancet* 2001; 358: 781-786 [M,I].

Evans D G R, Lallou F, Shenton A, Boggis C, Howell A. Uptake of screening and prevention in women at very high risk of breast cancer. *Lancet* 2001; 358:889-890 [R,I].

Modan B, Hartge P, Hirsh-Yechezkel G, Chetrit A, Lubin F, Beller U, et al. Parity, oral contraceptives, and the risk of ovarian cancer among carriers and noncarriers of a BRCA1 or BRCA2 mutation. *N Engl J Med* 2001; 345:235-240. [CC,I].

INFECCIOSAS. Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.

Murphy EL, Collier AC, Kalish LA, Assmann SF, Para MF, Flanigan TP et al. Highly active antiretroviral therapy decreases mortality and morbidity in patients with advanced HIV disease. *Ann Intern Med* 2001; 135: 17-26 [S,I].

Gupta K, Hooton TM, Stamm WE. Increasing antimicrobial resistance and the management of uncomplicated community-acquired urinary tract infections. *Ann Intern Med* 2001; 135: 41-50 [R,II].

Gupta K, Hooton TM, Roberts PL, Stamm WE. Patient-initiated treatment of uncomplicated recurrent urinary tract infections in young women. *Ann Intern Med* 2001; 135: 51-2 [EC,I].

Rea TD, Russo JE, Katon W, Ashley RL, Buchwald DS. Prospective study of the natural history of infectious mononucleosis caused by Epstein-Barr virus. *J Am Board Fam Pract* 2001; 14:234-242 [S, I].

Goldschmidt RH. Treatment of AIDS and HIV-related conditions: 2001. *J Am Board Fam Pract* 2001; 14:283-309 [R, II].

Bruce MG, Rosenstein NE, Capparella JM, Shutt KA, Perkins BA, Collins M. Risk factors for meningococcal disease in college students. *JAMA* 2001; 286: 688-693. [S, II].

Lavery JV, Boyle J, Dickens BM, Maclean H, Singer PA. Origins of the desire for euthanasia and assisted suicide in people with HIV-1 or AIDS: a qualitative study. *Lancet* 2001; 358: 362-367 [C,I].

Lauer GM, Walker BD. Medical progress: hepatitis C virus infection. *N Engl J Med* 2001; 345:41-52 [AO, I].

Edlin BR. Is it justifiable to withhold treatment for hepatitis C from illicit-drug users? *N Eng J Med* 2001; 345:211-214 [AO,I].

ASMA/BRONQUITIS CRÓNICA:

Holt S, Suder A, Weatherall M, Cheng S, Shirtcliffe P, Beasley R. Dose-response relation of inhaled fluticasone propionate in adolescents and adults with asthma: meta-analysis. *BMJ* 2001; 323: 253-256 [M,II].

Redington A. Step one for asthma treatment. B-2 agonist or inhaled corticosteroids? *Drugs* 2001; 61: 1231-1238 [R,I].

Elkington H, White P, Higgs R, Pettinari CJ. GPs' views of discussions of prognosis in severe COPD. *Fam Pract* 2001;18:440-444 [T, I].

Compton CH, Gubb J, Nieman R, Edelson J, Amit O, Bakst A et al. Cilomilast, a selective phosphodiesterase-4 inhibitor for treatment of patients with chronic obstructive pulmonary disease: a randomised, dose-ranging study. *Lancet* 2001; 358: 265-270 [EC,I].

SALUD MENTAL. Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).

Hotopf M. Psychological therapy reduced depression earlier (4 months) but at 1 year was not better than usual general-practitioner care. *ACP journal Club.* 2001; 135: 28-30 [EC,I].

Peveler R. A depression-management program reduced depression in frequent users of health care but did not reduce health care visits. *ACP Journal Club* 2001; 135: 48-51 [EC,I].

Guck TP, Kavan MG, Elsasser GN, Barone EJ. Assessment and treatment of depression following myocardial infarction. *Am Fam Physician* 2001; 64: 641-648,651-652 [AO,I].

Casarett DJ, Inouye SK. Diagnosis and management of delirium near the end of life. *Ann Intern Med* 2001; 135: 32-40 [T,I].

Rodríguez E, Espí F, Canteras M, Gómez A. Consumo de alcohol entre profesionales médicos de atención primaria. *Aten Primaria* 2001; 28: 259-262 [T, I].

Schilte AF, Portegijs PJM, Blankenstein AH, Van der Horst H, Latour MBF, Van Eijk JTHM, Knotterus JA. Randomised controlled trial of disclosure of emotionally important events in somatisation in primary care. *BMJ* 2001;323:86-89 [EC II].

Guthrie E, Kapur N, Mackway-Jones K, Chew-Graham C, Moorey J, Mendel E, et al. Randomised controlled trial of brief psychological intervention after deliberate self poisoning. *BMJ* 2001; 323: 153-158 [EC,I].

Scott S, Spencer Q, Doolan M, Jacobs B, Asplan H. Multicentre controlled trial of parenting groups for childhood antisocial behaviour in clinical practice. *BMJ* 2001; 323: 194-198 [EC, I].

Walraven CV, Mandami MM, Wells PS, Williams JI. Inhibition of serotonin reuptake by antidepressants and upper gastrointestinal bleeding in elderly patients: retrospective cohort study. *BMJ* 2001; 323: 655-8 [S,II].

Coid J, Petrukevith A, Feder G, Chung WS, Richardson J, Moorey S. Relation between childhood sexual and physical abuse and risk of revictimisation in women: a cross-sectional survey. *Lancet* 2001; 358: 450-454 [T,I].

Barsky AJ, Ettner SL, Horsky J, Bates DW. Resource utilization of patients with hypochondriacal health anxiety and somatization. *Med Care* 2001;39:705-715 [T, I].

Smith RC, Gardiner JC, Armatti S, Johnson M, Lyles JS, Given CW et al. Screening for high utilizing somatizing patients using a prediction rule derived from the management information system of an HMO: a preliminary study. *Med Care* 2001;39:968-978 [EC, II].

Edlin BR. Is it justifiable to withhold treatment for hepatitis C from illicit-drug users? *N Engl J Med* 2001; 345:211-214 [AO,I].

Lange RA, Hillis LD. Cardiovascular Complications of Cocaine Use. *N Engl J Med* 2001; 345:351-358. [AO,I].

SALUD LABORAL.

ENFERMEDADES / PROBLEMAS PREVALENTES:

- Swagarty DL, Hellinger D. Radiographic assesment of osteoarthritis. *Am Fam Physician* 2001; 64: 279-286 [AO,II].
- Bedinghaus JM, Niedfeldt MW. Over-The-Counter foot remedies. *Am Fam Physician* 2001; 64: 791-796;803-804 [AO,I].
- Guereña MJ, Perna C, Gajate J. Correlación clinicopatológica de 370 casos de cirugía menor dermatológica realizada por médicos de familia. *Aten Primaria* 2001; 28: 320-325 [T,I].
- Weijnen CF, Numans MF, Dewit NJ, Smout AJPM, Moons KGM, Verheij TJM, et al. Testing for helicobacter pylori in dyspeptic patients suspected of peptic ulcer disease in Primary Care: cross sectional study. *BMJ* 2001; 323: 71-75 [T,I].
- Hahn S, Kim Y, Garner P. Reduced osmolarity oral rehydration solution for treating dehydration due to diarrhoea in children: systematic review. *BMJ* 2001; 323: 81-85 [M, I].
- Barry HC, Hickner J, Ebell MH, Ettenhofer T. A randomized controlled trial of telephone management of suspected urinary tract infections in women. *J Fam Pract* 2001; 50:589-594 [EC, I].
- Scheidtmann K, Fries W, Muller F, Koenig E. Effect of levodopa in combination with physiotherapy on functional motor recovery after stroke: a prospective, randomised, double-blind study. *Lancet* 2001; 358:787-790 [EC,I].
- Dwight-Johnson M, Unutzer J, Sherbourne C, Tang L, Wells KB. Can quality improvement programs for depression in primary care address patient preferences for treatment? *Med Care* 2001;39:934-944 [T,I].
- Granstein RD. New treatments for psoriasis. *N Engl J Med* 2001; 345:284-287 [AO, I].
- Allredge B, Gelb A, Isaacs M, Corry M, Allen F, Ulrich S, et al. A comparison of lorazepam, diazepam and placebo for the treatment of out-of-hospital status epilepticus. *N Engl J Med* 2001; 345:696-697 [T, I].
- Lee DM, Weinblatt ME. Rheumatoid arthritis. *Lancet* 2001; 358: 903-911 [R,I].

ENFERMEDADES DE BAJA INCIDENCIA:

- Smith DS. Health care management of adults with Down syndrome. *Am Fam Physician* 2001; 64: 1031-1038, 1039-10340 [AO,I].

MEDIOS DIAGNÓSTICOS:

- Swagarty DL, Hellinger D. Radiographic assesment of osteoarthritis. *Am Fam Physycian* 2001; 64: 279-286 [AO,II].
- Baxter N, Canadian Task Force on Preventive Health Care. Preventive Health Care, 2001 update: Should women be routinely taught breast self-examination to screen for breast cancer? *Can Med Assoc J* 2001;164: 1837-1846 [R,II].

INFANCIA Y ADOLESCENCIA:

- Leung A.KC, Chan KW Evaluating the child with purpura. *Am Fam Physician* 2001; 64: 419-429 [AO,II].
- Woods SE, Raju U. Maternal smoking and the risk of congenital birth defects: a cohort study. *J Am Board Fam Pract* 2001; 14:330-334 [S, I].
- Janicke DM, Finney JW, Riley AW. Children's health care use: a prospective investigation of factors related to care-seeking. *Med Care* 2001;39:990-1001 [S,I].

MUJER Y SALUD. Incluye: Planificación Familiar, embarazo, Aborto, Menopausia, mujer y medicina.

- Janowsky EC. Review: Insufficient evidence exists for screening mammography in women 40 to 49 years of age. *ACP Journal Club* 2001; 135: 63-65 [M,II].
- Spencer JP, González LS, Barnhart DJ. Medications in the breast-feeding mother. *Am Fam Physician* 2001; 64: 119-126 [AO,II].
- Grodstein F, Manson JE, Stampfer MJ. Postmenopausal hormone use and secondary prevention of coronary events in the nurses health study a prospective, observational study. *Ann Intern Med* 2001; 135: 1-8 [S,II].
- Scuteri A, Bos AJ, Braut LJ, Talbot L, Lakatta EG, Fleg JL. Hormone replacement therapy and longitudinal changes in blood pressure in postmenopausal women. *Ann Intern Med* 2001; 135: 229-238 [S,III].
- Warner P, Critchley HOD, Lumsden MA, Campbell-Brown M, Douglas A, Murray G. Referral for menstrual problems: cross sectional survey of symptoms, reasons for referral and management. *BMJ* 2001; 323: 24-28 [T,I].
- Kemmeren JM, Alegria A, Grobbee DE. Third generation oral contraceptives and risk of venous thrombosis: meta-analysis. *BMJ* 2001; 323: 131-134 [M, II].
- Evans J, Heron J, Francomb H, Oke S, Golding J, on behalf of the Avon Longitudinal Study of Parents and Children Study Team. Cohort study of depressed mood during pregnancy and after childbirth. *BMJ* 2001; 323: 257-260 [S,I].
- Smith GCS, Pell JP. Teenage pregnancy and risk of adverse perinatal outcomes associated with first and second births: population based retrospective cohort study. *BMJ* 2001;323:476-479 [S,I].
- Murray E, Davis H, Tai SS, Culter A, Gray A, Haines A. Randomised controlled trial of an interactive multimedia decision aid on hormone replacement therapy in primary care. *BMJ* 2001; 323: 490-493 [EC,II].
- Glazener CMA, Herbison GP, Wilson PD, MacArthur C, Lang GD, Gee H, Grant AM. Conservative management of persistent postnatal urinary and faecal incontinence: randomised controlled trial. *BMJ* 2001; 323: 593-596 [EC,II].
- Baxter N, Canadian Task Force on Preventive Health Care. Preventive Health Care, 2001 update: Should women be routinely taught breast self-examination to screen for breast cancer? *Can Med Assoc J* 2001; 164: 1837-1846 [R,II].
- Little P, Griffin S, Dickson N, Sadler C. Unwanted pregnancy and contraceptive knowledge: identifying vulnerable groups from a randomized controlled trial of educational interventions. *Fam Pract* 2001;18:449-453 [S,I].
- Woods SE, Raju U. Maternal smoking and the risk of congenital birth defects: a cohort study. *J Am Board Fam Pract* 2001; 14:330-334 [S, I].
- Nutting PA, Baier M, Werner JJ, Cutter G, Conry C, Stewart L. Competing demands in the office visit: what influences mammography recommendations? *J Am Board Fam Pract* 2001; 14:352-361 [T, I].
- Stanwood GD, Levitt P, Singer LT, Arendt RE, Delaney-Black V, Ovington CY et al. Prenatal Cocaine Exposure as a Risk Factor for later Developmental outcomes. *JAMA* 2001; 286: 45-47 [AO, I].
- Villareal DT, Binder EF, Willians DB, Schecthman KB, Yarasheski KE, Kohrt WM. Bone mineral density response to estrogen replacement in frail elderly women. *JAMA* 2001; 286: 815-820 [EC, II].
- Owen J, Yost N, Berghella V, Thom E, Swain M, Dildy GA. Mid-trimester endovaginal sonography in women at high risk for spontaneous preterm birth. *JAMA* 2001; 286: 1340-1348 [S, II].
- Evans D G R, Lallou F, Shenton A, Boggis C, Howell A. Uptake of screening and prevention in women at very high risk of breast cancer. *Lancet* 2001; 358:889-890 [R,I].

Modan B, Hartge P, Hirsh-Yechezkel G, Chetrit A, Lubin F, Beller U, et al. Parity, oral contraceptives, and the risk of ovarian cancer among carriers and noncarriers of a BRCA1 or BRCA2 mutation. *N Engl J Med* 2001; 345:235-240 [CC,I].

Hu F, Manson J, Stampfer M, Colditz G, Liu S, Solomon C, et al. Diet, lifestyle, and the risk of type 2 diabetes mellitus in women. *N Engl J Med* 2001; 345:790-797 [S,II].

ANCIANOS:

Gill TM, Desai MM, Gahbauer EA, Holford TR, Williams CS. Restricted activity among community-living older persons: incidence, precipitants, and health care utilization. *Ann Intern Med* 2001; 135: 374-376 [S,II].

Walraven CV, Mandami MM, Wells PS, Williams JI. Inhibition of serotonin reuptake by antidepressants and upper gastrointestinal bleeding in elderly patients: retrospective cohort study. *BMJ* 2001; 323: 655-658 [S,II].

Elkan R, Kendrick D, Dewey M, Hewitt M, Robinson J, Blair M et al. Effectiveness of home based support for older people: systematic review and meta-analysis. *BMJ* 2001;323:719-725 [M,II].

Parle JV, Maisonneuve P, Sheppard MC, Boyle P, Franklyn J. Prediction of all-cause and cardiovascular mortality in elderly people from one to serum thyrotropin result: a 10-year cohort study. *Lancet* 2001; 358: 861-865 [S,I].

URGENCIAS Y EMERGENCIAS.

Mansfield CJ, Price J, Frush KS, Dallara J. Pediatrics emergencies in the office: are family physicians as prepared as pediatricians? *J Fam Pract* 2001; 50:757-761 [T, I].

TERAPÉUTICA: Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.

Naumann M, Lowe NJ, on behalf of the Hyperhidrosis Clinical Study Group. Botulinum toxin type A in treatment of bilateral primary axillary hyperhidrosis: randomised, parallel group, double blind, placebo controlled trial. *BMJ* 2001, 323:596-599 [EC,I].

Mackenzie K, Millar A, Wilson JA, Cameron S, Deary IJ. Is voice therapy an effective treatment for disphonia? A randomised controlled trial. *BMJ* 2001; 323: 658-661 [EC,I].

Nuesch R, Schroeder K, Dieterle T, Martina B, Battergay E. Relation between insufficient response to antihypertensive treatment and poor compliance with treatment: a prospective case-control study. *BMJ* 2001; 323: 142-146 [CC, II].

Goldschmidt RH. Treatment of AIDS and HIV-related conditions: 2001. *J Am Board Fam Pract* 2001; 14:283-309 [R, II].

Spencer JP, González LS, Barnhart DJ. Medications in the breast-feeding mother. *Am Fam Physician* 2001; 64: 119-126 [AO,II].

Colgan R, Powers JH. Appropriate antimicrobial prescribing: approaches that limit antibiotic resistance. *Am Fam Physician* 2001; 64: 999-1004 [AO,II].

Kessler RC, Davis RB, Foster DF, Van Rompay MI, Walters EE, Wilkey SA et al. Long-term trends in the use of complementary and alternative medical therapies in the United States. *Ann Intern Med* 2001; 135: 262-268 [S,I].

Pascual L, Portaceli A, Ros A. Utilización de la vía subcutánea para el control de síntomas en un centro de salud. *Aten Primaria* 2001;28:185-187 [S,II].

Segú JL, Zara C. Impacto y aplicabilidad del sistema de precios de referencia. *Aten Primaria* 2001; 28: 340-348 [R,I].

Campbell FA, Tramer MR, Carrol D, Reynolds DJM, Moore RA. Are cannabinoids an effective and safe treatment option in the management of pain? A quality systematic review. *BMJ* 2001; 323: 13-16 [M,I].

Tramer MR, Carrol D, Campbell FA, Reynolds DJM, Moore RA, Mcquay HJ. Cannabinoids for control of chemotherapy induced nausea and vomiting: quantitative systematic review. *BMJ* 2001; 323: 16-21 [M,I].

Kemmeren JM, Alegria A, Grobbee DE. Third generation oral contraceptives and risk of venous thrombosis: meta-analysis. *BMJ* 2001; 323: 131-134 [M, II].

Nuesch R, Schroeder K, Dieterle T, Martina B, Battergay E. Relation between insufficient response to antihypertensive treatment and poor compliance with treatment: a prospective case-control study. *BMJ* 2001; 323: 142-146 [CC, II].

Walraven CV, Mandami MM, Wells PS, Williams JI. Inhibition of serotonin reuptake by antidepressants and upper gastrointestinal bleeding in elderly patients: retrospective cohort study. *BMJ* 2001; 323: 655-658 [S,II].

Redington A. Step one for asthma treatment. B-2 agonist or inhaled corticosteroids? *Drugs* 2001; 61: 1231-1238 [R,I].

Channon K. Current management of symptomatic atrial fibrillation. *Drugs* 2001;61: 1425-1437 [R,I].

Elkington H, White P, Higgs R, Pettinari CJ. GPs' views of discussions of prognosis in severe COPD. *Fam Pract* 2001;18:440-444 [T,I].

Bonet A, Gosalbes V, Fito M, Navarro J. Prescripción racional y reducción de costes en el tratamiento de la hipertensión arterial: un ejercicio de simulación. *Gac Sanit* 2001; 15: 327 - 335 [T, II].

Goldschmidt RH. Treatment of AIDS and HIV-related conditions: 2001. *J Am Board Fam Pract* 2001; 14:283-309 [R, II].

Rexrode KM, Buring JE, Glynn RJ, Stampfer MJ, Youngman LD, Gaziano M. Analgesic use and renal function in men. *JAMA* 2001; 286: 315-321 [S, II].

Owens DR, Zinman B, Bolli GB. Insulins today and beyond. *Lancet* 2001; 358: 739-746 [R,I].

FitzGerald GA, Patrono C. The coxibs, selective inhibitors of cyclooxygenase-2. *N Engl J Med* 2001; 345:433-442 [S,II].

Aldredge B, Gelb A, Isaacs M, Corry M, Allen F, Ulrich S et al. A comparison of lorazepam, diazepam, and placebo for the treatment of out-of-hospital status epilepticus. *N Engl J Med* 2001; 345:696-697 [T,I].

ENTREVISTA CLÍNICA:

Tunzi M. Can the patient decide? evaluating patient capacity in practice. *Am Fam Physician* 2001; 64: 299-306 [AO,I].

ATENCION FAMILIAR:

Muñoz F, Martín ML, Vivancos D, Blanca F, Rodríguez T, Ruiz M. Mejora en la atención prestada a víctimas de violencia doméstica. Impacto de una intervención priorizada. *Aten Primaria* 2001; 28: 241-248. [S,III].

ACTIVIDADES COMUNITARIAS. Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.

Icart MT, Icart MC, Pulpón AM, Mena J, Garcia AM, Carrés L. Los principales problemas de salud según la opinión de los usuarios. *Aten Primaria* 2001; 28: 263-268 [T,II].

Thomson H, Petticrew M, Morrison D. Health effects of housing improvement: systematic review of intervention studies. *BMJ* 2001; 323: 187-90 [M,I].

Scott S, Spencer Q, Doolan M, Jacobs B, Asplan H. Multicentre controlled trial of parenting groups for childhood antisocial behaviour in clinical practice. *BMJ* 2001; 323: 194-8 [EC, I].

Kersnik J; Svab I; Vegnuti M. Frequent attenders in general practice: quality of life, patient satisfaction, use of medical services and GP characteristics. *Scand J Prim Health Care* 2001;19:174-177 [T,II].

DOCENCIA. Incluye: pregrado, postgrado, formación medica continuada, metodología docente.

Grad R; Macaulay AC; Warner M. Teaching evidence-based medical care: description and evaluation. *Fam Med* 2001;33:602-606 [T,II].

INVESTIGACIÓN. Incluye: investigación cualitativa, estadística.

Tod AM, Read C, Lacey A, Abbott J. Barriers to uptake of services for coronary heart disease: qualitative study. *BMJ* 2001; 323: 214-217 [C,I].

Sáez M. El problema de las medidas repetidas. Análisis longitudinal en epidemiología. *Gac Sanit* 2001; 15: 347 - 352 [AO, I].

MEDICINA BASADA EN PRUEBAS.

Grad R; Macaulay AC; Warner M. Teaching evidence-based medical care: description and evaluation. *Fam Med* 2001;33:602-606 [T,II].

PREVENCIÓN.

Janowsky EC. Review: Insufficient evidence exists for screening mammography in

women 40 to 49 years of age. *ACP Journal Club* 2001; 135: 63-65 [M,II].

Costa B. Consignas para la prevención de la diabetes tipo 2 en atención primaria de salud. El dilema del estado prediabético. *Aten Primaria* 2001; 28: 193-200 [R,II].

Pocock SJ, McCormack V, Gueyffier F, Bouitief F, Fagard RH, Boissel J-P on behalf of the indana project steering committee. A score for predicting risk of death from cardiovascular disease in adults with raised blood pressure based on individual patient data from randomised controlled trials. *BMJ*; 323: 75-81 [M,III].

Coleman T, Wynn AT, Stevenson K, Cheater F. Quality study of pilot payment aimed at increasing general practitioners' antismoking advice to smokers. *BMJ* 2001; 323: 432-435. [C,I].

Tabaei BP, Al-Kassab AS, Ilag LL, Zawacki CM, Herman WH. Does microalbuminuria predict diabetic nephropathy? *Diabetes Care* 2001; 24: 1560-1566 [S, II].

Little P, Griffin S, Dickson N, Sadler C. Unwanted pregnancy and contraceptive knowledge: identifying vulnerable groups from a randomized controlled trial of educational interventions *Fam Pract* 2001;18:449-453 [S,I].

Evans D G R, Lallou F, Shenton A, Boggis C, Howell A. Uptake of screening and prevention in women at very high risk of breast cancer. *Lancet* 2001; 358:889-890 [R,I].

MacMahon S, Neal B, Tzourio C, Rodgers A, Woodward M, Cutler J et al. Randomised trial of a perindopril-based blood-pressure-lowering regimen among 6105 individuals with previous stroke or transient ischaemic attack. *Lancet* 2001; 358: 1033-1041 [EC,I].

Ramsey SD, Cheadle AD, Neighbor WE, Gore E, Temple P, et al. Relative impact of patient and clinic factors on adherence to primary care preventive service guidelines: an exploratory study. *Med Care* 2001;39:979-89 [T,I].

Hu F, Manson J, Stampfer M, Colditz G, Liu S, Solomon C, et al. Diet, lifestyle, and the risk of type 2 diabetes mellitus in women. *N Engl J Med* 2001; 345:790-797 [S,II].

Hostetter TH. Prevention of end-stage renal disease due to type 2 diabetes. *N Engl J Med* 2001; 345:910-912 [AO,II].

EVALUACIÓN / GARANTÍA DE CALIDAD.

Lawrence JM, Bennett P, Young A, Robinson AM. Screening for diabetes in general practice: cross sectional population study. *BMJ* 2001; 323:548-51 [T,II].

Baxter N. Canadian Task Force on Preventive Health Care. Preventive Health Care, 2001 update: Should women be routinely taught breast self-examination to screen for breast cancer? *Can Med Assoc J* 2001;164: 1837-1846 [R,II].

Tingle LE; Lambert CT. Comparison of a family practice teaching service and a hospitalist model: costs, charges, length of stay, and mortality. *Fam Med* 2001;33:511-515 [T,II].

Rhoades D; McFarland K; Holmes Finch W; Johnson A. Speaking and interruptions during primary care office visits. *Fam Med* 2001;33:528-532 [T,I].

Sutherland JE, Hoehns JD, O'Donnell B, Wiblin RT. Diabetes management quality improvement in a Family Practice Residence Program. *J Am Board Fam Pract* 2001; 14:243-251 [S, I].

Scheid DC, McCarthy LH, Lawler FH, Hamm RM, Reilly KEH. Screening for microalbuminuria to prevent nephropathy in patients with diabetes: a systematic review of the evidence. *J Fam Pract* 2001; 50:661-668 [M, II].

Hueston WJ, Scibelli S, Mainous AG. Use of microalbuminuria testing in persons with type 2 diabetes: are the right patients being tested? *J Fam Pract* 2001; 50:669-673 [S, I].

Kersnik J; Svab I; Vegnuti M. Frequent attenders in general practice: quality of life, patient satisfaction, use of medical services and GP characteristics. *Scand J Prim Health Care* 2001;19:174-177 [T,II].

BIOÉTICA:

Lavery JV, Boyle J, Dickens BM, Maclean H, Singer PA. Origins of the desire for euthanasia and assisted suicide in people with HIV-1 or AIDS: a qualitative study. *Lancet* 2001; 358: 362-367 [C,I].

Tunzi M. Can the patient decide? Evaluating patient capacity in practice. *Am Fam Physician* 2001; 64: 299-306 [AO,I].

PLANIFICACIÓN / GESTIÓN.

Barsky AJ, Ettner SL, Horsky J, Bates DW. Resource utilization of patients with hypochondriacal health anxiety and somatization. *Med Care* 2001;39:705-715 [T, I].

Tod AM, Read C, Lacey A, Abbott J. Barriers to uptake of services for coronary heart disease: qualitative study. *BMJ* 2001; 323: 214-217 [C,I].

Coleman T, Wynn AT, Stevenson K, Cheater F. Quality study of pilot payment aimed at increasing general practitioners' antismoking advice to smokers. *BMJ* 2001; 323: 432-435. [C,I].

Bonet A. Gosalbes V. Fito M. Navarro J. Prescripción racional y reducción de costes en el tratamiento de la hipertensión arterial: un ejercicio de simulación. *Gac Sanit* 2001; 15: 327 - 335 [T, II].

INFORMÁTICA.

OTRAS.

Guereña MJ, Perna C, Gajate J. Correlación clinicopatológica de 370 casos de cirugía menor dermatológica realizada por médicos de familia. *Aten Primaria* 2001; 28: 320-325 [T, I].

Macfarlane GJ, McBeth J, Silmen AJ. Widespread body pain and mortality: prospective population based study. *BMJ* 2001; 323:662-665 [T,I].