

# PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de octubre a 31 de diciembre de 2001)

Alonso Morales F, Barbero Salado NB, Cuevas Torres N, Gálvez Alcaraz L, García Ruiz T, Guerrero García FJ, Jiménez López AM, Manteca González A, Mejías López ME, Morata García de la Puerta J, Rodríguez Pappalardo V, Rosado Bello I, Ruiz de la Rúa P, Sánchez García C.

*Médicos de Familia.*

Los artículos, publicados entre el 1 de octubre y el 31 de diciembre de 2001, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas aparecerá el tipo de estudio, según la clasificación que se expone a continuación, y separado por una coma, el grado de interés del artículo según la opinión del revisor.

## TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico de Casos y Controles
- (S) Observacional analítico de Seguimiento / Cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas
- (GPC) Guía de Práctica Clínica

## INTERÉS:

- Alto: I
- Muy alto: II
- Imprescindible: III

## ÁREAS DE INTERÉS

**MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD.** Incluye: APS\_bases conceptuales, medicina de familia\_profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

Vandekieft, G. K. Breaking bad news. *Am Fam Physician* 2001; 64: 1975-1978 [AO, I]

Herdman M, Badia X, Berra S. El EuroQol-5D: una alternativa sencilla para la medición de la calidad de vida relacionada con la salud en atención primaria. *Aten Primaria* 2001; 28: 425-430 [T,II]

Campbell SM, Hann M, Hacker J, Burns H, Oliver D, Thapar A, et al. Identifying predictors of high quality care in English general practice: observational study. *BMJ* 2001; 323: 784-787 [T,II]

Little P, Everitt H, Williamson I, Warner G, Moore M, Gould C, et al. Observational study of effect of patient centredness and positive approach on outcomes of general practice consultations. *BMJ* 2001; 323: 908-911 [T,I]

Somerset M, Weiss M, Fahey T, Mears R. Dramaturgical study of meetings between general practitioners and representatives of pharmaceutical companies • Commentary: dramaturgical model gives valuable insight. *BMJ* 2001; 323: 1481-1484 [C,I]

Saultz JW, McCarty G, Cox B, Labby D, Willams R, Fields SA. Indirect institutional revenue generated from an academic primary care clinical network. *Family Medicine* 2001;33:668-671 [T,I]

Chaytors RG, Szafran O, Crutcher RA. Rural-urban and gender differences in procedures performed by family practice residency graduates. *Family Medicine* 2001; 33:766-771 [T,I]

Morris CJ, Cantrill JA, Weiss MC. GPs' attitudes to minor ailments. *Fam Pract* 2001;18:581-585 [T,I]

Bruguera M, Gurí J, Arteman A, Grau Valldosera J. La atención de los médicos hacia el cuidado de su propia salud. Resultados de una encuesta postal. *Med Clin (Barc)* 2001; 117: 492-494 [AO, I]

**RIESGO CARDIOVASCULAR.** Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Sheifer SE, Manolio TA, Gersh BJ. Unrecognized myocardial infarction. *Ann Intern Med* 2001; 135:801-811 [R,III]

Vollmer WM, Sacks FM, Ard J, Appel LJ, Bray GA, Simons-Morton DG et al. Effects of diet and sodium intake on blood pressure: subgroup analysis of the DASH-sodium trial. *Ann Intern Med* 2001; 135:1019-1028 [EC,III]

Kaplan NM. Management of hypertension in patients with type 2 diabetes mellitus: guidelines

based on current evidence. *Ann Intern Med* 2001; 135:1079-1083 [R,II]

McAlister FA, Lawson FME, Teo KK, Armstrong PW. Randomised trials of secondary prevention programmes in coronary heart disease: systematic review. *BMJ* 2001; 323: 957-962 [M,I]

Titan SMO, Bingham S, Welch A, Luben R, Oakes S, Day N, Khaw KT. Frequency of eating and concentrations of serum cholesterol in the Norfolk population of the European prospective investigation into

- cancer (EPIC-Norfolk): cross sectional study. *BMJ* 2001; 323: 1286-1288 [CC,I]
- Bungard T, McAlister FA, Johnson JA, Tsuyuki RT. Underutilisation of ACE inhibitors in patients with congestive heart failure. *Drugs* 2001;61:2021-2033 [R,I]
- McDermott MM, Greenland P, Liu K, Guralnik JM, Criqui MH, Dolan NC et al. Leg symptoms in peripheral arterial disease. *JAMA* 2001;286:1599-1606 [EC, I]
- Welch R, Zalenski RJ, Frederick PD, Malmgren JA, Compton S, Grzybowski M et al. Prognostic value of a normal or nonspecific initial electrocardiogram in acute myocardial infarction. *JAMA* 2001;286:1977-1984 [S, I]
- Channick RN, Simonneau G, Sitbon O, Robbins IM, Frost A, Tapsos VF et al. Effects of the dual endothelin-receptor antagonist bosentan in patients with pulmonary hypertension: a randomised placebo-controlled study. *Lancet* 2001; 358:1119-1123 [EC,II]
- Wong TY, Klein R, Couper DJ, Cooper LS, Shahar E, Hubbard LD et al. Retinal microvascular abnormalities and incident stroke: the Atherosclerosis Risk in Communities Study. *Lancet* 2001; 358:1134-1140 [S,II]
- Staessen JA, Wang JG, Thijs L. Cardiovascular protection and blood pressure reduction: a meta-analysis. *Lancet* 2001; 358:1305-1315 [M,I]
- Schröder K, Wegscheider K, Zeymer U, Tebbe U, Schröder R. Extent of ST-segment deviation in a single electrocardiogram lead 90 min after thrombolysis as a predictor of medium-term mortality in acute myocardial infarction. *Lancet* 2001; 358:1479-1486 [CC,I]
- Hamm CW, Bertrand M, Braunwald E. Acute coronary syndrome without ST elevation: implementation of new guidelines. *Lancet* 2001; 358:1533-1538 [AO,II]
- Morrow DA, Animan EM, Giugliano RP, Caims R, Charlesworth A, Murphy SA et al. A simple risk index for rapid initial triage of patients with ST-elevation myocardial infarction: an In TIME II substudy. *Lancet* 2001; 358: 1571-1575 [CC,I]
- Franz WM, Müller OJ, Katus HA. Cardiomyopathies: from genetics to the prospect of treatment. *Lancet* 2001; 358: 1627-1637 [R,I]
- Walldius G, Jungner I, Holme I, Astveit AH, Kolar W, Steiner E. High apolipoprotein B, low apolipoprotein A-I, and improvement in the prediction of fatal myocardial infarction (AMORIS study): a prospective study. *Lancet* 2001; 358: 2026-2033 [S,II]
- Coll-Vinent Puig B, Sánchez Sánchez M, Mont Girbau L. Nuevos conceptos en el tratamiento de la fibrilación auricular. *Med Clin (Barc)* 2001; 117: 427-437. [R, II].
- Vasan RS, Larson MG, Leip EP, Evans JC, O'Donnell CJ, Kannel WB, Levy D. Impact of high-normal blood pressure on the risk of cardiovascular disease. *N Engl J Med* 2001; 345:1291-1297 [S,II]
- Panza J. High-normal blood pressure — more "high" than "normal". *N Engl J Med* 2001; 345:1337-1340 [AO,II]
- Brown BG, Zhao XQ, Chait A, Fisher LD, Cheung MC, Morse JS, et al. Simvastatin and niacin, antioxidant vitamins, or the combination for the prevention of coronary disease. *N Engl J Med* 2001; 345:1583-1592 [CC,II]
- Tanis BC, van den Bosch MA, Kemmeren JM, Cats VM, Helmerhorst FM, Algra A, et al.. Oral contraceptives and the risk of myocardial infarction. *N Engl J Med* 2001; 345:1787-1793 [CC,I]
- DIABETES**
- Sommer TC, Lee TH. Charcot foot: the diagnostic dilemma. *Am Fam Physician* 2001; 64: 1591-1598 [AO, I]
- Mediavilla JJ, Mendola J. Principales estudios de intervención (ensayos clínicos) en la diabetes tipo 2: implicaciones en atención primaria. *Aten Primaria* 2001; 28: 478 - 483 [M,III]
- Ewart RM, Holman RR, Matthews DR, Meade T. The case against aggressive treatment of type 2 diabetes: critique of the UK prospective diabetes study • Commentary: UKPDS is well designed and clinically important. *BMJ* 2001; 323: 854-858 [AO,II]
- Olivarius NF, Beck-Nielsen H, Andreasen AH, Hørdér M, Pedersen PA. Randomised controlled trial of structured personal care of type 2 diabetes mellitus. *BMJ* 2001; 323: 970-975 [EC,I]
- Wolpert HA, Anderson BJ. Management of diabetes: are doctors framing the benefits from the wrong perspective? *BMJ* 2001; 323: 994-996 [AO,I]
- Bonora E, Calcaterra F, Lombardi S, Bonfante N, Formentini G, Bonadonna RC et al. Plasma glucose levels throughout the day and HbA1c) interrelationships in type 2 diabetes: implications for treatment and monitoring of metabolic control. *Diabetes Care* 2001 ; 24: 2023-2029 [T,II]
- Porta M, Sjoelie AK, Chaturvedi N, Stevens L, Rottiers R, Veglio M et al. Risk factors for progression to proliferative diabetic retinopathy in the EURODIAB Prospective Complications Study. *Diabetologia* 2001 ; 44: 2203-2209 [S,I]
- Cordonier D, Zaoni P, Halini S. Role of ACE Inhibitors in patients with diabetes mellitus. *Drugs* 2001; 61: 1883-1892 [AO,I]
- Hypönönen E, Laara E, Reunanen A, Järvelin MR, Virtanen SM. Intake of vitamin D and risk of type 1 diabetes: a birth-cohort study. *Lancet* 2001;358:1500-1503 [S,II]
- Dornhorst A. Insulinotropic meglitidine analogues. *Lancet* 2001 ;358 :1709-1716 [R,I]
- Raz I, Elias D, Avron A, Tamir M, Metzger M, Cohen IR. B-cell function in new-onset type 1 diabetes and immunomodulation with a heat-shock protein peptide (DiaPep277): a randomised, double-blind, phase II trial. *Lancet* 2001; 358:1749-1753 [EC,II]
- De Luis D, Alter R. Diabetes mellitus e infección por *Helicobacter pylori*. *Med Clin (Barc)* 2001; 117: 627-631 [R, II]
- Real JT, Valls M, Ascaso P, Basanta ML, Víguer A, Ascaso JF, Carmena R. Factores asociados con el ingreso hospitalario de pacientes diabéticos con ulceración en el pie. *Med Clin (Barc)* 2001; 117: 641-644 [T, II]
- Kristensen JK, Bro F, Sandbaek A, Dahler-Eriksen K, Lassen JF, Lauritzen T. HbA1c in an unselected population of 4438 people with Type 2 diabetes in a Danish county. *Scand J Prim Health Care* 2001; 19: 241-246 [T,II]
- Claudi T, Cooper JG. Comparison of urinary albumin excretion rate in overnight urine and albumin creatinine ratio in spot urine in diabetic patients in general practice. *Scand J Prim Health Care* 2001; 19: 247-248 [T,I]
- CÁNCER.** Incluye: mama, cérvix, próstata, colon, otros.
- Ladabaum U, Chopra CL, Huang G, Scheiman JM, Chernew ME, Fendrick AM. Aspirin as an adjunct to screening for prevention of sporadic colorectal cancer. A cost-effectiveness analysis. *Ann Intern Med* 2001; 135: 769-781 [S,III]
- Marzo M, Cierco P, Bonfill X. Cribado del cáncer de próstata. *Aten Primaria* 2001; 28: 468-471 [R,II]
- Ajaj A, Singh MP, Abdulla AJJ. Should elderly patients be told they have cancer? Questionnaire survey of older people. *BMJ* 2001; 323: 1160-1161 [T,I]
- Moreno V, González JR, Soler M, Bosch FX, Kogevinas M, Borràs JM. Estimación de la incidencia de cáncer en España: período 1993-1996. *Gaceta Sanitaria* 2001; 15:380-388 [T,I]
- Sacristán A, Álvarez B, De Dios R. Papel del médico de atención primaria en el seguimiento del paciente oncológico en tratamiento:

- efectos secundarios y en tratamiento soporte. *Inf Ter Sist Nac Salud* 2001; 25: 149-160 [R, II]
- Olsen O, Gotzsche PC. Cochrane review on screening for breast cancer with mammography. *Lancet* 2001; 358:1340-1342 [R,I]
- Collaborative Group on Hormonal Factors in Breast Cancer. Familial breast cancer: collaborative reanalysis of individual data from 52 epidemiological studies including 58209 women with breast cancer and 101986 women without the disease. *Lancet* 2001;358:1389-1399 [M,I]
- INFECCIOSAS.** Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.
- Katz MH, Cunningham WE, Fleishman JA, Andersen RM, Kellogg T, Bozzette SA et al. Effect of case management on unmet needs and utilization of medical care and medications among HIV-infected persons. *Ann Intern Med* 2001; 135:610-612 [EC,I]
- Arozullah AM, Khuri SF, Henderson WG, Daley J. Development and validation of a multifactorial risk for predicting postoperative pneumonia after major noncardiac surgery. *Ann Intern Med* 2001; 135 :919-921 [S,I]
- Venters GA. New variant Creutzfeldt-Jakob disease: the epidemic that never was. *BMJ* 2001; 323: 858-861 [AO,II]
- Davis GL. Treatment of chronic hepatitis C. *BMJ* 2001; 323: 1141-1142 [AO,I]
- Gow PJ, Mutimer D. Regular review: Treatment of chronic hepatitis. *BMJ* 2001; 323: 1164-1167 [R,II]
- Baerheim A. Empirical treatment of uncomplicated cystitis. *BMJ* 2001; 323: 1197-119 [AO,I]
- Godoy P, Nogués A, Alsedà M, Manonelles A, Artigues A, García M. Factores de riesgo asociados a pacientes tuberculosos con microscopia del esputo positiva. *Gaceta Sanitaria* 2001;15:506-512 [T,I]
- Fellay J, Boubaker K, Ledergerber B, Bernasconi E, Furrer H, Battegay M et al. Prevalence of adverse events associated with potent antiretroviral treatment: Swiss HIV Cohort Study. *Lancet* 2001; 358: 1322-1327 [T,I]
- Kaplan EL, Wotton JT, Johnson DR. Dynamic epidemiology of group A streptococcal serotypes associated with pharyngitis. *Lancet* 2001;358:1334-1337 [S,I]
- Polis MA, Sidorov IA, Yode C, Jankelevich S, Metcalf J, Mueller BU et al. Correlation between reduction in plasma HIV-1 RNA concentration 1 week after start of antiretroviral treatment and longer-term efficacy. *Lancet* 2001; 358: 1760-1765 [T,I]
- White PD, Thomas JM, Kangro HO, Bruce-Jones W DA, Amess J, Crawford DH et al. Predictions and associations of fatigue syndromes and mood disorders that occur after infectious mononucleosis. *Lancet* 2001; 358: 1946-1954 [S,I]
- Manges AR, Johnson JR, Foxman B, O'Bryan TT, Fullerton KE, Riley LW. Widespread distribution of urinary tract infections caused by a multidrug-resistant *Escherichia coli* clonal group. *N Engl J Med* 2001; 345:1007-1013. [T,I]
- White DG, Zhao S, Sudler R, Ayers S, Friedman S, Chen S, et al. The isolation of antibiotic-resistant *Salmonella* from retail ground meats. *N Engl J Med* 2001; 345:1147-1154 [S,I]
- Giebink G. The prevention of pneumococcal disease in children. *N Engl J Med* 2001; 345:1177-1183 [R,I]
- ASMA/BRONQUITIS CRÓNICA:**
- Llop R, Vallano A, Rodríguez D, Diogene E. Novedades terapéuticas en el tratamiento del asma. *Aten Primaria* 2001; 28:399-404 [R,II]
- Álvarez F, Bouza E, García-Rodríguez JA, Mayer MA, Mensa J, Monso E et al. Uso de antimicrobianos en la exacerbación de la enfermedad pulmonar obstructiva crónica. *Aten Primaria* 2001; 28: 415-424 [R,II]
- Álvarez-Sala JL, Cimas E, Naberan K, Simonet P, Masa JF, Miravittles M et al. Recomendaciones para la atención al paciente con enfermedad pulmonar obstructiva crónica. *Aten Primaria* 2001; 28: 491-500 [R,III]
- Brocklebank D, Wright J, Cates C. Systematic review of clinical effectiveness of pressurised metered dose inhalers versus other hand held inhaler devices for delivering corticosteroids in asthma. *BMJ* 2001; 323: 896-900 [M,II]
- Ram FSF, Wright J, Brocklebank D, White JES. Systematic review of clinical effectiveness of pressurised metered dose inhalers versus other hand held inhaler devices for delivering 2 agonists bronchodilators in asthma. *BMJ* 2001; 323: 901-904 [M,II]
- Kerstjens HAM, Groen HJ, Bij W. Recent advances: Respiratory medicine. *BMJ* 2001; 323: 1349-1353 [R,I]
- Janson C, Chinn S, Jarvis D, Zock JP, Torén K, Burney P et al. Effect of passive smoking on respiratory symptoms, bronchial responsiveness, lung function, and total serum IgE in the European Community Respiratory Health Survey: a cross-sectional study. *Lancet* 2001; 358: 2103-2109 [T,II]
- SALUD MENTAL.** Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).
- Watkins C, Daniels L, Jack C, Dickinson H, Broek M. Accuracy of a single question in screening for depression in a cohort of patients after stroke: comparative study. *BMJ* 2001; 323: 1159-1160 [T,I]
- Lester H. 10-minute consultation: First episode psychosis. *BMJ* 2001; 323: 1408-1409 [R,I]
- Fiellin DA, O'Conner PG, Chawarski M, Pakes JP, Pantaloni MV, Schottenfeld RS. Methadone maintenance in primary care. *JAMA* 2001; 285: 1724-1731 [S, II]
- Barjau Romero JM, Guerro-Prado D, Vega Piñero M. Seudodemencia depresiva: implicaciones clínicoterapéuticas. *Med Clin (Barc)* 2001; 117: 703-708 [R, I]
- Barsky A. The Patient with Hypochondriasis. *N Engl J Med* 2001; 345: 1395-1399 [AO,I]
- Krystal JH, Cramer JA, Krol WF, Kirk GF, Rosenheck RA. Naltrexone in the treatment of alcohol dependence. *N Engl J Med* 2001; 345: 1734-1739 [CC,I]
- SALUD LABORAL**
- ENFERMEDADES / PROBLEMAS PREVALENTES:**
- Schwartz DA, Pemberton JH, Sandborn WJ. Diagnosis and treatment of perianal fistulas in Crohn disease. *Ann Intern Med* 2001; 135 :906-918 [R,I]
- Cano S, Moyano F, Vila M, Louro A. Novedades en el manejo del dolor lumbar. *Aten Primaria* 2001; 28: 662-668 [R,II]
- Wilkin TJ, Devendra D, Dequeker J, Luyten FP. For and against: Bone densitometry is not a good predictor of hip fracture • For • Against, *BMJ* 2001; 323: 795-799 [R,II]
- Barry MJ, Roehrborn MC. Extracts from "Clinical Evidence": Benign prostatic hyperplasia. *BMJ* 2001; 323: 1042-1046 [M,II]
- Harris A, Misiewicz JJ. ABC of the upper gastrointestinal tract: Management of *Helicobacter pylori* infection. *BMJ* 2001; 323: 1047-1050 [R,II]
- Dallal HJ, Palmer KR. ABC of the upper gastrointestinal tract: Upper gastrointestinal haemorrhage. *BMJ* 2001; 323: 1115-1117 [R,I]

Davis GL. Treatment of chronic hepatitis C. *BMJ* 2001; 323: 1141-1142 [AO,I]

Gow PJ, Mutimer D. Regular review: Treatment of chronic hepatitis. *BMJ* 2001; 323: 1164-1167 [R,II]

Baerheim A. Empirical treatment of uncomplicated cystitis. *BMJ* 2001; 323: 1197-1199 [AO,I]

Seager JM, Hawkey CJ. ABC of the upper gastrointestinal tract: Indigestion and non-steroidal anti-inflammatory drugs. *BMJ* 2001; 323: 1236-1239 [R,II]

Talley NJ, Phung N, Kalantar JS. ABC of the upper gastrointestinal tract: Indigestion: When is it functional? *BMJ* 2001; 323: 1294-1297 [R,II]

Spiller RC. ABC of the upper gastrointestinal tract: Anorexia, nausea, vomiting, and pain. *BMJ* 2001; 323: 1354-1357 [R,I]

Shvartzman P, Borkan JM, Stoliar L, Peleg A, Nakar S, Nir G, et al. Second-hand prostatism: effects of prostatic symptoms on spouses' quality of life, daily routines and family relationships. *Fam Pract* 2001;18:610-613. [T,I]

Moreno V, González JR, Soler M, Bosch FX, Kogevinas M, Borrás JM. Estimación de la incidencia de cáncer en España: período 1993-1996. *Gaceta Sanitaria* 2001; 15:380-388 [T,I]

Lázaro P, Suárez R. Actualización en el tratamiento de la psoriasis. *Inf Ter Sist Nac Salud* 2001; 25: 105-110 [R,II]

Orozco P. Actualización en el abordaje y tratamiento de la osteoporosis 2001. *Inf Ter Sist Nac Salud* 2001; 25: 117-141 [R,II]

Froom J, Culpepper L, Green LA, de Melker RA, Grob P, Heeren T et al. A cross-national study of acute otitis media: risk factors, severity, and treatment at initial visit. Report from the International primary Care Network (IPCN) and the Ambulatory Sentinel Practice Network (ASPN). *J Am Board Fam Pract* 2001; 14:406-417 [S, II]

Bujanda L, Uriarte I, Muñoz C, Sánchez A, Cosme A, Alkiza M.E. Evolución de los pacientes con dispepsia menores de 55 años. *Med Clin (Barc)* 2001; 117: 773-775 [T, I]

García Luna PP, Soto Moreno AM. Fármacos para la obesidad. ¿Por qué los obesos son diferentes? *Med Clin (Barc)* 2001; 117: 539-540 [AO, II]

Panza J. High-normal blood pressure — more "high" than "normal". *N Engl J Med* 2001; 345:1337-1340 [AO,II]

Mohr JP, Thompson JL, Lazar RM, Levin B, Sacco RL, Furie KL et al. A comparison of warfarin and aspirin for the prevention of recurrent ischemic stroke. *N Engl J Med* 2001; 345: 1444-1451 [S,I]

Powers W. Oral anticoagulant therapy for the prevention of stroke. *N Engl J Med* 2001; 345: 1493-1495 [AO,II]

**ENFERMEDADES DE BAJA INCIDENCIA:**

Clayton D, McKeigue PM. Epidemiological methods for studying genes and environmental factors in complex diseases. *Lancet* 2001; 358:1356-1360 [R,I]

Peters DJM, Breuning MH. Autosomal dominant polycystic kidney disease: modification of disease progression. *Lancet* 2001; 358: 1439-1444 [R,I]

**MEDIOS DIAGNÓSTICOS:**

Watkins C, Daniels L, Jack C, Dickinson H, Broek M. Accuracy of a single question in screening for depression in a cohort of patients after stroke: comparative study. *BMJ* 2001; 323: 1159-1160 [T,I]

Smeeth L, Fletcher AE, Stirling S, Nunes M, Breeze E, Ng E, et al. Randomised comparison of three methods of administering a screening questionnaire to elderly people: findings from the MRC trial of the assessment and management of older people in the community. *BMJ* 2001; 323: 1403-1407 [T,I]

Scholten RJPM, Devillé WLJM, Opstelten W, Bijl D, van der Plas CG, Bouter LM. The accuracy of physical diagnostic tests for assessing meniscal lesions of the knee. A metaanalysis. *J Fam Pract* 2001; 50:938-944 [M, I]

Hulson TD, Mold JW, Scheid D, Aaron M, Aspy CB, Ballard NG et al. Diagnosis influenza: the value of clinical clues and laboratory tests. *J Fam Pract* 2001; 50:1051-1056. [CC, I]

**INFANCIA Y ADOLESCENCIA:**

Luszczak M. Evaluation and management of infants and young children with fever. *Am Fam Physician* 2001; 64: 1219-1226 [AO, II]

Sahota P, Rudolf MCJ, Dixey R, Hill AJ, Barth JH, Cade J. Randomised controlled trial of primary school based intervention to reduce risk factors for obesity. *BMJ* 2001; 323: 1029-1032 [EC,I]

Jacobson L, Richardson G, Parry-Langdon N, Donovan C. How do teenagers and primary healthcare providers view each other? An overview of key themes. *Br J Gen Pract* 2001; 51: 811-816 [C,I]

Modell JD, Modell JG, Wallander J, Hodgens B, Duke L. Maternal ratings of child behavior improve with treatment of maternal depression. *Family Medicine* 2001; 33:691-695 [T,I]

López Navarrete E, Noguera-Ocaña M, Lardelli-Claret P, Jiménez-Moleón JJ, Zuluaga-Gómez A. Factores de riesgo de criptorquidia. *Gaceta Sanitaria* 2001; 15:398-405 [CC,I]

Giebink G. The prevention of pneumococcal disease in children. *N Engl J Med* 2001; 345:1177-1183 [R,I]

**MUJER Y SALUD.** Incluye: Planificación Familiar, Embarazo, Aborto, Menopausia, mujer y medicina.

Simon JA, Hunninghake DB, Agarwal SK, Lin F, Cauley JA, Ireland CC et al. Effect of estrogen plus progestin on risk for biliary in postmenopausal women with coronary artery disease. The Heart and Estrogen/progestin Replacement Study. *Ann Intern Med* 2001; 135:493-501 [EC,I]

Hodis HN, Mack WJ, Lobo RA, Shoupe D, Sevanian A, Mahrer PR et al. Estrogen in the prevention of atherosclerosis. A randomized, double-blind, placebo-controlled trial. *Ann Intern Med* 2001; 135:939-53 [EC,III]

Kawano H, Motoyama T, Ohgushi M, Kugiyama K, Ogawa H, Yasue H. Menstrual cyclic variation of myocardial ischemia in premenopausal women with variant angina. *Ann Intern Med* 2001; 135: 1002-1004 [CC,II]

Wyatt K, Dimmock P, Jones P, Obhrai M, O'Brien S. Efficacy of progesterone and progestogens in management of premenstrual syndrome: systematic review. *BMJ* 2001; 323: 776-780 [M,I]

Dooley M, Spencer CM, Ormrod D. Estradiol Intranasal: A Review of its Use in Management of Menopause. *Drugs* 2001; 61: 2243-2262 [R,I]

Modell JD, Modell JG, Wallander J, Hodgens B, Duke L. Maternal ratings of child behavior improve with treatment of maternal depression. *Family Medicine* 2001; 33:691-695 [T,I]

Wilcox A, Baird DD, Dunson D, McChesney R, Weinberg CR. Natural limits of pregnancy testing in relation to the expected menstrual period. *JAMA* 2001; 286: 1759-1761 [S, II]

Bonjour JP, Chevalley T, Ammann P, Slosman D, Rizzoli R. Gain in bone mineral mass in prepubertal girls 3-5 years after discontinuation of calcium supplementation: a follow-up study. *Lancet* 2001; 358: 1208-1212 [S,I]

Olsen O, Gotzsche PC. Cochrane review on screening for breast cancer with mammography. *Lancet* 2001; 358:1340-1342 [R,I]

Collaborative Group on Hormonal Factors in Breast Cancer. Familial

breast cancer: collaborative reanalysis of individual data from 52 epidemiological studies including 58209 women with breast cancer and 101986 women without the disease. *Lancet* 2001; 358: 1389-1399 [M,I]

Tanis BC, van den Bosch MA, Kemmeren JM, Cats VM, Helmerhorst FM, Algra A, et al. Oral contraceptives and the risk of myocardial infarction. *N Engl J Med* 2001; 345: 1787-1793 [CC,I]

#### ANCIANOS:

Miller KE, Miller MM, Jolley MR. Challenges in pain management at the end of life. *Am Fam Physician* 2001; 64: 1227-1234 [AO, I]

Smeeth L, Fletcher AE, Stirling S, Nunes M, Breeze E, Ng E, et al. Randomised comparison of three methods of administering a screening questionnaire to elderly people: findings from the MRC trial of the assessment and management of older people in the community. *BMJ* 2001; 323: 1403-1407 [T,I]

Heslin JM, Soveri PJ, Winoy JB, Lyons RA, Buttanshaw AC, Kovacic L, et al. Health status and service utilisation of older people in different European countries. *Scand J Prim Health Care* 2001; 19: 218-222 [T,I]

#### URGENCIAS Y EMERGENCIAS

Cook DJ, Guyatt G, Rocker G, Sjøkvist P, Weaver B, Dodek P et al. Cardiopulmonary resuscitation directives on admission to intensive-care unit: an international observational study. *Lancet* 2001; 358: 1941-1945 [T,I]

**TERAPÉUTICA:** Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.

Miller KE, Miller MM, Jolley MR. Challenges in pain management at the end of life. *Am Fam Physician* 2001; 64: 1227-1234 [AO, I]

Margo KL, Luttermoser G, Shaughnessy AF. Spironolactone in left-sided heart failure: how does it fit in? *Am Fam Physician* 2001; 64: 1393-1399 [AO, II]

Hueston WJ. Treatment of hypothyroidism. *Am Fam Physician* 2001; 64: 1717-1724. [AO, II]

Cano S, Moyano F, Vila M, Louro A. Novedades en el manejo del dolor lumbar. *Aten Primaria* 2001; 28: 662-668 [R,II]

Seager JM, Hawkey CJ. ABC of the upper gastrointestinal tract: Indigestion and non-steroidal anti-inflammatory drugs. *BMJ* 2001; 323: 1236-1239 [R,II]

Zermansky AG, Petty DR, Raynor DK, Freemantle N, Vail A, Lowe CJ. Randomised controlled trial of clinical medication review by a pharmacist of elderly patients receiving repeat prescriptions in general practice. *BMJ* 2001; 323: 1340-1343 [EC,I]

Burlis A, Gold L, Clark W. Systematic review of randomised controlled trials of sildenafil (Viagra) in the treatment of male erectile dysfunction. *Br J Gen Pract* 2001; 51:1004-1012 [M,I]

Bañas MH. Nuevas perspectivas en el tratamiento antitrombótico. *Inf Ter Sist Nac Salud* 2001; 25: 93-104 [R,II]

Lázaro P, Suárez R. Actualización en el tratamiento de la psoriasis. *Inf Ter Sist Nac Salud* 2001; 25: 105-110 [R,II]

Orozco P. Actualización en el abordaje y tratamiento de la osteoporosis 2001. *Inf Ter Sist Nac Salud* 2001; 25: 117-141 [R,II]

Scott JG, Cohen D, Dicicco-Bloom B, Orzano AJ, Jaén CR, Crabtree BJ. Antibiotic use in acute respiratory infections and the ways patients pressure physicians for a prescription. *J Fam Pract* 2001; 50:853-858 [CC, I]

George CFP. Pyrazolopyrimidines. *Lancet* 2001; 358: 1623-1626 [R,I]

Ferrari MD, Roon KI, Lipton RB, Goadsby PJ. Oral triptans (serotonin 5-HT 1b/1d agonists) in acute migraine treatment: a meta-analysis of 53 trials. *Lancet* 2001;358: 1668-1675 [M,I]

Huirne JA, Lambalk CB. Gonadotropin-releasing-hormone-receptor antagonists. *Lancet* 2001: 358: 1793-1803 [R,I]

Shorvon S. Pyrrolidone derivatives. *Lancet* 2001;358: 1885-1892 [R,I]

Diekema DJ, Jones RN. Oxazolidinone antibiotics. *Lancet* 2001; 358: 1975-1982 [R,I]

Breitner J, Zandi P. Do nonsteroidal antiinflammatory drugs reduce the risk of Alzheimer's disease? *N Engl J Med* 2001; 345:1567-1568 [AO,I]

Crofford L. Rational use of analgesic and antiinflammatory drugs. *N Engl J Med* 2001; 345:1844-1846 [AO,I]

Weber MA. Vasopeptidase inhibitors. *Lancet* 2001; 358: 1525-1532 [R,I]

Talley NJ. Serotonergic neuroenteric modulators. *Lancet* 2001; 358: 2061-2068 [R,I]

#### ENTREVISTA CLINICA:

Vandekieft GK. Breaking bad news. *Am Fam Physician* 2001; 64: 1975-1978 [AO, I]

#### ATENCION FAMILIAR:

Modell JD, Modell JG, Wallander J, Hodgens B, Duke L. Maternal ratings of child behavior improve with treatment of maternal depression. *Family Medicine*. 2001; 33:691-695 [T,I]

**ACTIVIDADES COMUNITARIAS.** Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.

**DOCENCIA.** Incluye: pregrado, postgrado, formación medica continuada, metodología docente.

Lipman AJ, Sade RM, Glotzbach AL, Lancaster CJ, Marshall MF. The incremental value of internet-based instruction as an adjunct to classroom instruction: a prospective randomized study. *Acad Med* 2001; 76: 1060-1064 [CC,I]

Magill MK, Quinn R, Babitz M, Saffel-Shrier S, Shomaker S. Integrating public health into medical education: community health projects in a Primary Care Preceptorship. *Acad Med* 2001; 76: 1076-9 [AO,I]

McLeod PJ, Steinert Y, Trudel J, Gottesman R. Seven principles for teaching procedural and technical skills. *Acad Med* 2001; 76: 1080 [QE,II]

Bergus GR, Randall CS, Winniford MD, Mueller CW, Johnson SR. Job satisfaction and workplace characteristics of primary and specialty care physicians at a bimodal medical school. *Acad Med*. 2001; 76: 1148-1152. [T,I]

Friedlich M, MacRae H, Oandasan I, Tannenbaum D, Batty H, Reznick R et al. Structured assessment of minor surgical skills (SAMSS) for family medicine residents. *Acad Med* 2001; 76: 1241-1246 [AO,I]

Weaver S, Mills TL, Passmore C. Job satisfaction of family practice residents. *Family Medicine*.2001; 33: 678-682 [T,I]

Pijoán J, Urkaregi A, Morán JM. Evaluación por los médicos internos residentes de la formación recibida en los servicios hospitalarios: una herramienta de monitorización. *Gaceta Sanitaria* 2001; 15: 432-440 [T,I]

**INVESTIGACION.** Incluye: investigación cualitativa, estadística.

Kostoff R. The extraction of useful information from the biomedical literature. *Acad Med* 2001; 76: 1265-1270 [R,I]

Freeman AA, Sweeney K. Why general practitioners do not implement evidence: qualitative study. *BMJ* 2001; 323: 1100-1102 [C,I]

**MEDICINA BASADA EN PRUEBAS.**

Tonelli MR, Callahan TC. Why alternative medicine cannot be evidence-based. *Acad Med* 2001 ; 76: 1213-1220 [AO,I]

Williams SV, Fihn SD, Gibbons RJ, American College of Cardiology, American Heart Association, American College of Physicians-American Society of Internal Medicine. Guidelines for the management of patients with chronic stable angina: diagnosis and risk stratification. *Ann Intern Med* 2001; 135: 527-529 [M,II]

Fihn SD, Williams SV, Daley J, Gibbons RJ. Guidelines for the management of patients with chronic stable angina: treatment. *Ann Intern Med* 2001; 135: 616-632 [M,II]

Hull RD, Pineo GF, Stein PD, Mah AF, MacIsaac SM, Dahl OE et al. Extended out-of-hospital low-molecular-weight heparin prophylaxis against deep venous thrombosis in patients after elective hip arthroplasty: a systematic review. *Ann Intern Med* 2001; 135: 858-69 [M,II]

Olsen O, Middleton P, Ezzo J, Gøtzsche PC, Hadzazy V, Herxheimer A et al. Quality of Cochrane reviews: assessment of sample from 1998. *BMJ* 2001; 323: 829-832 [T,II]

Barry MJ, Roehrborn MC. Extracts from "Clinical Evidence": Benign prostatic hyperplasia. *BMJ* 2001; 323: 1042-1046 [M,II]

Freeman AA, Sweeney K. Why general practitioners do not implement evidence: qualitative study. *BMJ* 2001; 323: 1100-1102 [C,I]

**PREVENCIÓN.**

Ni YH, Chang MH, Huang LM, Chen HL, Hsu HY, Chiu TY et al. Hepatitis B virus infection in children and adolescents in a hyperendemic area: 15 years after mass hepatitis B vaccination. *Ann Intern Med* 2001; 135: 835-836 [T,II]

Wells J, Marshall P, Crawley, Dickersin K. Newspaper reporting of screening mammography. *Ann Intern Med* 2001; 135: 1029-1037 [T,I]

Riley, TR, Bhatti AM. Preventive strategies in chronic liver disease: Part I. Alcohol, vaccines, toxic medications and supplements, diet and exercise. *Am Fam Physician* 2001; 64: 1555-1560 [AO, II ]

Riley TR, Bhatti AM. Preventive strategies in chronic liver disease: Part II. Cirrhosis. *Am Fam Physician* 2001; 64: 1735-1740 [ AO, II ]

Marzo M, Cierco P, Bonfill X. Cribado del cáncer de próstata. *Aten Primaria* 2001; 28: 468-471 [R,II]

Anton F, Maiques A, Franch M, Alexandre E, Gomez AB, Sotoca R.

Efectividad de la prevención cardiovascular en atención primaria. *Aten Primaria* 2001; 28: 642 - 647 [S,I]

Wilkin TJ, Devendra D, Dequeker J, Luyten FP. For and against: Bone densitometry is not a good predictor of hip fracture • For • Against, *BMJ* 2001; 323: 795-799 [R,II]

Sahota P, Rudolf MCJ, Dixey R, Hill AJ, Barth JH, Cade J. Randomised controlled trial of primary school based intervention to reduce risk factors for obesity. *BMJ* 2001; 323: 1029-1032 [EC,I]

Simons J, Reynolds J, Morison L. Randomised controlled trial of training health visitors to identify and help couples with relationship problems following a birth. *Br J Gen Pract* 2001; 51: 793-799 [EC,I]

Watson E, Clements A, Yudkin P, Rose P, Bukach C, Mackay J, et al. Evaluation of the impact of two educational interventions on GP management of familial breast/ovarian cancer cases: a cluster randomised controlled trial. *Br J Gen Pract* 2001; 51:817-821 [EC,I]

Mohr JP, Thompson JL, Lazar RM, Levin B, Sacco RL, Furie KL, et al.. A comparison of warfarin and aspirin for the prevention of recurrent ischemic stroke. *N Engl J Med* 2001; 345:1444-1451 [S,I]

Powers W. Oral anticoagulant therapy for the prevention of stroke. *N Engl J Med* 2001; 345:1493-1495 [AO,II]

Breitner J, Zandi P. Do nonsteroidal antiinflammatory drugs reduce the risk of Alzheimer's disease? *N Engl J Med* 2001; 345:1567-1568 [AO,I]

**EVALUACION / GARANTÍA DE CALIDAD.**

Kristensen JK, Bro F, Sandbaek A, Dahler-Eriksen K, Lassen JF, Lauritzen T. HbA1c in an unselected population of 4438 people with Type 2 diabetes in a Danish county. *Scand J Prim Health Care* 2001; 19: 241-246 [T,I]

**BIOÉTICA:**

**PLANIFICACION / GESTIÓN.**

Lewis S, Donaldson C, Mitton C, Currie G. The future of health care in Canada. *BMJ* 2001; 323: 926-929 [AO,I]

Saultz JW, McCarty G, Cox B, Labby D, Willams R, Fields SA. Indirect institutional revenue generated from an academic primary care clinical network. *Family Medicine* 2001; 33: 668-671 [T,I]

**INFORMÁTICA.**

Lipman AJ, Sade RM, Glotzbach AL, Lancaster CJ, Marshall MF. The incremental value of internet-based instruction as an adjunct to classroom instruction: a prospective randomized study. *Acad Med* 2001; 76: 1060-1064 [CC,I]