

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de enero a 31 de marzo de 2002)

Alonso Morales F, Barbero Salado NB, Fernández Fernández I, Gálvez Alcaraz L, Gálvez Ibáñez M, Lahoz Rallo B, Manteca González A, Morata García de la Puerta J, Requena Ramos JM, Sánchez García C.

Médicos de Familia.

Los artículos, publicados entre el 1 de enero y el 31 de marzo de 2002, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas aparecerá el tipo de estudio, según la clasificación que se expone a continuación, y separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico casos y controles
- (S) Observacional analítico de seguimiento / cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas

Anexo 2:

GRADO DE INTERÉS:

- Alto: I
- Muy alto: II
- Imprescindible: III

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS_bases conceptuales, medicina de familia_profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

Grandes G ¿Por qué tan pocos ensayos clínicos en atención primaria? Aten Primaria 2002; 29:97-101

Simon C, Kumar S, Kendrick T. Who cares for the carers? The district nurse perspective Fam Pract 2002; 19: 29-35. [C, I]

Ely JW, Osheroff JA, Ebell MH, Chambliss ML, Vinson Dc, Stevermer JJ et al. Obstacles to answering doctors' questions about patient care with evidence: qualitative study. BMJ 2002; 324: 710-3. [C,I]

Figuera J, Musgrove P, Carrin G, Durán A. Retos para los sistemas sanitarios de Latinoamérica: ¿qué puede aprenderse de la experiencia europea? Gac Sanit 2002; 16: 5-17. [AO,II]

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Mosca LJ. Optimal management of cholesterol levels and the prevention of coronary heart disease in women. Am Fam Physician 2002; 65: 217-26. [AO,II].

Nied RJ, Franklin B. Promoting and prescribing exercise for the elderly. Am Fam Physician 2002; 65: 615-20, 622. [AO,II]

Safeer RS, Ugalat P. Cholesterol treatment guidelines update. Am Fam Physician 2002; 65: 871-80. [AO,II]

Cornuz J, Humair JP, Seematter L, Stoianov R, van Melle G, Stalder H et al. Efficacy of resident training in smoking cessation: a randomized, controlled trial of a program based on application of behavioral theory and practice with standardized patients. Ann Intern Med 2002; 136: 429-37. [EC,I]

Dalfo A, Badia X, Roca-Cusachs A. Cuestionario de calidad de vida en hipertensión arterial (CHAL) . Aten Primaria 2002; 29: 116-122. [T,II]

Tobias J, Sanjuan R, Fabrega M, Bonet L, Roses C, Boquer J. El colesterol sigue alto. ¿Y ahora qué hacemos? Tratamiento de la hipercolesterolemia no controlada a lo largo de un año. Aten Primaria 2002; 29: 151-158. [QE,I]

Otzet I, Costa B, Franch J, Morato J, Pons P. IGT Research Group. Riesgo cardiovascular y metabolismo de la glucosa: acuerdos y discrepancias entre las clasificaciones OMS-85 y ADA-97. Aten Primaria 2002; 29: 205-213. [AO,I]

Lloyd-Williams F, Mair FS, Leitner M. Exercise training and heart failure: a systematic review of current evidence. Br J Gen Pract 2002; 52: 47-55. [M,II]

Anti-thrombotic trialists' collaboration. Collaborative meta-analysis of randomised trials of antiplatelet therapy for prevention of death, myocardial infarction and stroke in high risk patients. BMJ 2002; 324: 71-86. [M,III]

Mananus RJ, Mant J, Meulendijks CFM, Salter RA, Pattison HM, Real-fo AK. On behalf midlands research practice consortium. Comparison of estimates and calculations of risk of coronary heart disease by doctors and nurses using different calculation tools in general practice: cross sectional study. BMJ 2002; 324: 459-64. [T,I]

- Rizvi K, Hampson JP, Harvey JN. Do lipid-lowering drugs cause erectile dysfunction? A systematic review. *Fam Pract* 2002; 19: 95-98. [R, II]
- Moller AM, Villebro N, Pedersen T, Tonnesen H. Effect of preoperative smoking intervention on postoperative complications: a randomised clinical trial. *Lancet* 2002; 359: 114-7. [EC,II]
- Green J, Forster A, Bogle S, Young J. Physiotherapy for patients with mobility problems more than 1 year after stroke: a randomised controlled trial. *Lancet* 2002; 359: 199-203. [EC,I]
- Dahlof B, Devereux RB, Kjeldsen SE, Julius S, Beevers G, Faire U et al. Cardiovascular morbidity and mortality in the Losartan Intervention For Endpoint reduction in hypertension study (LIFE): a randomised trial against atenolol. *Lancet* 2002; 359: 995-1003. [EC,II]
- Lindholm LH, Ibsen H, Dahlof B, Devereux RB, Beevers G, de Faire U et al. For Endpoint reduction in hypertension study (LIFE): a randomised trial against atenolol. *Lancet* 2002; 359: 1004-10. [EC,II]
- Fernández-Jarne E, Alegre F, Alonso A, De la Fuente C, Martínez-González MA. Ingestión de ácidos grasos omega-3 y riesgo de infarto de miocardio: un estudio de casos y controles. *Med Clin (Barc)* 2002; 118: 121-126. [CC,I]
- Pueyo G, Elosua R, Marrugat J. Metaanálisis de la evidencia científica sobre la utilidad de la toma esporádica de ácido acetilsalicílico en la prevención de enfermedad coronaria. *Med Clin (Barc)* 2002;118:166-170. [M,II]
- Ampudia-Blasco FJ, Navarro J. Enfermedad cardiovascular en la diabetes mellitus. *Med Clin (Barc)* 2002; 118: 306-312 [R,II]
- García-Reyes M, López-Torres J, Ramos E. Cumplimiento terapéutico en pacientes con enfermedades cardiovasculares. *Med Clin (Barc)* 2002; 118: 371-376. [S,I]
- DIABETES**
- Tutuncu NB, Gurlek A, Gedik O. Efficacy of ACE inhibitors and ATII receptor blockers in patients with microalbuminuria: a prospective study. *Acta Diabetol* 2001; 38: 157-161. [T,II]
- Fernández I, Ortega C, Martín JL, Rodríguez V. Diabetes mellitus tipo 2. *Aten Primaria* 2002; 29: 101-109. [R,II]
- López J, Serrano P, Duque B. Los costes socioeconómicos de la diabetes mellitus. *Aten Primaria* 2002; 29: 145-151. [T,I]
- Otzet I, Costa B, Franch J, Morato J, Pons P. IGT Research Group. Riesgo cardiovascular y metabolismo de la glucosa: acuerdos y discrepancias entre las clasificaciones OMS-85 y ADA-97. *Aten Primaria* 2002; 29: 205-213. [AO,I]
- Pickup J, Mattock M, Kerry S. Glycaemic control with continuous subcutaneous insulin infusion compared with intensive insulin injections in patients with type I diabetes: meta-analysis of randomised controlled trial. *BMJ* 2002; 324: 705-709. [M,II]
- Arauz-Pacheco C, Parrott MA, Raskin P. The treatment of hypertension in adult patients with diabetes. *Diabetes Care* 2002 ;25:134-147. [M,II]
- Franz MJ, Bantle JP, Beebe CA, Brunzell JD, Chiasson JL, Garg A et al. Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications. *Diabetes Care* 2002; 25: 148-198. [M,II]
- Van Dam RM, Willett WC, Rimm EB, Stampfer MJ, Hu FB. Dietary fat and meat intake in relation to risk of type 2 diabetes in men. *Diabetes Care* 2002; 25: 417-424. [T,II]
- Nichols GA, Brown JB. The impact of cardiovascular disease on medical care costs in subjects with and without type 2 diabetes. *Diabetes Care* 2002; 25: 482-486. [T,II]
- Alto WA, Meyer D, Schneid J, Bryson P, Kinding J. Assuring the accuracy of home glucose monitoring. *J Am Board Fam Pract* 2002; 15: 1-6. [T, II]
- Peters NS, Schilling RJ, Kanagaratnam P, Markides V. Atrial fibrillation: strategies to control, combat, and cure. *Lancet* 2002; 359: 593-603. [R,I]
- Costa B, Piñol JL, Martín F, Donado A, Castell C. Incidencia significativa de la diabetes tipo 2 en la población española de alto riesgo. Resultados del Estudio ITG. *Med Clin (Barc)* 2002; 118: 287-294. [S,II]
- Ampudia-Blasco FJ, Navarro J. Enfermedad cardiovascular en la diabetes mellitus. *Med Clin (Barc)* 2002;118: 306-312. [R,II]
- Knowler WC, Barrett-Connor E, Fowler SE, Hamman RF, Lachin JM, Walker EA et al. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med* 2002; 346: 393-403. [EC,II]
- CÁNCER.** Incluye: mama, cérvix, próstata, colon, otros.
- Birchall M, Richardson A, Lee L on behalf of south and west regional cancer organisation tumour panel for head and neck cancer. Eliciting views of patients with head and neck cancer and carers on professionalism derived standards for care. *BMJ* 2002; 324: 416-9. [C,I]
- Nystrom L, Andersson I, Bjurstram N, Frisell J, Nordenskjold B, Rutqvist LE. Long-term effects of mammography screening: updated overview of the Swedish randomised trials. *Lancet* 2002; 359: 909-19. [R,II]
- INFECCIOSAS.** Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.
- Steyer TE. Peritonsillar Abscess: Diagnosis and Treatment. *Am Fam Physician* 2002; 65: 93-6. [AO,I]
- Gómez A, Mesa MC. Prescripción de antibióticos en la infección del tracto urinario: adecuación a criterios de calidad en atención primaria. *Aten Primaria* 2002; 29: 122-124. [T,I]
- Nasrin D, Collignon PJ, Roberts L, Wilson EJ, Pilotto LS, Douglas RM. Effect of B lactam antibiotic use in children on pneumococcal resistance to penicillim: prospective cohort study. *BMJ* 2002; 324: 28-30. [S,I]
- Macfarlane J, Holmes W, Gard P, Thornhill D, Macfarlane R. Reducing antibiotic use for acute bronchitis in primary care: blinded randomised controlled trial of patient information leaflet. *BMJ* 2002; 324: 91-4. [EC, II]
- Jordan R, Gold L, Cummins C, Hyde C. Systematic review and meta-analysis of evidence for increasing numbers of drugs in antiretroviral combination therapy. *BMJ* 2002; 324: 757-60. [M,II]
- ASMA/BRONQUITIS CRÓNICA:**
- Schapowal A on behalf of petasites study group. Randomised controlled trial of butterbur and cetirizine for treating seasonal allergic rhinitis. *BMJ* 2002; 324: 144-6. [EC,II]
- Lewith GT, Watkins AD, Ayland ME, Shaw S, Broomfield JA, Doland G et al. Use of ultramolecular potencies of allergen to treat asthmatic people allergic to house dust mite: double blind randomised controlled clinical trial. *BMJ* 2002; 324: 450-3. [EC,I]
- SALUD MENTAL.** Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).
- Mann JJ. A current perspective of suicide and attempted suicide. *Ann Intern Med* 2002; 136: 302-11. [R,I]
- Oliver P, Keen J, Mathers N. Deaths from drugs of abuse in Sheffield 1997-1999: what are the implications for GPs prescribing to heroin addicts? *Fam Pract* 2002; 19: 93-94. [T,I]

- Trave AI, Reneses A. Manejo de los fármacos en el tratamiento de la depresión. *Inf Ter Sist Nac Salud* 2002; 26: 1-7. [R,II]
- Muller-Oerlinghausen B, Berghofer A, Bauer M. Bipolar disorder. *Lancet* 2002; 359: 241-7. [R,I]
- Pintor L, Torres X, Navarro V, Gasto C. Episodio depresivo mayor: estudio de la remisión y de las recaídas. *Med Clin (Barc)* 2002; 118: 41-47. [S,II]
- Csernansky JG, Mahmoud R, Brenner R. A comparison of risperidone and haloperidol for the prevention of relapse in patients with schizophrenia. *N Engl J Med* 2002; 346: 16-22. [EC,I]

SALUD LABORAL

ENFERMEDADES / PROBLEMAS PREVALENTES:

- Mosca LJ. Optimal management of cholesterol levels and the prevention of coronary heart disease in women. *Am Fam Physician* 2002; 65: 217-26. [AO,II]
- Safeer RS, Ugalat P. Cholesterol treatment guidelines update. *Am Fam Physician* 2002; 65: 871-80. [AO,II]
- Hinton R, Moody RL, Davis A, Thomas SF. Osteoarthritis: diagnosis and therapeutic considerations. *Am Fam Physician* 2002; 65: 841-8. [AO,II]
- García-Pola MJ, García JM. Leucoplasia oral. *Aten Primaria* 2002; 29: 39-50. [R,I]
- Romera M, Lafuente A, Carbonell C. Osteoporosis. *Aten Primaria* 2002; 29: 167-172. [R,II]
- Dura T, Aguirre P, Mauleon C, Oteiza MS, Díaz L. Carencia de hierro en adolescentes (10-14 años). *Aten Primaria* 2002; 29:72-79. [T,I]
- Koning S, Suijlekom-Smit LWAU, Nouwen JL, Verduin CM, Bernsen RMD, Oranje AP et al. Fusidil acid cream in the treatment of impetigo in general practice: double blind randomised placebo controlled trial. *BMJ* 2002; 324:203-6. [EC, II]
- Bosch J, Yusuf S, Pogue J, Sleight P, Lunn E, Rangoowala B, Davies R, Ostergren J, Probstfield J on behalf of the hope investigators. Use of ramipril in preventing stroke double blind randomised trial. *BMJ* 2002; 324: 699-702. [EC,II]
- Plans P, Tresserras R, Navas E, Pardell H. Estudio de coste-efectividad del tratamiento de la hipertensión arterial en Cataluña. *Med Clin (Barc)* 2002; 118: 211-217. [T,I]
- Borghesi L. Comparison of two diets for the prevention of recurrent stones in idiopathic hypercalciuria. *N Engl J Med* 2002; 346: 77-84. [AO,II]
- Volume Paty D, Arnold DL. The lesions of multiple sclerosis. *N Engl J Med* 2002; 346: 199-200. [AO,III]
- GottliebD. Cardiac pacing — a novel therapy for sleep apnea? *N Engl J Med* 2002; 346: 444-445. [AO,II]
- Brawer MK. Prostate specific antigen. *N Engl J Med* 2002; 346:715. [R,II]

ENFERMEDADES DE BAJA INCIDENCIA:

- Gruska M, Epstein JB, Gorsky M. Burning mouth syndrome. *Am Fam Physician* 2002; 65: 615-20. [AO,I]
- Shanahan F. Crohn's disease. *Lancet* 2002; 359: 62-9. [R,I]
- Farrell RJ, Peppercorn MA. Ulcerative colitis. *Lancet* 2002; 359: 331-40. [R,I]
- Emery AE. The muscular dystrophies. *Lancet* 2002; 359: 687-95. [R,I]

MEDIOS DIAGNÓSTICOS:

- Graves JC, Miller KL. Maternal serum triple analyte screening in pregnancy. *Am Fam Physician* 2002; 65: 915-20. [AO,I]
- Alto WA, Meyer D, Schneid J, Bryson P, Kinding J. Assuring the accu-

racy of home glucose monitoring. *J Am Board Fam Pract* 2002; 15:1-6. [T, II]

- Calvet X, Salceda F, Sanfeliu I, Montserrat A, Brullet E, Real J et al. Evaluación de un nuevo test rápido para la detección de *Helicobacter pylori* en heces. *Med Clin (Barc)* 2002; 118: 126-130. [T,I]
- Brawer MK. Prostate specific antigen. *N Engl J Med* 2002; 346:715. [R,II]

INFANCIA Y ADOLESCENCIA:

- Fuloria M, Kreiter S. The newborn examination: part I. Emergencies and common abnormalities involving the skin, head, neck, chest and respiratory and cardiovascular systems. *Am Fam Physician* 2002; 65: 61-8. [AO,II]
- Dura T, Aguirre P, Mauleon C, Oteiza MS, Díaz L. Carencia de hierro en adolescentes (10-14 años). *Aten Primaria* 2002; 29:72-79. [T,I]
- Nasrin D, Collignon PJ, Roberts L, Wilson EJ, Pilotto LS, Douglas RM. Effect of B lactam antibiotic use in children on pneumococcal resistance to penicillim: prospective cohort study. *BMJ* 2002; 324: 28-30. [S,I]
- Thomas KS, Armstrong S, Avery A, Liwan PO, O'Neill C, Young S et al. Randomised controlled trial of short bursts of a potent topical corticosteroid versus prolonged use of a mild preparation for children with mild or moderate atopic eczema. *BMJ* 2002; 324: 768-71. [EC,II]
- Nebot M, Tomás Z, Ariza C, Valmayor S, Mudde A. Factores asociados con la intención de fumar y el inicio del hábito tabáquico en escolares: resultados del estudio ESFA en Barcelona. *Gac Sanit* 2002; 16: 131-138. [T,II]

MUJER Y SALUD. Incluye: Planificación Familiar, embarazo, Aborto, Menopausia, mujer y medicina.

- Mosca LJ. Optimal management of cholesterol levels and the prevention of coronary heart disease in women. *Am Fam Physician* 2002; 65: 217-26 [AO,II]
- Graves JC, Miller KL. Maternal serum triple analyte screening in pregnancy. *Am Fam Physician* 2002; 65: 915-20, 922 [AO,I]
- Marín GH, Fazio P, Rubbo S, Baistrocchi A, Sager G, Gelemur A. Prevalencia de anemia del embarazo y análisis de sus factores condicionantes. *Aten Primaria* 2002; 29: 158-164. [T,I]
- Bradley F, Smith M, Jean L, O'Dowd T. Reported frequency of domestic violence: cross sectional survey of women attending general practice. *BMJ* 2002; 324: 271-4. [T, I]
- Olsen SF, Secher NJ. Low consumption of seafood in early pregnancy as a risk factor for preterm delivery: prospective cohort study. *BMJ* 2002; 324: 447-50. [S,I]
- Stapleton H, Kirkham M, Thomas G. Qualitative study of evidence based leaflets in maternity care. *BMJ* 2002; 324: 639-43. [C, I]
- O' Cathain A, Walters SJ, Nicholl JP, Thomas KJ, Kikham M. Use of evidence based leaflets to promote informed choice in maternity care: randomised controlled trial in everyday practice. *BMJ* 2002; 324: 643-6. [EC,I]

ANCIANOS:

- Nied RJ, Franklin B. Promoting and prescribing exercise for the elderly. *Am Fam Physician* 2002; 65: 615-20. [AO,II]
- Bressler NM. Early detection and treatment of neovascular age-related macular degeneration. *J Am Board Fam Pract* 2002; 15: 142-152. [R, I]
- Cohen HJ, Feussner JR, Weinberger M, Carnes M, Hamdy RC, Hsieh F et al. A controlled trial of inpatient and outpatient geriatric evaluation and management. *N Engl J Med* 2002; 346: 905-12. [EC,II]

URGENCIAS Y EMERGENCIAS

Braun T, García L, Krafft T, Díaz-Regañón G. Frecuentación del servicio de urgencias y factores sociodemográficos. *Gac Sanit* 2002; 16: 139-144. [T,II]

TERAPÉUTICA: Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.

Van Everdingen AA, Jacobs JW, Siewertsz Van Reesema DR, Bijlsma JW. Low-dose prednisone therapy for patients with early active rheumatoid arthritis: clinical efficacy, disease-modifying properties, and side effects: a randomized, double-blind, placebo-controlled clinical trial. *Ann Intern Med* 2002; 136: 1-12. [EC,I]

Ernst E. The risk-benefit profile of commonly used herbal therapies: Ginkgo, St. John's Wort, Ginseng, Echinacea, Saw Palmetto, and Kava. *Ann Intern Med* 2002; 136: 42-53. [R,II]

Kaptchuk TJ. Acupuncture: theory, efficacy, and practice. *Ann Intern Med* 2002; 136: 374-83. [R,I]

Mosca LJ. Optimal management of cholesterol levels and the prevention of coronary heart disease in women. *Am Fam Physician* 2002; 65: 217-26. [AO,II]

Safeer RS, Ugalat P. Cholesterol treatment guidelines update. *Am Fam Physician* 2002; 65: 871-80. [AO,II]

Hinton R, Moody RL, Davis A, Thomas SF. Osteoarthritis: diagnosis and therapeutic considerations. *Am Fam Physician* 2002; 65: 841-8. [AO,II]

Almoosa K. Is thrombolytic therapy effective for pulmonary embolism? *Am Fam Physician* 2002; 65: 1097-102. [AO,II]

Mallin R. Smoking cessation: integration of behavioral and drug therapies. *Am Fam Physician* 2002; 65: 1107-14, 1117. [AO,II]

Steyer TE. Peritonsillar abscess: diagnosis and treatment. *Am Fam Physician* 2002; 65: 93-6. [AO,I]

Benítez MA, Asensio A. Fundamentos y objetivos de los cuidados paliativos. *Aten Primaria* 2002; 29:50-53. [AO,I]

Gómez A, Mesa MC. Prescripción de antibióticos en la infección del tracto urinario: adecuación a criterios de calidad en atención primaria. *Aten Primaria* 2002; 29: 122-124. [T,I]

Rocamora M, Vallano A. Utilización inadecuada de los AINE inhibidores selectivos de la COX-2. *Aten Primaria* 2002; 29: 122. [T,I]

Esquirol J, Herrero E. Ivermectina en el tratamiento de la escabiosis. *Aten Primaria* 2002; 29:253-256. [QE,I]

Nasrin D, Collignon PJ, Roberts L, Wilson EJ, Pilotto LS, Douglas RM. Effect of B lactam antibiotic use in children on pneumococcal resistance to penicillin: prospective cohort study. *BMJ* 2002; 324: 28-30. [S,I]

Macfarlane J, Holmes W, Gard P, Thornhill D, Macfarlane R. Reducing antibiotic use for acute bronchitis in primary care: blinded randomised controlled trial of patient information leaflet. *BMJ* 2002; 324: 91-4. [EC, II]

Koning S, Suijtek-Smit LW, Nouwen JL, Verduin CM, Bernsen RMD, Oranje AP et al. Fusidil acid cream in the treatment of impetigo in general practice: double blind randomised placebo controlled trial. *BMJ* 2002; 324: 203-6. [EC, II]

Schroeder K, Fahey T. Systematic review of randomised controlled trials of over the counter cough medicines for acute cough in adults. *BMJ* 2002; 324: 329-31. [M,II]

Jordan R, Gold L, Cummins C, Hyde C. Systematic review and meta-analysis of evidence for increasing numbers of drugs in antiretroviral combination therapy. *BMJ* 2002; 324: 757-60. [M,II]

Rizvi K, Hampson JP, Harvey JN. Do lipid-lowering drugs cause erectile

le dysfunction? A systematic review. *Fam Pract* 2002; 19: 95-98. [R, II]

Trave AI, Reneses A. Manejo de los fármacos en el tratamiento de la depresión. *Inf Ter Sist Nac Salud* 2002; 26: 1-7. [R,II]

García-Reyes M, López-Torres J, Ramos E. Cumplimiento terapéutico en pacientes con enfermedades cardiovasculares. *Med Clin (Barc)* 2002; 118: 371-376. [S,I]

Bunn HF. Drug-induced autoimmune red-cell aplasia. *N Engl J Med* 2002; 346: 522-523. [AO, II]

Csernansky JG, Mahmoud R, Brenner R. A comparison of risperidone and haloperidol for the prevention of relapse in patients with schizophrenia. *N Engl J Med* 2002; 346: 16-22. [EC,I]

ENTREVISTA CLÍNICA:

Butler DJ. Informed consent and patient videotaping. *Acad Med* 2002; 77: 181-184. [T,I]

Mallin R. Smoking Cessation: Integration of Behavioral and Drug Therapies. *Am Fam Physician* 2002; 65: 1107-14, 1117. [AO,II]

Ruiz R, Rodríguez JJ, Pérula L, Prados JA. Evolución del perfil comunicacional de los médicos residentes de medicina de familia. *Aten Primaria* 2002; 29: 132-142. [QE,I]

Beck RS, Daughtridge R, Sloane PD. Physician-patient communication in the primary care office: A systematic review. *J Am Board Fam Pract* 2002; 15: 25-38. [M, I]

ATENCIÓN FAMILIAR:

ACTIVIDADES COMUNITARIAS. Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.

Aguiló E, López M, Siles D, López LA. Las actividades comunitarias en atención primaria en España. Un análisis a partir de la Red del Programa de Actividades Comunitarias (PACAP). *Aten Primaria* 2002; 29: 26-33. [T,I]

Stapleton H, Kirkham M, Thomas G. Qualitative study of evidence based leaflets in maternity care. *BMJ* 2002; 324: 639-43. [C,I]

O' Cathain A, Walters SJ, Nicholl JP, Thomas KJ, Kirkham M. Use of evidence based leaflets to promote informed choice in maternity care: randomised controlled trial in everyday practice. *BMJ* 2002; 324: 643-6. [EC,I]

DOCENCIA. Incluye: pregrado, postgrado, formación médica continuada, metodología docente.

Callahan M, Fein O, Battleman D. A practice-profiling system for residents. *Acad Med* 2002; 77: 34-39. [C,I]

Haidet P, O'Malley KJ, Richards B. An initial experience with "Team learning" in medical education. *Acad Med* 2002; 77: 40-44. [C,I]

Keely E, Myers K, Dojeji S. Can written communication skills be tested in an objective structured clinical examination format? *Acad Med* 2002; 77: 82-86. [T,I]

Guagnano MT, Merlitti D, Manigrasso MR, Pace-Palitti V, Sensi S. New medical licensing examination using computer-based case simulations and standardized patients. *Acad Med* 2002; 77: 87-90. [T,I]

Maudsley G. Making sense of trying not to teach: an interview study of tutors' ideas of problem-based learning. *Acad Med* 2002; 77: 162-172. [C,I]

Butler DJ. Informed consent and patient videotaping. *Acad Med* 2002; 77: 181-184. [T,I]

Cornuz J, Humair JP, Seematter L, Stoianov R, van Melle G, Stalder H et al. Efficacy of resident training in smoking cessation: a randomized, controlled trial of a program based on application of beha-

vioral theory and practice with standardized patients. *Ann Intern Med* 2002; 136: 429-37. [EC,I]

Ruiz R, Rodríguez JJ, Pérula L, Prados JA. Evolución del perfil comunicacional de los médicos residentes de medicina de familia. *Aten Primaria* 2002; 29: 132-142. [QE,I]

Campos C. Alerta bibliográfica: cómo estar al día gracias a Internet. *Aten Primaria* 2002; 29: 189-194. [AO,I]

Aguillo IF. Herramientas avanzadas para la búsqueda de información médica en el web. *Aten Primaria* 2002; 29: 246-253. [AO,I]

Ely JW, Osherooff JA, Ebell MH, Chambliss ML, Vinson Dc, Stevermer JJ, Pifer EA. Obstacles to answering doctors' questions about patient care with evidence: qualitative study. *BMJ* 2002; 324: 710-3. [C,I]

INVESTIGACIÓN. Incluye: investigación cualitativa, estadística.

Daniels CE, Montori VM, Dupras DM. Effect of publication bias on retrieval bias. *Acad Med* 2002; 77: 266-268. [T,II]

Grandes G. ¿Por qué tan pocos ensayos clínicos en atención primaria? *Aten Primaria* 2002; 29: 97-101.

Campos C. Alerta bibliográfica: cómo estar al día gracias a Internet. *Aten Primaria* 2002; 29: 189-194. [AO,I]

Ely JW, Osherooff JA, Ebell MH, Chambliss ML, Vinson Dc, Stevermer JJ et al. Obstacles to answering doctors' questions about patient care with evidence: qualitative study. *BMJ* 2002; 324: 710-3. [C,I]

Grimes DA, Schulz KF. Descriptive studies: what they can and cannot do. *Lancet* 2002; 359: 145-9. [R,I]

Rodríguez JL, Casado A. Doble ciego. El control de los sesgos en la realización de ensayos clínicos. Contradicciones, insuficiencias e implicaciones. *Med Clin (Barc)* 2002; 118: 192-196. [AO,II]

Argimon JM. El intervalo de confianza: algo más que un valor de significación estadística. *Med Clin (Barc)* 2002; 118: 382-385. [AO,II]

MEDICINA BASADA EN PRUEBAS.

Ely JW, Osherooff JA, Ebell MH, Chambliss ML, Vinson Dc, Stevermer JJ et al. Obstacles to answering doctors' questions about patient care with evidence: qualitative study. *BMJ* 2002; 324: 710-3. [C,I]

Franz MJ, Bantle JP, Beebe CA, Brunzell JD, Chiasson JL, Garg A et al. Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications. *Diabetes Care* 2002; 25: 148-198. [M,II]

PREVENCIÓN.

Nebot M, Tomás Z, Ariza C, Valmayor S, Mudde A. Factores asociados con la intención de fumar y el inicio del hábito tabáquico en escolares: resultados del estudio ESFA en Barcelona. *Gac Sanit* 2002; 16: 131-138. [T,II]

Bressler NM. Early detection and treatment of neovascular age-related macular degeneration. *J Am Board Fam Pract* 2002; 15: 142-152. [R, I]

Oliver P, Keen J, Mathers N. Deaths from drugs of abuse in Sheffield

1997-1999: what are the implications for GPs prescribing to heroin addicts? *Fam Pract* 2002; 19: 93-94. [T,I]

Grimes DA, Schulz KF. Uses and abuses of screening tests. *Lancet* 2002; 359: 881-4. [R,II]

Pueyo G, Elosua R, Marrugat J. Metaanálisis de la evidencia científica sobre la utilidad de la toma esporádica de ácido acetilsalicílico en la prevención de enfermedad coronaria. *Med Clin (Barc)* 2002; 118: 166-170. [M,II]

Bosch J, Yusuf S, Pogue J, Sleight P, Lunn E, Rangooowala B et al. Use of ramipril in preventing stroke double blind randomised trial. *BMJ* 2002; 324: 699-702. [EC,II]

EVALUACIÓN / GARANTÍA DE CALIDAD.

Plans P, Tresserras R, Navas E, Pardell H. Estudio de coste-efectividad del tratamiento de la hipertensión arterial en Cataluña. *Med Clin (Barc)* 2002; 118: 211-217. [T,I]

BIOÉTICA:

Judez J, Nicolas P, Delgado MT, Hernando P, Zarco J, Granollers S. La confidencialidad en la práctica clínica: historia clínica y gestión de la información. *Med Clin (Barc)* 2002; 118: 18-37. [AO,I]

PLANIFICACIÓN / GESTIÓN.

Montesinos A. La red como recurso de información estadística y médico-administrativa. *Aten Primaria* 2002; 29: 53-61. [AO,I]

INFORMÁTICA.

Montesinos A. La red como recurso de información estadística y médico-administrativa. *Aten Primaria* 2002; 29: 53-61. [AO,I]

Norris TE, Hart GL, Larson EH, Tarczy-Hornoch P, Masuda DL, Fuller SS et al. Low-bandwidth, Low-cost telemedicine consultations in rural family practice. *J Am Board Fam Pract* 2002; 15: 123-127. [C, I]

Aguillo IF. Herramientas avanzadas para la búsqueda de información médica en el web. *Aten Primaria* 2002; 29: 246-253. [AO,I]

OTRAS.

Gornemann I, Zunzunegui MV. Incremento en la utilización de servicios hospitalarios por las personas mayores de 55 años: envejecimiento poblacional y respuesta del sistema de servicios de salud. *Gac Sanit* 2002; 16: 156-159. [T, II]

Alijotas J, Alegre J, Fernández-Sola J, Cots JM, Panisello J, Peri JM et al. Documento de consenso sobre el diagnóstico y tratamiento del síndrome de fatiga crónica en Catalunya. *Med Clin (Barc)* 2002; 118: 73-77. [AO,I]

Sánchez J, Soriano E, Girona R, Pérez P, Viñets C. ¿Por qué aumentan las fosfatasas alcalinas? *Aten Primaria* 2002; 29: 241-246. [R,I]

Mitchell A. Infertility treatment - more risks and challenges. *N Engl J Med* 2002; 346: 769-770. [AO,III]