

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de abril a 30 de junio de 2002)

Alonso Morales F, Gálvez Alcaraz L, Guerrero García FJ, Lahoz Rallo B, Manteca González A, Morata García de la Puerta J, Sánchez García C.

Médicos de Familia.

Los artículos, publicados entre el 1 de abril y el 30 de junio de 2002 aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas, aparecerá el tipo de estudio, según la clasificación que se expone a continuación, y separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico casos y controles
- (S) Observacional analítico de seguimiento / cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas

Grado de interés:

- Alto: I
- Muy alto: II
- Imprescindible: III

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS_bases conceptuales, medicina de familia_profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

Aiarzaguena JM, Grandes G, Alonso-Arbiol I, Oleaga MB, Marco J. Abordaje biopsicosocial de los pacientes somatizadores en las consultas de atención primaria: un estudio piloto. *Aten Primaria* 2002; 29: 558-561 [QE, I]

López-Picazo JJ, Agullo F, Villaescusa M, Cerezo JM. Datos clínicos esenciales de la historia clínica de atención primaria: una experiencia de evaluación y mejora. *Aten Primaria* 2002; 30: 92-98 [QE, I]

Horrocks S, Anderson E, Salisbury C. Systematic review of whether nurse practitioners working in Primary Care can provide equivalent care to doctors. *BMJ* 2002; 324: 819-823 [M, I].

Campbell TL, McDaniel SH, Cole-Kelly K, Hepworth J, Lorenz A. Family interviewing: a review of the literature in primary care. *Fam Med* 2002; 34: 312-318. [R, I]

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Whelton SP, Chin A, Xin X, He J. Effect of aerobic exercise on blood pressure: a meta-analysis of randomized, controlled trials. *Ann Intern Med* 2002; 136: 493-503 [M, II]

Soriano N, Brotons C, Permanyer G, Moral I, Alegre J, Martí J. La atención médica de los pacientes con insuficiencia cardiaca: características clínicas, determinantes del pronóstico y seguimiento en la atención primaria. *Aten Primaria* 2002; 29: 531-539 [S, I]

Pérez M, Fernández R, Gayoso P, Martínez A. Valoración del tratamiento farmacológico antihipertensivo en un centro de salud en función de las patologías crónicas asociadas y grado de control de la HTA. *Aten Primaria* 2002; 29: 540-546 [T, I]

Cordon F, Solanas P. ¿Son directamente aplicables las tablas de Framingham a la población mediterránea? *Aten Primaria* 2002; 30: 29-32 [AO, I]

Evans J, Wang J, Morris AD. Comparison of cardiovascular risk between patients with type 2 diabetes and those who had a myocardial infarction: cross sectional and cohort studies. *BMJ* 2002; 324: 939-942 [T, II]

Pattenden J, Watt I, Lewin RJP, Stanford N. Decision making processes in people with symptoms of acute myocardial infarction: qualitative study. *BMJ* 2002; 324: 1006-1009 [C, I]

Marks D, Wonderling D, Theregood M, Lambert H, Humphries SE, Neil H. Cost effectiveness analysis of different approaches of screening for familial hypercholesterolaemia. *BMJ* 2002; 324: 1303-1306 [CE, II]

Hobbs FDR, Davis RC, Roaife AK, Harer MK, Kenkre JE. Reliability of n-treminal pro-brain natriuretic peptide assay in diagnosis of heart failure: cohort study in representative and high risk community populations. *BMJ* 2002; 324: 1498-1500 [S, II]

Houlihan CA, Allen TJ, Baxter AL, Panangiotopoulos S, Casley DJ, Cooper ME, Jerums G. A low-sodium diet potentiates the effects of losartan in type 2 diabetes. *Diabetes Care* 2002; 25: 663-671 [EC, I]

McFarlane SI, Jacober SJ, Winer N, Kaur J, Castro JP, Wui MA et al. Control of cardiovascular risk factors in patients with diabetes and hypertension at urban academic medical centers. *Diabetes Care* 2002; 25: 718-723 [T, I]

- Adler AI, Stevens RJ, Neil A, Stratton IM, Boulton AJM, Holman RR. UKPDS 59: Hyperglycemia and other potentially modifiable risk factors for peripheral vascular disease in type 2 diabetes. *Diabetes Care* 2002; 25: 894-899 [S, II]
- Krein SL, Vijan S, Pogach LM, Hogan MH, Kerr EA. Aspirin use and counseling about aspirin among patients with diabetes. *Diabetes Care* 2002; 25: 965-970 [QE, I]
- González CA, Argilaga S, Agudo A, Amiano P, Barricarte A, et al. Diferencias sociodemográficas en la adhesión al patrón de dieta mediterránea en poblaciones de España. *Gac Sanit* 2002; 16: 214 – 221 [T, I]
- Beckman JA, Creager MA, Libby P. Diabetes and atherosclerosis. Epidemiology, pathophysiology and management. *JAMA* 2002; 287: 2570-2581 [M, II]
- Domanski M, Mitchell G, Pfeffer M, Neaton JD, Norman J, Svendsen K et al; for the MRFIT Research Group. Pulse pressure and cardiovascular disease related mortality. Follow-up study of the Multiple Risk Factor Intervention Trial (MRFIT). *JAMA* 2002; 287: 2677-2683 [S, II]
- John JH, Ziebland S, Yudkin P, Roe LS, Neil HAW. Effects of fruit and vegetable consumption on plasma antioxidant concentrations and blood pressure: a randomised controlled trial. *Lancet* 2002; 359: 1069-1074 [EC, I]
- De la Sierra A, Artes M, López JS, Arcos E, Muñoz A (en representación del grupo de investigadores del estudio ETAPA). Efecto del tratamiento antihipertensivo sobre la presión de pulso. *Med Clin (Barc)* 2002; 119: 41-45 [S, I]
- Camarellas F, Asensio A, Jiménez-Ruiz C, Becerril B, Rodero D, Vidaller O. Efectividad de la intervención grupal para la deshabituación tabáquica. Ensayo clínico aleatorizado. *Med Clin (Barc)* 2002; 119: 53-57 [EC, I]
- De la Sierra A, Bove A, Sierra C, Bragulat E, Gómez-Angelats E, Antonio MT, Larrousse M, Coca A. Impacto de los componentes y sistemas de medición de la presión arterial sobre la lesión de órgano diana y las complicaciones cardiovasculares en la hipertensión arterial. *Med Clin (Barc)* 2002; 119: 125-129 [T, I]
- Gaspoz JM, Coxson PG, Goldman PA, Williams LW, Kuntz KM, Hunink MGM, Goldman L. Cost effectiveness of aspirin, clopidogrel, or both for secondary prevention of coronary heart disease. *N Engl J Med* 2002; 346: 1800-1806 [T, I]
- Lai KC, Lam SK, Chu KM, Wong BCY, Hui WM, Hu WHC, et al. Lansoprazole for the prevention of recurrences of ulcer complications from long-term low-dose aspirin use. *N Engl J Med* 2002; 346: 2033-2038 [EC, II]
- Luscombe ND, Clifton PM, Noakes M, Parker B, Wittert G. Effects of energy-restricted diets containing increased protein on weight loss, resting energy expenditure, and the thermic effect of feeding in type 2 diabetes. *Diabetes Care* 2002; 25: 652-657 [EC, I]
- Houlihan CA, Allen TJ, Baxter AL, Panangiotopoulos S, Casley DJ, Cooper ME, Jerums G. A low-sodium diet potentiates the effects of losartan in type 2 diabetes. *Diabetes Care* 2002; 25: 663-671 [EC, I]
- Enzlin P, Mathieu C, Van den Bruel A, Bosteels J, Vanderschueren D, Demyttenaere K. Sexual dysfunction in women with type 1 diabetes: a controlled study. *Diabetes Care* 2002; 25: 672-677 [T, I]
- McFarlane SI, Jacober SJ, Winer N, Kaur J, Castro JP, Wui MA et al. Control of cardiovascular risk factors in patients with diabetes and hypertension at urban academic medical centers. *Diabetes Care* 2002; 25: 718-723 [T, I]
- Monsod TP, Flanagan DE, Rife F, Saenz R, Caprio S, Sherwin RS, Tamborlane WV. Do sensor glucose levels accurately predict plasma glucose concentrations during hypoglycemia and hyperinsulinemia? *Diabetes Care* 2002; 25: 889-893 [T, I]
- Adler AI, Stevens RJ, Neil A, Stratton IM, Boulton AJM, Holman RR. UKPDS 59: Hyperglycemia and other potentially modifiable risk factors for peripheral vascular disease in type 2 diabetes. *Diabetes Care* 2002; 25: 894-899 [S, II]
- Krein SL, Vijan S, Pogach LM, Hogan MH, Kerr EA. Aspirin use and counseling about aspirin among patients with diabetes. *Diabetes Care* 2002; 25: 965-970 [QE, I]
- Meigs JB, D'Agostino RB, Nathan DM, Rifai N, Wilson PWF. Longitudinal association of glycemia and microalbuminuria: the Framingham offspring study. *Diabetes Care* 2002; 25: 977-983 [S, II]
- The CDC Diabetes cost-effectiveness group. Cost-effectiveness of intensive glycemic control, intensified hypertension control, and serum cholesterol level reduction for type 2 diabetes. *JAMA* 2002; 287: 2542-2551 [S, II]
- Beckman JA, Creager MA, Libby P. Diabetes and atherosclerosis. Epidemiology, pathophysiology and management. *JAMA* 2002; 287: 2570-2581 [M, II]
- Chiasson JL, Josse RG, Gomis R, Hanefeld M, Karasik A, Laakso M. Acarbose for prevention of type 2 diabetes mellitus: The STOP-NIIDM randomised trial. *Lancet* 2002; 359: 2072-2077 [EC, I]
- Escobar-Jiménez F (en representación del Grupo de Estudio Español sobre Sildenafil). Eficacia y seguridad del sildenafil en varones con diabetes mellitus tipo 2 y disfunción eréctil. *Med Clin (Barc)* 2002; 119: 121-124 [EC, II]
- Diabetes Prevention Trial Type 1 Diabetes Study Group. Effects of insulin in relatives of patients with type 1 diabetes mellitus. *N Engl J Med* 2002; 346: 1685-1691 [EC, I]

DIABETES

- Stern MP, Williams K, Haffner SM. Identification of persons at high risk for type 2 diabetes mellitus: do we need the oral glucose tolerance test? *Ann Intern Med* 2002; 136: 575-581 [S, II]
- Fernández I, Ortega C, Martín JL, Rodríguez V, Vázquez P, Costa CJ. La diabetes en Internet. *Aten Primaria* 2002; 29: 443-451 [R, I]
- Evans J, Wang J, Morris AD. Comparison of cardiovascular risk between patients with type 2 diabetes and those who had a myocardial infarction: cross sectional and cohort studies. *BMJ* 2002; 324: 939-942 [T, II]
- Wylie G, Hungin AP, Neely J. Impaired glucose tolerance: qualitative and quantitative study of general practitioners knowledge and perceptions. *BMJ* 2002; 324: 1190-1192 [C, II]
- Gross JL, Zelmanovitz T, Moulin CC, De Mello V, Perassolo M, Leitao C et al. Effect of a chicken-based diet on renal function and lipid profile in patients with type 2 diabetes: a randomized crossover trial. *Diabetes Care* 2002; 25: 645-651 [EC, I]

CÁNCER. Incluye: mama, cérvix, próstata, colon, otros.

- Benítez MA, Pérez MC, Fernández R, Cabrejas A. Diagnóstico y tratamiento del dolor oncológico crónico (I) *Aten Primaria* 2002; 29: 374-378 [R, II]
- Benítez MA, Pérez MC, Fernández R, Cabrejas A. Cuidados Paliativos. Tratamiento del dolor oncológico crónico (II): el uso de los opiáceos. *Aten Primaria* 2002; 29: 513-517 [R, II]
- Alcaraz M, Lluch A, Miranda J, Pereiro I, Salas MD. Estudio de la no participación en el programa de prevención de cáncer de mama en la ciudad de Valencia. *Gac Sanit* 2002; 16: 230 – 235. [T, I].
- Chochinov HM. Dignity-conserving care. A new model for palliative care. Helping the patient feel valued. *JAMA* 2002; 287: 2253-2260 [AO, II]

INFECCIOSAS. Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.

- Meurer LN, Bower DJ. Management of *Helicobacter pylori* infection. *Am Fam Physician* 2002; 65: 1327-1339 [R, II]
- Knutson D, Braun C. Diagnosis and management of acute bronchitis. *Am Fam Physician* 2002; 65: 2039-2046 [R, II]
- Weinstein A, Berman B. Topical treatment of common superficial tinea infections. *Am Fam Physician* 2002; 65: 2095-2106 [R, I]
- Herrine SK. Approach to the patient with chronic hepatitis C virus infection. *Ann Intern Med* 2002; 136: 747-757 [M, II]
- Chiba N, Veldhuyzen van Zanten SJO, Sinclair P, Ferguson RA, Escobedo S. Treating *helicobacter pylori* infection in primary care patients with uninvestigated dyspepsia: the canadian adult dyspepsia empiric treatment *helicobacter pylori* positive (cadet-hp) randomised controlled trial. *BMJ* 2002; 324: 1012-1016 [EC, II]
- Kingston M, Carlin E. Treatment of sexually transmitted infections with single-dose therapy: a double-edged sword. *Drugs* 2002; 62: 871-878 [AO, I]
- Devroey D, Van Casteren V, Sasse A. How are patients informed about their HIV test results? *Fam Pract* 2002; 19: 125-127 [T, I]

ASMA/BRONQUITIS CRÓNICA:

- Knutson D, Braun C. Diagnosis and management of acute bronchitis. *Am Fam Physician* 2002; 65: 2039-2046 [R, II]
- Douglass J, Aroni R, Goeman D, Stewart K, Sawyer S, Thien F. A qualitative study of action plans for asthma. *BMJ* 2002; 324: 1003-1005 [C, II]
- Schayck CPV, Loozen JMC, Wagena E, Akkermans RP, Wesseling GJ. Detecting patients at a high risk of developing chronic obstructive pulmonary disease in general practice: cross sectional case finding study. *BMJ* 2002; 324: 1370-1373 [T, III]
- Ducharme FM. Anti-leukotrienes as add-on therapy to inhaled glucocorticoids in patients with asthma: systematic review of current evidence. *BMJ* 2002; 324: 1545-1548 [M, II]
- Riancho JA, Cubian I, Portero I. Utilidad de los glucocorticoides inhalados en la enfermedad pulmonar obstructiva crónica: revisión sistemática. *Med Clin (Barc)* 2002; 118: 446-452 [M, II]
- Van Schayck CP, Bijl-Hofland ID, Folgering H, Cloosterman SG, Akkermans R, Van den Elshout F, Van Weel C. Influence of two different inhalation devices on therapy compliance in asthmatic patients. *Scand J Prim Health Care* 2002; 20: 126-128 [EC, I]

SALUD MENTAL. Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).

- Cummings JL, Frank JC, Cherry D, Kohatsu ND, Kemp B, Hewett L, Mittman B. Guidelines for managing Alzheimer's disease: part I. Assessment. *Am Fam Physician* 2002; 65: 2263-2277 [R, II]
- Cummings JL, Frank JC, Cherry D, Kohatsu ND, Kemp B, Hewett L, Mittman B. Guidelines for managing Alzheimer's disease: part II. Treatment. *Am Fam Physician* 2002; 65: 2525-2547 [R, II]
- Pignone MP, Gaynes BN, Rushton JL, Burchell CM, Orleans CT, Mulrow CD, Lohr KN. Screening for depression in adults: a summary of the evidence for the U. S. Preventive Services Task Force. *Ann Intern Med* 2002; 136: 765-776 [M, II]
- Gonzalez MJ, Garrido A. Novedades terapéuticas en el tratamiento de las demencias. *Aten Primaria* 2002; 29: 507-513 [R, I]
- Aiarzaguena JM, Grandes G, Alonso-Arbiol I, Oleaga MB, Marco J. Abordaje biopsicosocial de los pacientes somatizadores en las consultas de atención primaria: un estudio piloto. *Aten Primaria* 2002; 29: 558-561 [QE, I]
- Vinyoles E, Vila J, Argimon JM, Espinas J, Abos T, Limon E. Investigadores del proyecto Cuida'l. Concordancia entre el Mini-Examen

Cognoscitivo y el Mini-Mental State Examination en el cribado del déficit cognitivo. *Aten Primaria* 2002; 30: 5-14 [T, II]

- King M, Davidson O, Taylor F, Haines A, Sharp D, Turner R. Effectiveness of teaching general practitioners skills in brief cognitive behaviour therapy to treat patients with depression: randomised controlled trial. *BMJ* 2002; 324: 947-950 [EC, II]
- Fillit H, Hill JW, Fufferman R. Health care utilization and costs of Alzheimer's disease: the role of co-morbid conditions, disease stage, and pharmacotherapy. *Fam Med* 2002; 34: 528-535 [CC, I]
- Brañas F, Serra JA. Orientación y tratamiento del anciano con demencia. *Inf Ter Sist Nac Salud* 2002; 26: 65-77 [R, II]
- Lobo A, Chamorro L, Luque A, Dal-Ré R, Badia X, Baro E. Validación de las versiones en español de la Montgomery-Asberg Depression Rating Scale y la Hamilton Anxiety Rating Scale para la evaluación de la depresión y de la ansiedad. *Med Clin (Barc)* 2002; 118: 493-500 [T, II]
- Diez-Quevedo C, Rangil T, Sanchez L. Agorafobia. *Med Clin (Barc)* 2002; 119: 58-60 [R, I]
- Harma AM, Kaltiala-Heino R, Rimpela M, Rantanen P. Are adolescents with frequent pain symptoms more depressed?. *Scand J Prim Health Care* 2002; 20: 92-96 [T, I]

SALUD LABORAL

- Benavides FG, Gimeno, Benach J, Martínez JM, Jarque S, Berra A, et al. Descripción de los factores de riesgo psicosocial en cuatro empresas. *Gac Sanit* 2002; 16: 222 - 229 [T, I]

ENFERMEDADES / PROBLEMAS PREVALENTES:

- Meurer LN, Bower DJ. Management of *Helicobacter pylori* infection. *Am Fam Physician* 2002; 65: 1327-1339 [R, II]
- Arce DA, Ermocilla CA, Costa H. Evaluation of constipation. *Am Fam Physician* 2002; 65: 2283-2299 [R, I]
- Miller J, Chan BKS, Nelson HD. Postmenopausal estrogen replacement and risk for venous thromboembolism: a systematic review and meta-analysis for the U. S. Preventive Services Task Force. *Ann Intern Med* 2002; 136: 680-690 [M, II]
- Hoving JL, Koes BW, De Vet HCW, Van der Windt DAWM, Assendelft WJJ, Van Mameren H et al. Manual therapy, physical therapy, or continued care by a general practitioner for patients with neck pain. A randomized, controlled trial. *Ann Intern Med*. 2002; 136: 713-722 [EC, I]
- Gene E, Calvet X, Azagra R, Lopez T, Cubells MJ. Manejo de la dispepsia, la enfermedad ulcerosa y la infección por *Helicobacter pylori* en atención primaria. *Aten Primaria* 2002; 29: 486-495 [T, I]
- Pérez M, Fernández R, Gayoso P, Martínez A. Valoración del tratamiento farmacológico antihipertensivo en un centro de salud en función de las patologías crónicas asociadas y grado de control de la HTA. *Aten Primaria* 2002; 29: 540-546 [T, I]
- Calero S, Fariñas O, Nieto L, Cobo S. Tratamiento de las cefaleas. *Aten Primaria* 2002; 29: 565-569 [R, II]
- Marzo M, Peña F, Alonso P, Mascort JJ. Actualización en prevención y tratamiento del cáncer de próstata. *Aten Primaria* 2002; 30: 57-64 [R, II]
- Chiba N, Veldhuyzen van Zanten SJO, Sinclair P, Ferguson RA, Escobedo S. Treating *helicobacter pylori* infection in primary care patients with uninvestigated dyspepsia: the canadian adult dyspepsia empiric treatment *helicobacter pylori* positive (cadet-hp) randomised controlled trial. *BMJ* 2002; 324: 1012-1016 [EC, II]
- Schumacher HR. Randomised controlled trial of etoricoxib and indometacin in treatment of acute gouty arthritis. *BMJ* 2002; 324: 1488-1492 [EC, II]

Fernandez-Lopez JA, Remesar X, Foz M, Alemany M. Pharmacological approaches for the treatment of obesity. *Drugs* 2002; 62: 915-944 [R, I]

Ruiz-Giménez N, Friera A, Sánchez P, Caballero P, Rodríguez-Salvanes F, Suárez C. Trombosis venosa profunda en miembros inferiores en un servicio de urgencias. Utilidad de un modelo clínico de estratificación de riesgo. *Med Clin (Barc)* 2002; 118: 529-534 [T, II]

Mearin F. Enfermedad por reflujo gastroesofágico. *Med Clin (Barc)* 2002; 118: 551-557 [R, II]

De la Sierra A, Artes M, López JS, Arcos E, Muñoz A (en representación del grupo de investigadores del estudio ETAPA). Efecto del tratamiento antihipertensivo sobre la presión de pulso. *Med Clin (Barc)* 2002; 119: 41-45 [S, I]

Sánchez-Villegas A, Martínez-González MA, Toledo E, De Irala-Estévez J, Martínez JA (por el equipo investigador del proyecto SUN). Influencia del sedentarismo y el hábito de comer entre horas sobre la ganancia de peso. *Med Clin (Barc)* 2002; 119: 46-52 [T, I]

Lai KC, Lam SK, Chu KM, Wong BCY, Hui WM, Hu WHC, et al. Lansoprazole for the prevention of recurrences of ulcer complications from long-term low-dose aspirin use. *N Engl J Med* 2002; 346: 2033-2038 [EC, II]

ENFERMEDADES DE BAJA INCIDENCIA:

MEDIOS DIAGNÓSTICOS:

Vinyoles E, Vila J, Argimon JM, Espinas J, Abos T, Limon E. Investigadores del proyecto Cuida'l. Concordancia entre el Mini-Examen Cognoscitivo y el Mini-Mental State Examination en el cribado del déficit cognitivo. *Aten Primaria* 2002; 30: 5-14 [T, II]

Hobbs FDR, Davis RC, Roalfe AK, Harer MK, Kenkre JE. Reliability of n-treminal pro-brain natriuretic peptide assay in diagnosis of heart failure: cohort study in representative and high risk community populations. *BMJ* 2002; 324: 1498-500. [S, II]

Alcaraz M, Lluch A, Miranda J, Pereiro I, Salas MD. Estudio de la no participación en el programa de prevención de cáncer de mama en la ciudad de Valencia. *Gac Sanit* 2002; 16: 230-235 [T, I]

Lobo A, Chamorro L, Luque A, Dal-Ré R, Badia X, Baro E. Validación de las versiones en español de la Montgomery-Asberg Depression Rating Scale y la Hamilton Anxiety Rating Scale para la evaluación de la depresión y de la ansiedad. *Med Clin (Barc)* 2002; 118: 493-500 [T, II]

Ruiz-Giménez N, Friera A, Sánchez P, Caballero P, Rodríguez-Salvanes F, Suárez C. Trombosis venosa profunda en miembros inferiores en un servicio de urgencias. Utilidad de un modelo clínico de estratificación de riesgo. *Med Clin (Barc)* 2002; 118: 529-534 [T, II]

INFANCIA Y ADOLESCENCIA:

Brundage SC. Preconception health care. *Am Fam Physician* 2002; 65: 2507-2521 [R, II]

Harma AM, Kaltiala-Heino R, Rimpela M, Rantanen P. Are adolescents with frequent pain symptoms more depressed?. *Scand J Prim Health Care* 2002; 20: 92-96 [T, I]

MUJER Y SALUD. Incluye: Planificación Familiar, embarazo, Aborto, Menopausia, mujer y medicina.

Brundage SC. Preconception health care. *Am Fam Physician* 2002; 65: 2507-2521 [R, II]

Miller J, Chan BKS, Nelson HD. Postmenopausal estrogen replacement and risk for venous thromboembolism: a systematic review and meta-analysis for the U. S. Preventive Services Task Force. *Ann Intern Med* 2002; 136: 680-690 [M, II]

Chiarelli P, Cockburn J. Promoting urinary continence in women after delivery: randomised controlled trial. *BMJ* 2002; 324: 1241-1244 [EC, I]

Enzlin P, Mathieu C, Van den Bruel A, Bosteels J, Vanderschueren D, Demyttenaere K. Sexual dysfunction in women with type 1 diabetes: a controlled study. *Diabetes Care* 2002; 25: 672-677 [T, I]

Alcaraz M, Lluch A, Miranda J, Pereiro I, Salas MD. Estudio de la no participación en el programa de prevención de cáncer de mama en la ciudad de Valencia. *Gac Sanit* 2002; 16: 230-235 [T, I]

Aguilera C, Vallano A. Uso de heparinas de bajo peso molecular en el embarazo. *Med Clin (Barc)* 2002; 118: 634-636 [R, I]

Benet M, Carvajal A, García J, Álvarez A, Vega T. Tratamiento hormonal sustitutivo en España. Un estudio de utilización. *Med Clin (Barc)* 2002; 119: 4-8 [T, I]

Marchbanks PA, McDonald JA, Wilson HG, Folger SG, Mandel MG, Daling JR, et al. Oral contraceptives and the risk of breast cancer. *N Engl J Med* 2002; 346: 2025-2032 [CC, II]

ANCIANOS:

Cummings JL, Frank JC, Cherry D, Kohatsu ND, Kemp B, Hewett L, Mittman B. Guidelines for managing Alzheimer's disease: part I. Assessment. *Am Fam Physician* 2002; 65: 2263-2277 [R, II]

Cummings JL, Frank JC, Cherry D, Kohatsu ND, Kemp B, Hewett L, Mittman B. Guidelines for managing Alzheimer's disease: part II. Treatment. *Am Fam Physician* 2002; 65: 2525-2547 [R, II]

Brañas F, Serra JA. Orientación y tratamiento del anciano con demencia. *Inf Ter Sist Nac Salud* 2002; 26: 65-77 [R, II]

Nurmi I, Luthje P. Incidence and costs of falls and fall injuries among elderly in institutional care. *Scand J Prim Health Care* 2002; 20: 118-122 [S, I].

URGENCIAS Y EMERGENCIAS

Latorre F, Nolan J, Robertson C, Chamberlain D, Baskett P. Recomendaciones del año 2000 del European Resuscitation Council para un soporte vital avanzado en adultos. *Med Clin (Barc)* 2002; 118: 463-472 [M, III]

TERAPÉUTICA: Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.

Hoving JL, Koes BW, De Vet HCW, Van der Windt DAWM, Assendelft WJJ, Van Mameren H, et al. Manual therapy, physical therapy, or continued care by a general practitioner for patients with neck pain. A randomized, controlled trial. *Ann Intern Med*. 2002; 136: 713-722 [EC, I]

Benítez MA, Pérez MC, Fernández R, Cabrejas A. Diagnóstico y tratamiento del dolor oncológico crónico (I) *Aten Primaria* 2002; 29: 374-378 [R, II]

González MJ, Garrido A. Novedades terapéuticas en el tratamiento de las demencias. *Aten Primaria* 2002; 29: 507-513 [R, I]

Benítez MA, Perez MC, Fernández R, Cabrejas A. Cuidados Paliativos. Tratamiento del dolor oncológico crónico (II): el uso de los opiáceos. *Aten Primaria* 2002; 29: 513-517 [R, II]

Calero S, Fariñas O, Nieto L, Cobo S. Tratamiento de las cefaleas. *Aten Primaria* 2002; 29: 565-569 [R, II]

Freemantle N, Nazareth I, Eccles M, Wood J, Haines A and the Evidence-based OutReach (EBOR) trialist. A randomised controlled trial of the effect of educational outreach by community pharmacist on prescribing in UK general practice. *Br J Gen Pract* 2002; 52: 290-295 [EC, I]

Schumacher HR. Randomised controlled trial of etoricoxib and indometacin in treatment of acute gouty arthritis. *BMJ* 2002; 324: 1488-92. [EC, II]

Houlihan CA, Allen TJ, Baxter AL, Panangiotopoulos S, Casley DJ, Cooper ME, Jerums G. A low-sodium diet potentiates the effects of losartan in type 2 diabetes. *Diabetes Care* 2002; 25: 663-671 [EC, I]

Forseth KO, Gran JT. Management of fibromyalgia: what are the best treatment choices? *Drugs* 2002; 62: 577-592 [R, I]

Kingston M, Carlin E. Treatment of sexually transmitted infections with single-dose therapy: a double-edged sword. *Drugs* 2002; 62: 871-878 [AO, I]

Fernandez-Lopez JA, Remesar X, Foz M, Alemany M. Pharmacological approaches for the treatment of obesity. *Drugs* 2002; 62: 915-944 [R, I]

Chochinov HM. Dignity-conserving care. A new model for palliative care. Helping the patient feel valued. *JAMA* 2002; 287: 2253-2260 [AO, II]

Lázaro E, Madurga M, Abajo FJ. Evolución del consumo de antibióticos en España, 1985-2000. *Med Clin (Barc)* 2002; 118: 561-569 [T, II]

Aguilera C, Vallano A. Uso de heparinas de bajo peso molecular en el embarazo. *Med Clin (Barc)* 2002; 118: 634-636 [R, I]

Van Schayck CP, Bijl-Hofland ID, Folgering H, Cloosterman SG, Akkermans R, Van den Elshout F, Van Weel C. Influence of two different inhalation devices on therapy compliance in asthmatic patients. *Scand J Prim Health Care* 2002; 20: 126-128. [EC, I]

ENTREVISTA CLINICA:

Lang F, Marvel K, Sanders D, Waxman D, Beine KL, Pfaffly C, McCord E. Interviewing when family members are present. *Am Fam Physician* 2002; 65: 1351-1357 [AO, I]

López-Picazo JJ, Agulló F, Villaescusa M, Cerezo JM. Datos clínicos esenciales de la historia clínica de atención primaria: una experiencia de evaluación y mejora. *Aten Primaria* 2002; 30: 92-98 [QE, I]

ATENCION FAMILIAR:

Aiarzaguena JM, Grandes G, Alonso-Arbiol I, Oleaga MB, Marco J. Abordaje biopsicosocial de los pacientes somatizadores en las consultas de atención primaria: un estudio piloto. *Aten Primaria* 2002; 29: 558-561 [QE, I]

Campbell TL, McDaniel SH, Cole-Kelly K, Hepworth J, Lorenz A. Family interviewing: a review of the literature in primary care. *Fam Med* 2002; 34: 312-318. [R, I]

ACTIVIDADES COMUNITARIAS. Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.

Horrocks S, Anderson E, Salisbury C. Systematic review of whether nurse practitioners working in primary care can provide equivalent care to doctors. *BMJ* 2002; 324: 819-823 [M, I]

Nelson DE, Bland S, Powell-Griner E, Klein R, Wells R, Hogelin G, Marks JS. Trends in health risk factors and receipt of clinical preventive services among US adults during the 1990s. *JAMA* 2002; 287: 2659-2667 [S, I]

Eysenbach G, Powell J, Kuss O, Sa ER. Empirical studies assessing the quality of health information for consumers on the world wide web. A systematic review. *JAMA* 2002; 287: 2691-2700 [M, I]

DOCENCIA. Incluye: pregrado, postgrado, formación medica continuada, metodología docente.

Shapiro J. How do physicians teach empathy in the primary care setting? *Academic Medicine* 2002; 77: 323-328 [C, II]

Martín A. Evaluación de la formación posgraduada, certificación y recertificación profesional de los médicos de familia en diferentes países (Reino Unido, Estados Unidos, Canadá, Holanda, Australia y España) *Aten Primaria* 2002; 30: 46-57 [AO, II]

Forster AC, Laprega MR, Dal-Fabbro AL, Rocha GM, Dos Santos JS, Yazlle MED, et al. Metodología de aprendizaje en atención primaria y medicina de familia. *Aten Primaria* 2002; 30: 125-129 [QE, I]

INVESTIGACIÓN. Incluye: investigación cualitativa, estadística.

Herbert CP. Research in family medicine and general practice: are we there yet? *Br J Gen Pract* 2002; 52: 443-446 [AO, I]

Kitai E, Vinker S, Kijner F, Lustman A. Erectile dysfunction. The effect of sending a questionnaire to patients on consultations with their family doctor. *Fam Pract* 2002; 19: 247-250 [QE, II]

Balk EM, Bonis PAL, Moskowitz H, Schmid CH, Ioannidis JPA, Wang C, Lau J. Correlation of quality measures with estimates of treatment effect in meta-analyses of randomized controlled trials. *JAMA* 2002; 287: 2973-2982 [M, I]

Argimon JM. La ausencia de significación estadística en un ensayo clínico no significa equivalencia terapéutica. *Med Clin (Barc)* 2002; 118: 701-704 [T, II]

MEDICINA BASADA EN PRUEBAS.

PREVENCIÓN.

Pignone MP, Gaynes BN, Rushton JL, Burchell CM, Orleans CT, Mulrow CD, Lohr KN. Screening for depression in adults: a summary of the evidence for the U. S. Preventive Services Task Force. *Ann Intern Med* 2002; 136: 765-776 [M, II]

Cordon F, Solanas P. ¿Son directamente aplicables las tablas de Framingham a la población mediterránea? *Aten Primaria* 2002; 30: 29-32 [AO, I]

Marzo M, Peña F, Alonso P, Mascort JJ. Actualización en prevención y tratamiento del cáncer de próstata. *Aten Primaria* 2002; 30: 57-64 [R, II]

Trotter CL, Edmund WJ. Modelling cost effectiveness of meningococcal serogroup C conjugate vaccination campaign in England and Wales. *BMJ* 2002; 324: 809-812 [CE, I]

Schayck CPV, Loozen JMC, Wagena E, Akkermans RP, Wesseling GJ. Detecting patients at a high risk of developing chronic obstructive pulmonary disease in general practice: cross sectional case finding study. *BMJ* 2002; 324: 1370-3. [T, III]

Nelson DE, Bland S, Powell-Griner E, Klein R, Wells R, Hogelin G, Marks JS. Trends in health risk factors and receipt of clinical preventive services among US adults during the 1990s. *JAMA* 2002; 287: 2659-2667 [S, I]

John JH, Ziebland S, Yudkin P, Roe LS, Neil HAW. Effects of fruit and vegetable consumption on plasma antioxidant concentrations and blood pressure: a randomised controlled trial. *Lancet* 2002; 359: 1069-1074 [EC, I]

Diabetes Prevention Trial Type 1 Diabetes Study Group. Effects of insulin in relatives of patients with type 1 diabetes mellitus. *N Engl J Med* 2002; 346: 1685-91 [EC, I]

Imperiale TF, Wagner DR, Lin CY, Larkin GN, Rogge JD, Ransohoff DF. Results of screening colonoscopy among persons 40 to 49 years of age. *N Engl J Med* 2002; 346: 1781-1785 [T, I]

EVALUACION / GARANTÍA DE CALIDAD.

López-Picazo JJ, Agulló F, Villaescusa M, Cerezo JM. Datos clínicos esenciales de la historia clínica de atención primaria: una experiencia de evaluación y mejora. *Aten Primaria* 2002; 30: 92-98 [QE, I]

BIOÉTICA:

Chao DVK, Chan NY, Chan WY. Euthanasia revisited. *Fam Pract* 2002; 19: 128-134 [R, II]

PLANIFICACION / GESTIÓN.

Trotter CL, Edmund WJ. Modelling cost effectiveness of meningococcal serogroup C conjugate vaccination campaign in England and Wales. *BMJ* 2002; 324: 809-12 [CE, I]

The CDC diabetes cost-effectiveness group. Cost-effectiveness of intensive glycaemic control, intensified hypertension control, and serum cholesterol level reduction for type 2 diabetes. *JAMA* 2002; 287: 2542-2551 [S, II]

INFORMÁTICA.

Fernández I, Ortega C, Martín JL, Rodríguez V, Vázquez P, Costa CJ. La diabetes en Internet. *Aten Primaria* 2002; 29: 443-451 [R, I]

Eysenbach G, Powell J, Kuss O, Sa ER. Empirical studies assessing the quality of health information for consumers on the world wide web. A systematic review. *JAMA* 2002; 287: 2691-2700 [M, I]

Gaspoz JM, Coxson PG, Goldman PA, Williams LW, Kuntz KM, Hunink MGM, Goldman L. Cost effectiveness of aspirin, clopidogrel, or both for secondary prevention of coronary heart disease. *N Engl J Med* 2002; 346: 1800-1806 [T, I]