

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de enero a 31 de junio de 2002)

Gálvez Alcaraz A, Jiménez López AM, Lahoz Rallo B, Manteca González A, Morata García de la Puerta J, Rodríguez Pappalardo V, Sánchez García C.

Médicos de familia

Los artículos, publicados entre el 1 de enero y el 31 de junio de 2003, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas, aparece el tipo de estudio, según la clasificación que se expone a continuación y, separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico casos y controles
- (S) Observacional analítico de seguimiento / cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas

Grado de interés:

- Alto: I
- Muy alto: II
- Imprescindible: III

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS_bases conceptuales, medicina de familia_profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

Sox HC. The future of primary care. *Ann Intern Med* 2003; 138: 230-232 [AO,II]

Mas X, Cruz JM, Fañanás N, Allué A, Zamora I, Viñas R. Pacientes de trato difícil en atención primaria: una aproximación cuantitativa y cualitativa. *Aten Primaria* 2003; 31: 214-221 [T,I]

Sobrequés J, Cebrià J, Segura J, Rodríguez C, García M, Juncosa S. La satisfacción laboral y el desgaste profesional de los médicos de atención primaria. *Aten Primaria* 2003; 31: 227-233 [T,I]

Gosálbez E, Pérez-Salinas I, Díez-Domingo J, Ballester A, Costa AM. Sistemas de información en atención primaria: ¿debemos codificar con la CIE-9-MC? *Aten Primaria* 2003; 31: 519-523 [R,II]

Brugos A, Guillén F, Mallor F, Fernández C. Modelos explicativos y predictivos de la carga asistencial médica: aplicación para el cálculo del cupo máximo en medicina de familia que permita un mínimo de diez minutos por consulta. *Aten Primaria* 2003; 32: 23-29 [T,II]

Altisent R. La relación con la industria farmacéutica: una cuestión ética de alta prevalencia en medicina de familia. *Aten Primaria* 2003; 32: 106-109 [AO,II]

Bindman AB, Majeed A. Primary care in the United States: Organisation of primary care in the United States. *BMJ* 2003; 326: 631-634 [AO,II]

Campbell S, Steiner A, Robison J, Webb D, Raven A, Roland M. Is the quality of care in general medical practice improving? Results of a longitudinal observational study. *Br J Gen Pract* 2003; 53: 298-304 [S,I]

Durand MA, King M. Specialist treatment versus self-help for bulimia nervosa: a randomised controlled trial in general practice. *Br J Gen Pract* 2003; 53: 371-377 [EC,I]

Merenstein J, Rao G, D'Amico F. Clinical research in family medicine: quantity and quality of published articles. *Fam Med* 2003; 35: 284-288 [T,II]

Landon BE, Reschovsky J, Blumenthal D. Changes in career satisfaction among primary care and specialist physicians, 1997-2001. *JAMA*. 2003; 289: 442-449 [T,I]

Regidor E, Domínguez V, Calle ME, Navarro P. Circunstancias socioeconómicas y mortalidad prematura por enfermedades crónicas. *Med Clin (Barc)* 2003; 120: 201-206 [T,I]

Vinyoles E, Armengol F, Bayó J, Salvadó A, Pepió JM. La normativa europea y el futuro de los esfigmomanómetros de mercurio en las consultas. *Med Clin (Barc)* 2003; 120: 460-463 [AO,II]

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Onusko, E. Diagnosing secondary hypertension. *Am Fam Physician* 2003; 67: 67-74. [AO,II]

McInnis KJ, Franklin BA, Rippe JM. Counseling for physical activity in overweight and obese patients. *Am Fam Physician* 2003; 67: 1249-1256, 1266-1268 [AO,II]

Marchiando R J, Elston M P. Automated ambulatory blood pressure monitoring: clinical utility in the family practice setting. *Am Fam Physician* 2003; 67: 2343-2350; 2353-2354 [AO,II]

Haider AW, Larson MG, Franklin SS, Levy D. Systolic blood pressure, diastolic blood pressure, and pulse pressure as predictors of risk for congestive heart failure in the Framingham Heart Study. *Ann Intern Med* 2003; 138: 10-16 [S,II]

Peeters A, Barendregt JJ, Willekens F, Mackenbach JP, Al Mamun A, Bonneux L et al.

Obesity in adulthood and its consequences for life expectancy: a life-table analysis. *Ann Intern Med* 2003; 138: 24-32 [S,I]

- Vittinghoff E, Shlipak MG, Varosy PD, Furberg CD, Ireland Ch, Khan SS et al. Risk factors and secondary prevention in women with heart disease: The Heart and Estrogen/progestin Replacement Study. *Ann Intern Med* 2003; 138: 81-89 [S,I]
- Berl T, Hunsicker LG, Lewis JB, Pfeffer MA, Porush JG, Rouleau J et al. Cardiovascular outcomes in the irbesartan diabetic nephropathy trial of patients with type 2 diabetes and overt nephropathy. *Ann Intern Med* 2003; 138: 542-549 [EC,III]
- Snow V, Weiss, KB, Mottur-Pilson C. The evidence base for tight blood pressure control in the management of type 2 diabetes mellitus. *Ann Intern Med* 2003; 138: 587-592 [M,II]
- Vijan S, Hayward RA. Treatment of hypertension in type 2 diabetes mellitus: blood pressure goals, choice of agents, and setting priorities in diabetes care. *Ann Intern Med*. 2003; 138: 593-602 [R, III]
- Viñas L, Orti A, Aguilar C, Pepió JM, Rubio V, Miravalls M. ¿Existe relación entre la valoración del riesgo coronario según las tablas de Framingham y Sheffield con la del sexto informe del Joint National Committee? Relación entre tablas de riesgo coronario. *Aten Primaria* 2003; 31: 295-300 [T,II]
- Callejo E, Iglesias P, Lapetra J, Santos JM, Mayoral E, López B. Hábitos dietéticos en la población de una zona básica de salud urbana. *Aten Primaria* 2003; 31: 421-427 [T,I]
- Bonet A, Dalfó A, Domínguez M, Egocheaga MI, Flores I, Molina R et al. Automedida de la presión arterial (AMPA) en atención primaria (I) *Aten Primaria* 2003; 31: 545-552 [R,II]
- Bonet A, Dalfó A, Domínguez M, Egocheaga MI, Flores I, Molina R et al. Automedida de la presión arterial (AMPA) en atención primaria (II) *Aten Primaria* 2003; 31: 606-612 [R,II]
- Grandes G, Cortada JM, Arrazola A, Laka JP. Predictors of long-term outcome of a smoking cessation programme in primary care. *Br J Gen Pract* 2003; 53: 101-107 [QE,II]
- Murchie P, Campbell NC, Ritchie LD, Simpson JA, Thain J. Secondary prevention clinics for coronary heart disease: four year follow up of a randomised controlled trial in primary care. *BMJ* 2003; 326: 84-87 [S,I]
- Fuat A, Hungin AP, Murphy JJ. Barriers to accurate diagnosis and effective management of heart failure in primary care: qualitative study. *BMJ* 2003; 326: 196-199 [C,I]
- Gami AS, Montori VM, Erwin PJ, Khan MA, Smith SA. Systematic review of lipid lowering for primary prevention of coronary heart disease in diabetes. *BMJ* 2003; 326: 528-529 [M,II]
- Hippisley-Cox J, Cater R, Pringle M, Coupland C. Cross sectional survey of effectiveness of lipid lowering drugs in reducing serum cholesterol concentration in patients in 17 general practices. *BMJ* 2003; 326: 689-691 [T,II]
- Enstrom JE, Kabat GC. Environmental tobacco smoke and tobacco related mortality in a prospective study of californians, 1960-98. *BMJ* 2003; 326: 1057-1061 [S,I]
- Wald NJ, Law MR. A strategy to reduce cardiovascular disease by more than 80%. *BMJ* 2003; 326: 1419-1423 [M,I]
- Law MR, Wald NJ, Rudnicka AR. Quantifying effect of statin on low density lipoprotein cholesterol, ischaemic heart disease and stroke: systematic review and meta-analysis. *BMJ* 2003; 326: 1423-1427 [M,II]
- Law MR, Wald NJ, Morris JK, Jordan. Revalue of low dose combination treatment with blood pressure lowering drugs: analysis of 354 randomised trials. *BMJ* 2003; 326: 1427-1431 [M,I]
- Wilson S, Johnston A, Robson J, Pouter N, Collier D, Feder G et al. Comparison of methods to identify individuals at increased risk of coronary disease from general population. *BMJ* 2003; 326: 1436-1438 [T,II]
- Lu W, Resnick HE, Jablonski KA, Jones KL, Jain AK, Howard WJ et al. Non-HDL cholesterol as a predictor of cardiovascular disease in type 2 diabetes: the strong heart study. *Diabetes Care* 2003 26: 16-23 [T,II]
- Egede LE. Lifestyle modification to improve blood pressure control in individuals with diabetes: is physician advice effective? *Diabetes Care* 2003 26: 602-607 [T,II]
- Brottons C, Permanyer G, Pacheco V, Moral I, Ribera A, Cascant P et al. Prophylactic treatment after myocardial infarction in primary care: how far can we go? *Fam Pract* 2003; 20: 32-35 [T,I]
- Blasco A, González AI, Lobos JM, Silva L. Tratamiento médico de la angina estable: fármacos antianginosos y prevención secundaria de la cardiopatía isquémica. *Inf Ter Sist Nac Salud* 2003; 27: 33-56 [R,III]
- Silva M, Ortigosa J. Betabloqueantes en insuficiencia cardiaca: indicaciones. *Inf Ter Sist Nac Salud* 2003; 27: 90-96 [R,II]
- Wolf-Maier K, Cooper RS, Banegas JR, Giampaoli S, Hense H, Joffres M et al. Hypertension prevalence and blood pressure levels in 6 european countries, Canada, and the United States. *JAMA* 2003; 289: 2363-2369 [T,II]
- Psaty BM, Lumley T, Furberg CD, Schellenbaum G, Pahor M, Alderman MH et al. Health outcomes associated with various antihypertensive therapies used as first-line agents. *JAMA* 2003; 289: 2534-2544 [M,III]
- Chobanian AV, Bakris GL, Black HR, Cushman WC, Green LA, Izzo JL et al. The seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *JAMA* 2003; 289: 2560-2571 [I,III]
- Murray C, Lauer JA, Hutubessy R, Niessen L, Tomijima N, Rodgers A et al. Effectiveness and costs of interventions to lower systolic blood pressure and cholesterol: a global and regional analysis on reduction of cardiovascular-disease risk. *Lancet* 2003; 361: 717-725 [M,II]
- Keeley EC, Boura JA, Grines CL. Primary angioplasty versus intravenous thrombolytic therapy for acute myocardial infarction: a quantitative review of 23 randomised trials. *Lancet* 2003; 361: 13-20 [R,I]
- Palmer ME, Haller C, McKinney PE, Klein-Schwartz W, Tschirgi A, Smolinske SC et al. Adverse events associated with dietary supplements: an observational study. *Lancet* 2003; 361: 101-106 [T,I]
- MacDonald TM, Wei L. Effect of ibuprofen on cardioprotective effect of aspirin. *Lancet* 2003; 361: 573-74 [EC,II]
- Vivekananthan DP, Penn MS, Sapp SK, Hsu A, Topol EJ. Use of antioxidant vitamins for the prevention of cardiovascular disease: meta-analysis of randomised trials. *Lancet* 2003; 361: 2017-2023 [M,II]
- Fernández E, Schiaffino A, García M, Saltó E, Villalbí JR, Borràs JM. Prevalencia del consumo de tabaco en España entre 1945 y 1995. Reconstrucción a partir de las Encuestas Nacionales de Salud. *Med Clin (Barc)* 2003; 120:14-16 [Q,I]
- Roqué M, García-Madrid C, Reis ED. Avances en el tratamiento médico y mínimamente invasivo de la isquemia crónica de miembros inferiores. *Med Clin (Barc)* 2003; 120: 24-31 [R,I]
- Mediavilla JD, Sabio JM, Fernández-Torres C. Tratamiento de la hipertensión arterial. *Med Clin (Barc)* 2003; 120: 108-116 [R,II]
- Lupón J. Nuevas formas de atención médica en la insuficiencia cardiaca. *Med Clin (Barc)* 2003; 120: 135-137 [AO,II]
- Rubiés-Prat J, Pedro-Botet J. Hipertrigliceridemia como factor de riesgo cardiovascular. ¿Fin de la controversia? *Med Clin (Barc)* 2003; 120: 303-305 [R,I]
- García O, Lozano JV, Vegazo O, Jiménez FJ, Llisterri JL, Redón J. Control de la presión arterial de los pacientes diabéticos en el ámbito de atención primaria. Estudio DIAPA. *Med Clin (Barc)* 2003; 120: 529-534 [T,I]

- Aranceta J, Pérez C, Serra L, Ribas L, Quiles J, Vioque J et al. Prevalencia de la obesidad en España: resultados del estudio SEEDO 2000. *Med Clin (Barc)* 2003; 120: 608-612 [T,II]
- Hermida RC, Ayala DE, Calvo C, López JE, Fernández JR, Mojón A et al. Efecto de la administración temporalizada de ácido acetilsalicílico a dosis bajas sobre la presión arterial en pacientes hipertensos. *Med Clin (Barc)* 2003; 120: 686-692 [EC,I]
- Redon J. (Estudio APACHE) Control de la hipertensión arterial basado en la automedición ambulatoria de la presión arterial: Estudio APACHE. *Med Clin (Barc)* 2003; 120: 728-733 [T,II]
- Roca-Cusachs A, Badia X, Dalfó A, Gascón G, Abellán J, Lahoz R et al. Relación entre variables clínicas y terapéuticas y calidad de vida relacionada con la salud en pacientes con hipertensión arterial. Estudio MINICHAL. *Med Clin (Barc)* 2003; 121: 12-17 [S,II]
- De la Figuera M, Navarro J. Hipertensión arterial y atención primaria: impacto de nuevos estudios. *Med Clin (Barc)* 2003; 121: 21-22 [AO,II]
- Mostaza JM, Vicente I, Cairol M, Castillo J, González-Juanatey JR, Pomar JL, Lahoz C. Índice tobillo-brazo y riesgo vascular. *Med Clin (Barc)* 2003; 121: 68-73 [R,I]
- Clemente ML, Pérez-Trullén A, Rubio E, Marrón R, Herrero I. Correlación entre los valores de monóxido de carbono en el aire espirado y los sistemas de medición de dependencia nicotínica DSM-IV, test de Fagerström y ARUSMQ-9 en adolescentes fumadores. *Med Clin (Barc)* 2003; 121: 90-94 [T,II]
- Mukamal KJ, Conigrave KM, Mittleman MA, Camargo CA, Stampfer MJ, Willett WC et al. Roles of drinking pattern and type of alcohol consumed in coronary heart disease in men. *N Engl J Med* 2003; 348: 109-118 [T,II]
- Gæde P, Vedel P, Larsen N, Jensen G, Parving HH, Pedersen O. Multifactorial intervention and cardiovascular disease in patients with type 2 diabetes. *N Engl J Med* 2003; 348: 383-393 [EC,II]
- Wing L, Reid CM, Ryan P, Beilin LJ, Brown MA, Jennings G et al. A comparison of outcomes with angiotensin-converting-enzyme inhibitors and diuretics for hypertension in the elderly. *N Engl J Med* 2003; 348: 583-592 [EC,II]
- Bonow RO, Eckel RH. Diet, obesity and cardiovascular risk. *N Engl J Med* 2003; 348: 2057-2058 [S,I]
- Clement DL, De Buyzere ML, De Bacquer DA, de Leeuw PW, Duprez DA, Fagard RH et al. Prognostic value of ambulatory blood-pressure recordings in patients with treated hypertension. *N Engl J Med* 2003; 348: 2407-2415 [S,II]
- Hu FB. The mediterranean diet and mortality-olive oil and beyond. *N Engl J Med* 2003; 348: 2595-2596 [R,II]
- Lobo CM, Frijling BD, Hulscher ME, Bernsen RM, Braspenning JC, Grol RP et al. Organisational determinants of cardiovascular prevention in general practice. *Scand J Prim Health Care* 2003;21: 99-105 [T,II]
- DIABETES**
- U.S. Preventive Services Task Force. Screening for type 2 diabetes mellitus in adults: recommendations and rationale. *Ann Intern Med* 2003; 138: 212-214 [M,II]
- Harris R, Donahue K, Rathore SS, Frame P, Wolf SH, Lohr KN. Screening adults for type 2 diabetes: a review of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med* 2003; 138: 215-229 [M,III]
- Snow V, Weiss, KB, Mottur-Pilson C. The evidence base for tight blood pressure control in the management of type 2 diabetes mellitus. *Ann Intern Med* 2003; 138: 587-592 [M,II]
- Vijan S, Hayward RA. Treatment of hypertension in type 2 diabetes mellitus: blood pressure goals, choice of agents, and setting priorities in diabetes care. *Ann Intern Med.* 2003; 138: 593-602 [R, III]
- Birules M, Fernández I. Criterios de cribado y diagnóstico de diabetes mellitus. *Aten Primaria* 2003; 31: 334-336 [R,II]
- Valcuende ML. Autoanálisis en la diabetes mellitus. *Aten Primaria* 2003; 31: 394-396 [R,II]
- Dalmau Mr, García G, Aguilar C, Palau A. Educación grupal frente a individual en pacientes diabéticos tipo 2. *Aten Primaria* 2003; 32: 36-41 [EC,I]
- Whitford DL, Griffin SJ, Prevost AT. Influences on the variation in prevalence of type 2 diabetes between general practices: practice, patient or socioeconomic factors? *Br J Gen Pract* 2003; 53: 9-14 [T,I]
- Rothenbacher D, Rüter G, Saam S, Brenner H. Younger patients with type 2 diabetes need better glycaemic control: results of a community-based study describing factors associated with a high HbA_{1c} value. *Br J Gen Pract* 2003; 53: 389-391 [S,II]
- Rossing K, Christensen PK, Andersen S, Hovind P, Hansen HP, Parving HH. Comparative effects of irbesartan on ambulatory and office blood pressure: a substudy of ambulatory blood pressure from the irbesartan in patients with type 2 diabetes and microalbuminuria study. *Diabetes Care* 2003; 26: 569-574 [T,I]
- Egede LE. Lifestyle modification to improve blood pressure control in individuals with diabetes: is physician advice effective? *Diabetes Care* 2003; 26: 602-607 [S,II]
- Lindstrom J, Tuomilehto J. The diabetes risk score: a practical tool to predict type 2 diabetes risk. *Diabetes Care* 2003; 26: 725-731 [S,II]
- Goldstein I, Young JM, Fischer J, Bangerter K, Segerson T, Taylor T. Vardenafil, a new phosphodiesterase type 5 inhibitor, in the treatment of erectile dysfunction in men with diabetes: a multicenter double-blind placebo-controlled fixed-dose study. *Diabetes Care* 2003; 26: 777-783 [EC,II]
- The DECODE Study Group. Age- and sex-specific prevalences of diabetes and impaired glucose regulation in 13 european cohorts. *Diabetes Care* 2003; 26: 61-69 [S,I]
- McNulty SJ, Ur E, Williams G. A randomized trial of sibutramine in the management of obese type 2 diabetic patients treated with metformin. *Diabetes Care* 2003; 26: 125-131 [EC,I]
- Hamilton J, Cummings E, Zdravkovic V, Finegood D, Daneman D. Metformin as an adjunct therapy in adolescents with type 1 diabetes and insulin resistance: a randomized controlled trial. *Diabetes Care* 2003; 26: 138-143 [EC,I]
- Lu W, Resnick HE, Jablonski KA, Jones KL, Jain AK, Howard WJ et al. Non-HDL cholesterol as a predictor of cardiovascular disease in type 2 diabetes: the strong heart study. *Diabetes Care* 2003; 26: 16-23 [T,II]
- Phillips P, Karrasch J, Scott R, Wilson D, Moses R. Acarbose improves glycemic control in overweight type 2 diabetic patients insufficiently treated with metformin. *Diabetes Care* 2003; 26: 269-273 [EC,I]
- Thanopoulou AC, Karamanos BG, Angelico FV, Assaad-Khalil SH, Barbato AF, Del Ben MP et al. Dietary fat intake as risk factor for the development of diabetes: multinational, multicenter study of the Mediterranean Group for the Study of Diabetes (MGSD). *Diabetes Care* 2003; 26: 302-307 [CC,I]
- Berlowitz DR, Ash AS, Hickey EC, Glickman M, Friedman R, Kader B. Hypertension management in patients with diabetes: the need for more aggressive therapy. *Diabetes Care* 2003; 26: 355-359 [S,II]
- Shah BR, Hux JE. Quantifying the risk of infectious diseases for people with diabetes. *Diabetes Care* 2003; 26: 510-513 [S,II]
- Bloomgarden ZT. Pharmacologic treatment of type 2 diabetes. *Diabetes Care* 2003; 26: 526-533 [R,III]
- Khan A, Lasker S, Chowdhury TA. Are spouses of patients with type 2 diabetes at increased risk of developing diabetes? *Diabetes Care* 2003; 26: 710-712 [T,I]

- Lindström J, Tuomilehto J. The Diabetes Risk Score: a practical tool to predict type 2 diabetes risk. *Diabetes Care* 2003; 26: 725-731 [S,II]
- Izquierdo RE, Knudson PE, Meyer S, Kearns J, Ploutz-Snyder R, Weinstock RS. A comparison of diabetes education administered through telemedicine versus in person. *Diabetes Care* 2003; 26:1002-1007 [CC,I]
- Murata GH, Shah JH, Hoffman RM, Wendel CS, Adam KD, Solvas PA et al. Intensified blood glucose monitoring improves glycemic control in stable, insulin-treated veterans with type 2 diabetes: the Diabetes Outcomes in Veterans Study (DOVES). *Diabetes Care* 2003; 26:1759-1763 [S,I]
- Rathmann W, Haastert B, Icks A, Löwel H, Meisinger C, Holle R et al. High prevalence of undiagnosed diabetes mellitus in Southern Germany: Target populations for efficient screening. The KORA survey 2000. *Diabetologia* 2003; 46: 182-189 [T,I]
- Moulik PK, Hardy KJ. Hypertension, anti-hypertensive drug therapy and erectile dysfunction in diabetes. *Diabet Med* 2003; 20: 290-293 [T,I]
- Armstrong DG, Frykberg RG. Classifying diabetic foot surgery: toward a rational definition. *Diabet Med* 2003; 20: 329-331 [AO,I]
- Goudswaard AN, Lam K, Stolk RP, Rutten G. Quality of recording of data from patients with type 2 diabetes is not a valid indicator of quality of care. A cross-sectional study. *Fam Pract* 2003; 20: 173-177 [T,I]
- Hu FB, Li TY, Colditz GA, Willett WC, Manson JE. Television watching and other sedentary behaviors in relation to risk of obesity and type 2 diabetes mellitus in women. *JAMA* 2003; 289: 1785-1791 [S,I]
- DeWitt DE, Hirsch IB. Outpatient insulin therapy in type 1 and type 2 diabetes mellitus. *JAMA* 2003; 289: 2254-2264 [M,II]
- Pavo I, Jermendy G, Varkonyi TT, Kerenyi Z, Gyimesi A, Shoustov S et al. Effect of pioglitazone compared with metformin on glycemic control and indicators of insulin sensitivity in recently diagnosed patients with type 2 diabetes. *J Clin Endocrinol Metab* 2003; 88: 1637-1645 [EC,II]
- Nakao N, Yoshimura A, Morita H, Takada M, Kayano T, Ideura T. Combination treatment of angiotensin-II receptor blocker and angiotensin-converting-enzyme inhibitor in non-diabetic renal disease (COOPERATE): a randomised controlled trial. *Lancet* 2003; 361: 117-124 [CC,I]
- Younis N, Broadbent DM, Vora JP, Harding SP. Incidence of sight-threatening retinopathy in patients with type 2 diabetes in the Liverpool Diabetic Eye Study: a cohort study. *Lancet* 2003; 361: 195-200 [S,I]
- Huopio H, Otonkoski T, Vauhkonen I, Reimann F, Ashcroft FM, Laakso M. A new subtype of autosomal dominant diabetes attributable to a mutation in the gene for sulfonylurea receptor 1. *Lancet* 2003; 361: 301-307 [EC,I]
- De la Calle H, Costa A, Díez-Espino J, Franch J, Godaye A. Evaluación del cumplimiento de los objetivos de control metabólico de la diabetes mellitus tipo 2. Estudio TranSTAR. *Med Clin (Barc)* 2003; 120: 446 - 450 [CC,I]
- García O, Lozano JV, Vegazo O, Jiménez FJ, Llisterri JL, Redón J. Control de la presión arterial de los pacientes diabéticos en el ámbito de atención primaria. Estudio DIAPA. *Med Clin (Barc)* 2003; 120: 529 - 534 [T,I]
- Gæde P, Vedel P, Larsen N, Jensen G, Parving HH, Pedersen O. Multifactorial intervention and cardiovascular disease in patients with type 2 diabetes. *N Engl J Med* 2003; 348: 383-393 [EC,II]
- Perkins BA, Ficociello LH, Silva KH, Finkelstein DM, Warram JH, Krolewski AS. Regression of microalbuminuria in type 1 diabetes. *N Engl J Med* 2003; 348: 2285-2293 [S,II]
- Hansen LJ, Olivarius NF, Siersma V, Beck-nielsen H, Pedersen PA. Encouraging structured personalised diabetes care in general practice. A 6-year follow-up study of process and patient outcomes in newly diagnosed patients. *Scand J Prim Health Care* 2003;21: 89-95 [S,I]
- CÁNCER.** Incluye: mama, cérvix, próstata, colon, otros.
- Raffle AE, Alden B, Quinn M, Babb PJ, Brett MT. Outcomes of screening to prevent cancer: analysis of cumulative incidence of cervical abnormality and modelling of cases and deaths prevented. *BMJ* 2003; 326: 901-904 [T,I]
- Cuzick J, Powels T, Veronesi U, Forbes J, Edwards R, Ashley S et al. Overview of the main outcomes in breast-cancer prevention trials. *Lancet* 2003; 361: 296-300 [M,II]
- Behin A, Hoang-Xuan K, Carpentier AF, Delattre JY. Primary brain tumours in adults. *Lancet* 2003; 361: 323-331 [R,I]
- Sherman SI. Thyroid carcinoma. *Lancet* 2003; 361: 501-511 [R,II]
- Yung L, Linch D. Hodgkin's lymphoma. *Lancet* 2003; 361: 943-951 [R,I]
- Jani AB, Hellman S. Early prostate cancer: clinical decision-making. *Lancet* 2003; 361: 1045-1053 [R,I]
- Smith JS, Green J, Berrington de Gonzalez A, Appleby P, Peto J, Plummer M et al. Cervical cancer and use of hormonal contraceptives: a systematic review. *Lancet* 2003; 361: 1159-1167 [M,II]
- Tabar L, Yen M, Vitak B, Chen HT, Smith RA, Duffy SW. Mammography service screening and mortality in breast cancer patients: 20-year follow-up before and after introduction of screening. *Lancet* 2003; 361: 1405-1410 [S,III]
- Bingham SA, Day NE, Luben R, Ferrari P, Slimani N, Norat T et al. Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. *Lancet* 2003; 361: 1496-1501 [S,III]
- McClain CS, Rosenfeld B, Breitbart W. Effect of spiritual well-being on end-of-life despair in terminally-ill cancer patients. *Lancet* 2003; 361: 1603-1607 [T,II]
- Badia X, Muriel C, Gracia A, Núñez-Olarte JM, Perulero N, Gálvez R et al. Validación española del cuestionario Brief Pain Inventory en pacientes con dolor de causa neoplásica. *Med Clin (Barc)* 2003; 120: 52-60 [T,I]
- Calle EE, Rodríguez C, Walker-Thurmond K, Thun MJ. Overweight, obesity, and mortality from cancer in a prospectively studied cohort of U.S. adults. *N Engl J Med* 2003; 348: 1625-1638 [S,II]
- INFECCIOSAS.** Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.
- Hainer BL. Dermatophyte infections. *Am Fam Physician* 2003; 67: 101-108 [AO,II]
- Miller KE, Ruiz DD, Graves C. Update on the prevention and treatment of sexually transmitted diseases. *Am Fam Physician* 2003; 67: 1915-1922 [AO,II]
- Steinman MA, Gonzales R, Linder JA, Landefeld S. Changing use of antibiotics in community-based outpatient practice, 1991-1999. *Ann Intern Med* 2003; 138: 525-533 [T,II]
- Palop V, Melchor A, Martínez I. Reflexiones sobre la utilización de antibióticos en atención primaria. *Aten Primaria* 2003; 32: 42 - 47 [R,II]
- Paul M, Soares-Weiser K, Leibovici L. B lactam monotherapy versus B lactam-aminoglycoside combination therapy for fever with neutropenia: systematic review and meta-analysis. *BMJ* 2003; 326: 1111-1115 [M, II]
- Cooper NJ, Sutton AJ, abams KR, Waillog A, Turner DA, Nicholson KG. Effectiveness of neuraminidase inhibitors in treatment and prevention of influenza A and B: systematic review and meta-analysis of randomised controlled trial. *BMJ* 2003; 326: 1235-1234 [M,II]

- File TM, Tan JS. International guidelines for the treatment of community-acquired pneumonia in adults: the role of macrolides. *Drugs* 2003; 63:181-205 [R,III]
- Easton J, Noble S, Perry CM. Amoxicillin/clavulanic acid: a review of its use in the management of paediatric patients with acute otitis media. *Drugs* 2003; 63:311-340 [R,II]
- Álvarez CJ. Neumonía adquirida en la comunidad. *Fundamentos del tratamiento. Inf Ter Sist Nac Salud* 2003; 27: 1-10 [R,II]
- Vicente D, Cilla G, Pérez-Trallero E. Tratamiento del Herpes Zoster. *Inf Ter Sist Nac Salud* 2003; 27: 81-89 [R,II]
- Woodman CB, Collins S, Rollason T, Winter H, Bailey A, Yates M et al. Human papillomavirus type 18 and rapidly progressing cervical intraepithelial neoplasia. *Lancet* 2003; 361: 40-43 [EC,I]
- Marth T, Raoult D. Whipples's disease. *Lancet* 2003; 361: 239-246 [R,I]
- Garner D, Weston V. Effectiveness of vaccination for Haemophilus influenzae type b. *Lancet* 2003; 361: 395-96 [R,I]
- Oteo J, Alós JI. Infección neumocócica en el ámbito extrahospitalario: aproximación para la mejora en la elección del tratamiento antibiótico. *Med Clin (Barc)* 2003; 120: 297-302 [R,I]
- Gascón J, Maciá M, Oliveira I, Corachán M. Intoxicación por ciguatera en viajeros. *Med Clin (Barc)* 2003; 120: 777 - 779 [T,I]
- Guimbao J, Vergara A, Aspiroz C, Aldea MJ, Lázaro MA, Alberto MJ et al. Transmisión de Streptococcus pneumoniae en una residencia de ancianos: análisis de un brote epidémico. *Med Clin (Barc)* 2003; 121: 48 - 52 [S,I]
- Domínguez-Berjón MF, Sanz-Moreno JC, Redondo-Sobrado R, Azpiazu-Garrido M, Moreno-Civantos A, Noguerales-de la Cruz R. Brote de toxoinfección alimentaria por Clostridium perfringens en un comedor escolar. *Med Clin (Barc)* 2003; 121: 58 - 60 [S,I]
- ASMA/BRONQUITIS CRÓNICA:**
- Sinha T, David AL. Recognition and management of exercise-induced bronchospasm. *Am Fam Physician* 2003; 67: 769-774, 776 [AO,I]
- Higgins JC. The «crashing asthmatic». *Am Fam Physician* 2003; 67: 997-1004 [AO,II]
- Highland KB, Strange C, Heffner JE. Long-term effects of inhaled corticosteroids on FEV₁ in patients with chronic obstructive pulmonary disease. A meta-analysis. *Ann Intern Med* 2003; 138: 969-973 [M,III]
- Hawkins G, McMahon AD, Twaddle S, Wood SF, Ford I, Thomson NC. Stepping down inhaled corticosteroids in asthma: Randomised controlled trial. *BMJ* 2003; 326: 1115-1118 [EC,II]
- George CFP, Bayliff CD. Management of insomnia in patients with chronic obstructive pulmonary disease. *Drugs* 2003; 63: 379-387 [AO, I]
- Calverley P, Pauwels R, Vestbo J, Jones P, Pride N, Gulsvik A et al. Combined salmeterol and fluticasone in the treatment of chronic obstructive pulmonary disease: a randomised controlled trial. *Lancet* 2003; 361: 449-456 [EC,II]
- Pauwels RA, Pedersen S, Busse WW, Tan WC, Chen YZ, Ohlsson SV et al. Early intervention with budesonide in mild persistent asthma: a randomised, double-blind trial. *Lancet* 2003; 361: 1071-1076 [EC,II]
- Baron JA, Cole BF, Sandler RS, Haile RW, Ahnen D, Bresalier R et al. A randomized trial of aspirin to prevent colorectal adenomas. *N Engl J Med* 2003; 348: 891-899 [EC,II]
- SALUD MENTAL.** Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).
- Mersy DJ. Recognition of alcohol and substance abuse. *Am Fam Physician* 2003; 67: 1529-1532, 1535-1536 [AO,I]
- Boustani M, Peterson B, Hanson L, Harris R, Lohr KN. Screening for dementia in primary care: a summary of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med* 2003; 138: 927-937 [M,II]
- Limón E, Argimon JM, Vila J, Abos T, Cabezas C, Vinyoles E. Detección del deterioro cognitivo en población mayor de 64 años: primera fase del proyecto Cuida'l. *Aten Primaria* 2003; 32: 6-12 [T,I]
- Moral MS, Juan J, López MJ, Pellicer P. Perfil y riesgo de morbilidad psíquica en cuidadores de pacientes ingresados en su domicilio. *Aten Primaria* 2003; 32: 77-83 [T,I]
- Hanley J, Stirling P, Brown C. Randomised controlled trial of therapeutic massage in the management of stress. *Br J Gen Pract* 2003; 53: 20-25 [EC,II]
- Gask L, Rogers A, Oliver D, May C, Roland M. Qualitative study of patients' perceptions of the quality of care for depression in general practice. *Br J Gen Pract* 2003; 53: 278-283 [C,I]
- Durand MA, King M. Specialist treatment versus self-help for bulimia nervosa: a randomised controlled trial in general practice. *Br J Gen Pract* 2003; 53: 371-377 [EC,II]
- Keen J, Oliver P, Rowse G, Mathers N. Does methadone maintenance treatment based on the new national guidelines work in a primary care setting? *Br J Gen Pract* 2003; 53: 461-467 [S,I]
- Henkel V, Mergl R, Kohnen R, Maier W, Möller HJ, Hegerl U. Identifying depression in primary care: a comparison of different methods in a prospective cohort study. *BMJ* 2003; 326: 200-201 [S,II]
- Palmer K, Bäckman L, Winblad B, Fratiglioni L. Detection of Alzheimer's disease and dementia in the preclinical phase: population based cohort study. *BMJ* 2003; 326: 245-247 [S,I]
- Macgillivray S, Arroll B, Hatcher S, Ogston S, Reid I, Sullivan F et al. Efficacy and tolerability of selective serotonin reuptake inhibitors compared with tricyclic antidepressants in depression treated primary care: systematic review and meta-analysis. *BMJ* 2003; 326: 1014-1017 [M,II]
- Mukamal KJ, Kuller LH, Fitzpatrick AL, Longstreth T, Mittleman MA, Siscovick DS. Prospective study of alcohol consumption and risk of dementia in older adults. *JAMA*. 2003; 289: 1405-1413 [CC,II]
- Kessler RC, Berglund P, Demler O, Jin R, Koretz D, Merikangas KR et al. The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). *JAMA* 2003; 289: 3095-3105 [T,II]
- Stewart WF, Ricci JA, Chee E, Hahn SR, Morganstein D. Cost of lost productive work time among US workers with depression. *JAMA* 2003; 289: 3135-3144 [C,I]
- Gilbody S, Whitty P, Grimshaw J, Thomas R. Educational and organizational interventions to improve the management of depression in primary care: a systematic review. *JAMA* 2003; 289: 3145-3151 [M,II]
- Keller MB. Past, present, and future directions for defining optimal treatment outcome in depression. *JAMA* 2003; 289: 3152-3160 [M,III]
- Center C, Davis M, Detre T, Ford DE, Hansbrough W, Hendin H et al. Confronting depression and suicide in physicians: a consensus statement. *JAMA* 2003; 289: 3161-3166 [R,I]
- The UK ECT Review Group. Efficacy and safety of electroconvulsive therapy in depressive disorders: a systematic review and meta-analysis. *Lancet* 2003; 361: 799-808 [M,I]
- Prince M, Acosta D, Chiu H, Scazufca M, Varghese M. Dementia diagnosis in developing countries: a cross-cultural validation study. *Lancet* 2003; 361: 909-917 [T,II]
- Araya R, Rojas G, Fritsch R, Gaete J, Rojas M, Simon G et al. Treating depression in primary care in low-income women in Santiago, Chile: a randomised controlled trial. *Lancet* 2003; 361: 995-1000 [EC,II]

- Fairburn CG, Harrison PJ. Eating disorders. *Lancet* 2003; 361: 407-416 [R,II]
- Harrison PJ, Owen MJ. Genes for schizophrenia? Recent findings and their pathophysiological implications. *Lancet* 2003; 361: 417-419 [R,I]
- Salter D, McMillan D, Richards M, Talbot T, Hodges J, Bentovim A et al. Development of sexually abusive behaviour in sexually victimised males: a longitudinal study. *Lancet* 2003; 361: 471-476 [S,I]
- Leucht S, Wahlbeck K, Hamann J, Kissling W. New generation antipsychotics versus low-potency conventional antipsychotics: a systematic review and meta-analysis. *Lancet* 2003; 361: 1581-1589 [M,II]
- Bobes J, Bulbena A, Luque A, Dal-Ré R, Ballesteros J, Ibarra N. Evaluación psicométrica comparativa de las versiones en español de 6, 17 y 21 ítems de la Escala de valoración de Hamilton para la evaluación de la depresión. *Med Clin (Barc)* 2003; 120: 693 - 700 [S,II]

SALUD LABORAL

- Sobrequés J, Cebrià J, Segura J, Rodríguez C, García M, Juncosa S. La satisfacción laboral y el desgaste profesional de los médicos de atención primaria. *Aten Primaria* 2003; 31: 227-233 [T,I]
- Stewart WF, Ricci JA, Chee E, Hahn SR, Morganstein D. Cost of lost productive work time among US workers with depression. *JAMA* 2003; 289: 3135-3144 [C,I]
- Center C, Davis M, Detre T, Ford DE, Hansbrough W, Hendin H et al. Confronting depression and suicide in physicians: a consensus statement. *JAMA* 2003; 289: 3161-3166 [R,I]

ENFERMEDADES / PROBLEMAS PREVALENTES:

- Brunner LC, Eshilian-Oates L, Kuo TY. Hip fractures in adults. *Am Fam Physician* 2003; 67: 537-542 [AO,II]
- McInnis KJ, Franklin BA, Rippe JM. Counseling for physical activity in overweight and obese patients. *Am Fam Physician* 2003; 67: 1249-56, 1266-1268 [AO,II]
- Hart RG, Halperin JL, Pearce LA, Anderson DC, Kronmal RA, McBride R et al. Lessons from the stroke prevention in atrial fibrillation trials. *Ann Intern Med.* 2003;138: 831-838 [R, II]
- Korthals-de Bos IBC, Hoving JL, Van Tulder MWV, Rutten-Van Molken MPMH, Devet HCW, Koes BW et al. Cost effectiveness of physiotherapy, manual therapy and general practice care for neck pain: economic evaluation alongside a randomised controlled trial. *BMJ* 2003; 326: 911-914 [EC,II]
- Manes G, Menchise A, De Nucci C, Balzano A. Empirical prescribing for dyspepsia: randomised controlled trial of test and treat versus omeprazole treatment. *BMJ* 2003; 326:1118-1121 [EC,II]
- Fontaine KR, Redden DT, Wang C, Westfall AO, Allison DB. Years of life lost due to obesity. *JAMA.* 2003; 289:187-193 [T,I]
- Heshka S, Anderson JW, Atkinson RL, Greenway FL, Hill JO, Phinney SD et al. Weight loss with self-help compared with a structured commercial program. A randomized trial. *JAMA* 2003; 289: 1792-1798 [EC,II]
- Berkowitz RI, Wadden TA, Tershakovec AM, Cronquist JL. Behavior therapy and sibutramine for the treatment of adolescent obesity. A randomized controlled trial. *JAMA* 2003; 289: 1805-1812 [EC,II]
- Yueh B, Shapiro N, MacLean CH, Shekelle PG. Screening and management of adult hearing loss in primary care. *JAMA* 2003; 289: 1976-1985 [M,II]
- Ramón C, Torra JE. Prevención activa y efectiva de las úlceras por presión: un reto pendiente. *Med Clin (Barc)* 2003; 120: 576 - 577 [AO,II]

- Aranceta J, Pérez C, Serra L, Ribas L, Quiles J, Vioque J, et al. Prevalencia de la obesidad en España: resultados del estudio SEEDO 2000. *Med Clin (Barc)* 2003; 120: 608 - 612 [T,II]

ENFERMEDADES DE BAJA INCIDENCIA:

MEDIOS DIAGNÓSTICOS:

- Holten KB, Wetherington A, Bankston L. Diagnosing the patient with abdominal pain and altered bowel habits: is it irritable syndrome? *Am Fam Physician* 2003; 67: 2157-2162 [AO,II]
- Marchiando RJ, Elston MP. Automated ambulatory blood pressure monitoring: clinical utility in the family practice setting. *Am Fam Physician* 2003; 67: 2343-2350; 2353-2354 [AO,II]
- Boustani M, Peterson B, Hanson L, Harris R, Lohr KN. Screening for dementia in primary care: a summary of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med* 2003; 138: 927-937 [M,II]
- Kruij MJ, Leclercq MG, Van der Heul C, Prins MH, Büller HR. Diagnostic strategies for excluding pulmonary embolism in clinical outcome studies. A systematic review. *Ann Intern Med* 2003; 138: 941-951 [M,II]
- Fuat A, Hungin AP, Murphy JJ. Barriers to accurate diagnosis and effective management of heart failure in primary care: qualitative study. *BMJ* 2003; 326: 196-199 [C,I]
- Verstappen W, Van der Weijden T, Sijbrandij J, Smeele I, Hermsen J, Grimshaw J et al. Effect of a practice-based strategy on test ordering performance of primary care physicians. *JAMA* 2003; 289: 2407-2412 [EC,II]
- Eastham JA, Riedel E, Scardino PT, Shike M, Fleisher M, Schatzkin A et al. Variation of serum prostate-specific antigen levels. An evaluation of year-to-year fluctuations. *JAMA* 2003;289:2695-2700 [S,II]
- Jarvik JG, Hollingworth W, Martin B, Emerson SS, Gray DT, Overman S et al. Rapid magnetic resonance imaging vs radiographs for patients with low back pain. *JAMA* 2003; 289: 2810-2818 [EC,III]
- Spies M, Herndon DN, Rosenblatt JI, Sanford AP, Wolf SE. Prediction of mortality from catastrophic burns in children. *Lancet* 2003; 989-94 [R,I]
- Tabar L, Yen M, Vitak B, Chen HT, Smith RA, Duffy SW. Mammography service screening and mortality in breast cancer patients: 20-year follow-up before and after introduction of screening. *Lancet* 2003; 361: 1405-1410 [S,III]
- Ruiz M, Rejas J, Soto J, Pardo A, Rebollo I. Adaptación y validación del Health Utilities Index Mark 3 al castellano y baremos de corrección en la población española. *Med Clin (Barc)* 2003; 120: 89-95 [T,II]
- Calvo JM, Bureo P, Pérez M. Modelos de valoración de la probabilidad clínica en pacientes con tromboembolia pulmonar. *Med Clin (Barc)* 2003; 120: 456-457 [T,I]
- Vinyoles E, Armengol F, Bayó J, Salvadó A, Pepió JM. La normativa europea y el futuro de los esfigmomanómetros de mercurio en las consultas. *Med Clin (Barc)* 2003; 120: 460-463 [AO,II]
- Fernández-Fresnedo G, Martín AL, Rodrigo E, Ruiz JC, Sanz S, Arias M. Valoración del filtrado glomerular mediante la fórmula peso/creatinina. *Med Clin (Barc)* 2003; 120: 485-488 [T,I]
- Bobes J, Bulbena A, Luque A, Dal-Ré R, Ballesteros J, Ibarra N. Evaluación psicométrica comparativa de las versiones en español de 6, 17 y 21 ítems de la Escala de valoración de Hamilton para la evaluación de la depresión. *Med Clin (Barc)* 2003; 120: 693-700 [S,II]
- Orellana MA, Martínez P, Sánchez MT, Aramendi M, Galera G. Valoración de los resultados obtenidos con el coagulómetro Coagucheck S en el control del tratamiento con anticoagulantes orales. *Med Clin (Barc)* 2003; 121: 134-136 [T,I]

INFANCIA Y ADOLESCENCIA:

Pritts SD, Susman J. Diagnosis of eating disorders in primary care. *Am Fam Physician* 2003; 67: 297-304, 311-312 [AO,II]

Biggs WS. Diagnosis and management of positional head deformity. *Am Fam Physician* 2003; 67: 1953-1956 [AO,II]

Jones J, Lopez A, Wilson M. Congenital toxoplasmosis. *Am Fam Physician* 2003; 67: 2131-2138; 2145-2146 [AO,I]

Leung A, Sigalet DL. Acute abdominal pain in children. *Am Fam Physician* 2003; 67: 2321-2326 [AO,II]

Easton J, Noble S, Perry CM. Amoxicillin/clavulanic acid: a review of its use in the management of paediatric patients with acute otitis media. *Drugs* 2003; 63: 311-340 [R,II]

Aligne CA, Moss ME, Auinger P, Weitzman M. Association of pediatric dental caries with passive smoking. *JAMA* 2003; 289: 1258-1264 [T,II]

Berkowitz RI, Wadden TA, Tershakovec AM, Cronquist JL. Behavior therapy and sibutramine for the treatment of adolescent obesity. A randomized controlled trial. *JAMA* 2003; 289: 1805-1812 [EC,II]

Bhandari N, Bahl R, Mazumdar S, Martinez J, Black RE, Bhan MK et al. Effect of community-based promotion of exclusive breastfeeding on diarrhoeal illness and growth: a cluster randomised controlled trial. *Lancet* 2003; 361: 1418-1423 [EC,II]

Royo-Bordonada MA, Gorgojo L, De Oya M, Garcés C, Rodríguez-Artalejo M, Rubio R, et al. Variedad y diversidad de la dieta de los niños españoles: Estudio Cuatro Provincias. *Med Clin (Barc)* 2003; 120: 167-171 [T,II]

Clemente ML, Pérez-Trullén A, Rubio E, Marrón R, Herrero I. Correlación entre los valores de monóxido de carbono en el aire espirado y los sistemas de medición de dependencia nicotínica DSM-IV, test de Fagerström y ARUSMQ-9 en adolescentes fumadores. *Med Clin (Barc)* 2003; 121: 90 - 94 [T,II]

Serra L, Ribas L, Pérez C, Román B, Aranceta J. Hábitos alimentarios y consumo de alimentos en la población infantil y juvenil española (1998-2000): variables socioeconómicas y geográficas. *Med Clin (Barc)* 2003; 121: 126 - 131 [T,II]

MUJER Y SALUD. Incluye: Planificación Familiar, embarazo, aborto, menopausia, mujer y medicina.

Finch S. Pregnancy during residency: a literature review. *Acad Med* 2003; 78: 418-428 [R,I]

Baill IC, Collins VE, Pati S. Counseling issues in tubal sterilization. *Am Fam Physician* 2003; 67: 1287-94, 1301-2 [AO,I]

Dickersen LM, Mazyck PJ, Hunter M. Premenstrual syndrome. *Am Fam Physician* 2003; 67: 1743-1752 [AO,I]

Jones J, Lopez A, Wilson M. Congenital toxoplasmosis. *Am Fam Physician* 2003; 67: 2131-2138; 2145-2146 [AO,I]

Black RA, Hill A. Over-the-counter medications in pregnancy. *Am Fam Physician* 2003; 67: 2517-2524 [AO,II]

Hunter MH, Carek PJ. Evaluation and treatment of women with hirsutism. *Am Fam Physician* 2003; 67: 2565-2572 [AO,II]

Seibert C, Barbouche E, Fagan J, Myint E, Wetterneck, Wittemyer M. Prescribing oral contraceptives for women older than 35 years of age. *Ann Intern Med* 2003; 138: 54-64 [R,III]

Vittinghoff E, Shlipak MG, Varosy PD, Furberg CD, Ireland Ch, Khan SS et al. Risk factors and secondary prevention in women with heart disease: The Heart and Estrogen/progestin Replacement Study. *Ann Intern Med* 2003; 138: 81-89 [S,I]

Wisborg K, Kesmodel U, Bech BH, Hedegaard M, Henriksen TB. Maternal consumption of coffee during pregnancy and stillbirth and in-

fant death in first year of life: prospective study. *BMJ* 2003; 326: 420-421 [S,II]

Verdon F, Burnand B, Stubi CL, Bonard C, Graff M, Michaud A, et al. Iron supplementation for unexplained fatigue in non-anaemic women: double blind randomised placebo controlled trial. *BMJ* 2003; 326: 1124-1126 [EC,II]

Wathen CN, MacMillan HL. Interventions for violence against women: scientific review. *JAMA* 2003; 289: 589-600 [M,II]

Greenspan SL, Resnick NM, Parker RA. Combination therapy with hormone replacement and alendronate for prevention of bone loss in elderly women. *JAMA* 2003; 289: 2525-2533 [EC,II]

Li Z, Gindler J, Wang H, Berry RJ, Li S, Correa A et al. Folic acid supplements during early pregnancy and likelihood of multiple births: a population-based cohort study. *Lancet* 2003; 361: 380-384 [S,I]

Rey E, Kahn SR, David M, Shrier I. Thrombophilic disorders and fetal loss: a meta-analysis. *Lancet* 2003; 361: 901-08 [M,II]

Ugwumadu A, Manyonda I, Reid F, Hay P. Effect of early oral clindamycin on late miscarriage and preterm delivery in asymptomatic women with abnormal vaginal flora and bacterial vaginosis: a randomised controlled trial. *Lancet* 2003; 361: 983-988 [EC,II]

Palacios S, Calaf J, Cano A, Parrilla JJ. Relevancia de los resultados del estudio WHI para la atención de las mujeres posmenopáusicas en España. *Med Clin (Barc)* 2003; 120: 146-147 [R,II]

Pérez-López FR. Tratamiento hormonal de la menopausia: controversias, precisiones y perspectivas. *Med Clin (Barc)* 2003; 120: 148-155 [R,II]

Grady D. Postmenopausal hormones - therapy for symptoms only. *N Engl J Med* 2003; 348: 1835-1837 [S,II]

Hays J, Ockene JK, Brunner RL, Kotchen JM, Manson JE, Patterson RE et al. Effects of estrogen plus progestin on health-related quality of life. *N Engl J Med* 2003; 348: 1839-1854 [EC,II]

ANCIANOS:

Brunner LC, Eshilian-Oates L, Kuo TY. Hip fractures in adults. *Am Fam Physician* 2003; 67: 537-42 [AO,II]

De la Revilla L, Espinosa JM. La atención domiciliaria y la atención familiar en el abordaje de las enfermedades crónicas de los mayores. *Aten Primaria* 2003; 31: 587 - 591 [R,II]

Limón E, Argimon JM, Vila J, Abos T, Cabezas C, Vinyoles E. Detección del deterioro cognitivo en población mayor de 64 años: primera fase del proyecto Cuida'l. *Aten Primaria* 2003; 32: 6 - 12 [T,I]

Gil de Gómez MJ, Ramalle-Gómara E. Efectividad de la valoración geriátrica comprensiva en atención primaria. *Aten Primaria* 2003; 32: 92 - 100 [M,II]

Ruipérez I. ¿Se nutren bien las personas mayores? *Med Clin (Barc)* 2003; 120: 175-176 [AO,I]

López-García E, Banegas JR, Graciani A, Gutiérrez-Fisac JL, Alonso J, Rodríguez-Artalejo F. Valores de referencia de la versión española del Cuestionario de Salud SF-36 en población adulta de más de 60 años. *Med Clin (Barc)* 2003; 120: 568 - 573 [T,I]

Wing L, Reid CM, Ryan P, Beilin LJ, Brown MA, Jennings G et al. A comparison of outcomes with angiotensin-converting-enzyme inhibitors and diuretics for hypertension in the elderly. *N Engl J Med* 2003; 348: 583-592 [EC,II]

URGENCIAS Y EMERGENCIAS:

Douglass AB, Douglass JM. Common dental emergencies. *Am Fam Physician* 2003; 67: 511-516 [AO,II]

Higgins JC. The «crashing asthmatic». *Am Fam Physician* 2003; 67: 997-1004 [AO,II]

- Kruij MJ, Leclercq MG, Van der Heul C, Prins MH, Büller HR. Diagnostic strategies for excluding pulmonary embolism in clinical outcome studies. A systematic review. *Ann Intern Med* 2003; 138: 941-951 [M,I]
- León MD, Gómez FJ, Martín-Castro C, Cárdenas A, Olavarría L, De la Higuera J. Factores pronósticos de mortalidad en la parada cardiorrespiratoria extrahospitalaria. *Med Clin (Barc)* 2003; 120: 561 - 564 [S,I]
- TERAPÉUTICA.** Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.
- Steinman MA, Gonzales R, Linder JA, Landefeld S. Changing use of antibiotics in community-based outpatient practice, 1991-1999. *Ann Intern Med* 2003; 138: 525-533 [T,II]
- Spiegel BMR, Targownik L, Dulai GS, Gralnek IM. The cost-effectiveness of cyclooxygenase-2 selective inhibitors in the management of chronic arthritis. *Ann Intern Med* 2003;138: 795-806 [R, II]
- Cherkin DC, Sherman KJ, Deyo RA, Shekelle PG. A review of the evidence for the effectiveness, safety, and cost of acupuncture, massage therapy, and spinal manipulation for back pain. *Ann Intern Med* 2003; 138: 898-906 [M,II]
- Forster AJ, Murff HJ, Peterson JF, Gandhi TK, Bates DW. The incidence and severity of adverse events affecting patients after discharge from the hospital. *Ann Intern Med* 2003; 138: 161-167 [S,II]
- Barringer TA, Kirk JK, Santaniello AC, Foley KL, Michielutte R. Effect of a multivitamin and mineral supplement on infection and quality of life. A randomized, double-blind, placebo-controlled trial. *Ann Intern Med* 2003; 138: 365-371 [EC,II]
- Jonas WB, Kaptchuk TJ, Linde K. A critical overview of homeopathy. *Ann Intern Med* 2003; 138: 393-399 [AO,II]
- Blasco M, Lucía JF. Revisión de los antiagregantes plaquetarios y sus indicaciones en atención primaria. Ocho años después. *Aten Primaria* 2003; 31: 252-263 [R,II]
- Palop V, Melchor A, Martínez I. Reflexiones sobre la utilización de antibióticos en atención primaria. *Aten Primaria* 2003; 32: 42 - 47 [R,II]
- Hanley J, Stirling P, Brown C. Randomised controlled trial of therapeutic massage in the management of stress. *Br J Gen Pract* 2003; 53: 20-25 [EC,II]
- Jacoby A, Smith M, Eccles M. A qualitative study to explore influences on general practitioners' decisions to prescribe new drugs. *Br J Gen Pract* 2003; 53: 120-125 [C,I]
- Durand MA, King M. Specialist treatment versus self-help for bulimia nervosa: a randomised controlled trial in general practice. *Br J Gen Pract* 2003; 53: 371-377
- Keen J, Oliver P, Rowse G, Mathers N. Does methadone maintenance treatment based on the new national guidelines work in a primary care setting? *Br J Gen Pract* 2003; 53: 461-467
- Fuat A, Hungin AP, Murphy JJ. Barriers to accurate diagnosis and effective management of heart failure in primary care: qualitative study. *BMJ* 2003; 326: 196-199 [C,I]
- Bloomgarden ZT. Pharmacologic treatment of type 2 diabetes. *Diabetes Care* 2003; 26: 526-533 [R,III]
- Nicholson B. Responsible prescribing of opioids for the management of chronic pain. *Drugs* 2003; 63:17-32 [AO, I]
- Stichtenoeth DO, Frölich JC. The second generation of COX-2 inhibitors: what advantages do the newest offer? *Drugs* 2003; 63: 33-45 [R, I]
- File TM, Tan JS. International guidelines for the treatment of community-acquired pneumonia in adults: the role of macrolides. *Drugs* 2003; 63:181-205 [R,III]
- Easton J, Noble S, Perry CM. Amoxicillin/clavulanic acid: a review of its use in the management of paediatric patients with acute otitis media. *Drugs* 2003; 63: 311-340 [R,II]
- George CFP, Bayliff CD. Management of insomnia in patients with chronic obstructive pulmonary disease. *Drugs* 2003; 63: 379-387 [AO, I]
- Prosser H, Almond S, Walley T. Influences on GPs' decision to prescribe new drugs-the importance of who says what. *Fam Pract* 2003; 20: 61-68 [T,I]
- Richards D, Toop L, Graham P. Do clinical practice education groups result in sustained change in GP prescribing? *Fam Pract* 2003; 20: 199-206 [R,II]
- Blasco A, González AI, Lobos JM, Silva L. Tratamiento médico de la angina estable: fármacos antianginosos y prevención secundaria de la cardiopatía isquémica. *Inf Ter Sist Nac Salud* 2003; 27: 33-56 [R,III]
- Vicente D, Cilla G, Pérez-Trallero E. Tratamiento del Herpes Zoster. *Inf Ter Sist Nac Salud* 2003; 27: 81-89 [R,II]
- Silva M, Ortigosa J. Betabloqueantes en insuficiencia cardiaca: indicaciones. *Inf Ter Sist Nac Salud* 2003; 27: 90-96 [R,II]
- Nurnberg HG, Hensley PL, Gelenberg AJ, Fava M, Lauriello J, Paine S. Treatment of antidepressant-associated sexual dysfunction with sildenafil. *JAMA* 2003; 289: 56-64 [EC,II]
- Tronvik E, Stovner LJ, Helde G, Sand T, Bovim G. Prophylactic treatment of migraine with an angiotensin II receptor blocker. *JAMA*. 2003; 289: 65-69 [EC,II]
- Gurwitz JH, Field TS, Harrold LR, Rothschild J, Debellis K, Seger AC. Incidence and preventability of adverse drug events among older persons in the ambulatory setting. *JAMA*. 2003; 289: 1107-1116 [S,II]
- Psaty BM, Lumley T, Furberg CD, Schellenbaum G, Pahor M, Alderman MH et al. Health outcomes associated with various antihypertensive therapies used as first-line agents. *JAMA* 2003; 289: 2534-2544 [M,III]
- Via RM. Suturing unnecessary for hand lacerations under 2 cm. *J Fam Pract* 2003; 52: 23-24 [R,II]
- Johnson M, Seaton T. Comparing celecoxib with traditional nonsteroid anti-inflammatory drugs. *J Fam Pract* 2003; 52: 96-98 [R,II]
- Villanueva P, Peiró S, Librero J, Pereiro I. Accuracy of pharmaceutical advertisements in medical journals. *Lancet* 2003; 361: 27-32 [T,II]
- Leucht S, Wahlbeck K, Hamann J, Kissling W. New generation antipsychotics versus low-potency conventional antipsychotics: a systematic review and meta-analysis. *Lancet* 2003; 361: 1581-1589 [M,II]
- Evers JLH, Collins JA. Assessment of efficacy of varicocele repair for male subfertility: a systematic review. *Lancet* 2003; 361: 1849-1852 [M,II]
- Dindo D, Muller MK, Weber M, Clavien P. Obesity in general elective surgery. *Lancet* 2003; 361: 2032-2035 [S,II]
- Badia X, Muriel C, Gracia A, Núñez-Olarte JM, Perulero N, Gálvez R et al. Validación española del cuestionario Brief Pain Inventory en pacientes con dolor de causa neoplásica. *Med Clin (Barc)* 2003; 120: 52-60 [T,I]
- Mediavilla JD, Sabio JM, Fernández-Torres C. Tratamiento de la hipertensión arterial. *Med Clin (Barc)* 2003; 120: 108-116 [R,II]
- Lupón J. Nuevas formas de atención médica en la insuficiencia cardiaca. *Med Clin (Barc)* 2003; 120: 135-137 [AO,II]
- Gurguí M. Nuevas quinolonas. *Med Clin (Barc)* 2003; 120: 458 - 459 [AO,II]
- Gorta AM, Mazarico S, Ballesté J, Barberá J, Gómez X, De Miguel M. Uso de la escala de Zarit en la valoración de la claudicación en cuidados paliativos. *Med Clin (Barc)* 2003; 121: 132-133 [T,I]

Grady D. Postmenopausal hormones - therapy for symptoms only. *N Engl J Med* 2003; 348: 1835-1837 [S,II]

Bjorner T, Laerum E. Factors associated with high prescribing of benzodiazepines and minor opiates. *Scand J Prim Health Care* 2003; 21: 115 - 120 [T,I]

ENTREVISTA CLINICA:

Chen DT, Miller FG, Rosenstein DL. Clinical research and the physician-patient relationship. *Ann Intern Med.* 2003; 138: 669-672 [AO, I]

Clèries X, Borrell F, Epstein RM, Kronfly E, Escoda JJ, Martínez-Carretero JM. Aspectos comunicacionales: el reto de la competencia de la profesión médica. *Aten Primaria* 2003; 32: 110 - 117 [R,II]

Riemsma RP, Pattendon J, Bridle C, Sowden AJ, Mather L, Watt IS, Walker A. Systematic review of the effectiveness of stage based interventions to promote smoking cessation. *BMJ* 2003; 326: 1175-1177 [M,III]

ATENCION FAMILIAR:

Moral MS, Juan J, López MJ, Pellicer P. Perfil y riesgo de morbilidad psíquica en cuidadores de pacientes ingresados en su domicilio. *Aten Primaria* 2003; 32: 77-83 [T,I]

Gorta AM, Mazarico S, Ballesté J, Barberá J, Gómez X, De Miguel M. Uso de la escala de Zarit en la valoración de la claudicación en cuidados paliativos. *Med Clin (Barc)* 2003; 121: 132-133 [T,I]

ACTIVIDADES COMUNITARIAS. Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.

Barrio IM, Simón P. ¿Pueden leer los pacientes lo que pretendemos que lean? Un análisis de la legibilidad de materiales escritos de educación para la salud. *Aten Primaria* 2003; 31: 409-414 [T,I]

Regidor E, Domínguez V, Calle ME, Navarro P. Circunstancias socioeconómicas y mortalidad prematura por enfermedades crónicas. *Med Clin (Barc)* 2003; 120: 201-206 [T,I]

DOCENCIA. Incluye: pregrado, postgrado, formación medica continuada, metodología docente.

Kruse JE, Bradley J, Wesley RM, Markwell SJ. Research support infrastructure and productivity in U.S. family practice residency programs. *Acad Med* 2003; 78: 54-60 [T,I]

Herbert RS, Levine RB, Smith CG, Wrigut SM. A systematic review of resident research curricula. *Acad Med* 2003; 78: 61-68 [T,I]

Michels PJ, Probst JC, Godenick MT, Palesch Y. Anxiety and anger among family practice residents: a South Carolina Family Practice Research Consortium study. *Acad Med* 2003; 78: 69-79 [T,I]

Wilkinson TJ, Frampton CM, Thompson-Fawcett M, Egan T. Objectivity in objective structured clinical examinations: checklists are not substitute for examiner commitment. *Acad Med* 2003; 78: 219-223 [T,I]

Borleffs JC, Custers EJ, Van Gijn J, Ten Cate OT. «Clinical reasoning theater»: a new approach to clinical reasoning education. *Acad Med* 2003; 78: 322-325 [T,I]

Ramani S, Orlander JD, Strunin L, Barber TW. Whither bedside teaching? A focus-group study of clinical teachers. *Acad Med* 2003; 78: 384-390 [C,I]

Rucker L, Shapiro J. Becoming a physician: students' creative projects in a third-year IM clerkship. *Acad Med* 2003; 78: 391-397 [C,I]

Roche WP, Scheetz AP, Dane FC, Parish DC, O'Shea JT. Medical students' attitudes in a PBL curriculum: trust, altruism, and cynicism. *Acad Med* 2003; 78: 398-402 [QE,II]

Ross R, Verdick A. Introducing an evidence-based medicine curriculum into a family practice residency-is it effective? *Acad Med* 2003; 78: 412-417 [QE,II]

Finch S. Pregnancy during residency: a literature review. *Acad Med* 2003; 78: 418-428 [R,I]

Eshach H, Bitterman H. From case-based reasoning to problem-based learning. *Acad Med* 2003; 78: 491-496 [AO,II]

Wright AL, Schwindt LA, Bassford TL, Reyna VF, Shisslak CM, St. Germain PA et al. Gender differences in academic advancement: patterns, causes, and potential solutions in one U.S. College of Medicine. *Acad Med* 2003; 78: 500-508 [T,I]

Ury WA, Berkman CS, Weber CM, Pignotti MG, Leipzig RM. Assessing medical students' training in end-of-life communication: a survey of interns at one urban teaching hospital. *Acad Med* 2003; 78: 530-537 [T,I]

Clèries X, Borrell F, Epstein RM, Kronfly E, Escoda JJ, Martínez-Carretero JM. Aspectos comunicacionales: el reto de la competencia de la profesión médica. *Aten Primaria* 2003; 32: 110 - 117 [R,II]

Schwartz k, Northrup J, Israel N, Crowell K, Lauder N, Neale AV. Use of on-line evidence-based resources at the point of care. *Fam Med* 2003; 35: 251-256 [S,II]

Lynch DC, Pugno P, Beebe DK, Cullison SW, Lin JJ. Family practice graduate preparedness in the six ACGME competency areas: prequel. *Fam Med* 2003; 35: 324-329 [T,II]

Richards D, Toop L, Graham P. Do clinical practice education groups result in sustained change in GP prescribing? *Fam Pract* 2003; 20: 199-206 [R,II]

Bonfill X, Marzo M. Guías de práctica clínica: tenerlas, que sean de calidad y que salgan del armario. *Med Clin (Barc)* 2003; 120: 496 - 497 [AO,I]

INVESTIGACION. Incluye: investigación cualitativa, estadística.

Kruse JE, Bradley J, Wesley RM, Markwell SJ. Research support infrastructure and productivity in U.S. family practice residency programs. *Acad Med* 2003; 78: 54-60 [T,I]

Herbert RS, Levine RB, Smith CG, Wrigut SM. A systematic review of resident research curricula. *Acad Med* 2003; 78: 61-68 [T,I]

Katz MH. Multivariable analysis: a primer for readers of medical research. *Ann Intern Med* 2003; 138: 644-650 [R,III]

Chen DT, Miller FG, Rosenstein DL. Clinical research and the physician-patient relationship. *Ann Intern Med.* 2003; 138: 669-672 [AO, I]

Casas J, Repullo JR, Donado J. La encuesta como técnica de investigación. Elaboración de cuestionarios y tratamiento estadístico de los datos (I) *Aten Primaria* 2003; 31: 527-538 [R,II]

Casas J, Repullo JR, Donado J. La encuesta como técnica de investigación. Elaboración de cuestionarios y tratamiento estadístico de los datos (II) *Aten Primaria* 2003; 31: 592-600 [R,II]

Merenstein J, Rao G, D'Amico F. Clinical research in family medicine: quantity and quality of published articles. *Fam Med* 2003; 35: 284-288 [T,II]

Freemantle N, Calvert M, Wood J, Eastaugh J, Griffin C. Composite outcomes in randomized trials. Greater precision but with greater uncertainty? *JAMA* 2003; 289:2554-2559 [M,III]

Villanueva P, Peiró S, Librero J, Pereiro I. Accuracy of pharmaceutical advertisements in medical journals. *Lancet* 2003; 361: 27-32 [T,II]

Fernández E, García AM. Accuracy of referencing of Spanish names in Medline. *Lancet* 2003; 361: 351-352 [R,II]

Rozman C. Reflexiones sobre la investigación biomédica en España. *Med Clin (Barc)* 2003; 120: 19-23 [AO,I]

Avenidaño C, Casas A, Dal-Ré R, Gomis R, Gracia D, Moreno A, et al. Comités éticos de investigación clínica y «dictamen único» de los ensayos clínicos multicéntricos. *Med Clin (Barc)* 2003; 120: 180-188 [AO,II]

Johansson E, Risberg G, Hamberg K. Is qualitative research scientific, or merely relevant? *Scand J Prim Health Care* 2003; 21: 10-14 [T,I]

Stenslans P. Action research on own practice. *Scand J Prim Health Care* 2003;21: 77 - 82 [C,I]

MEDICINA BASADA EN PRUEBAS:

Snow V, Weiss, KB, Mottur-Pilson C. The evidence base for tight blood pressure control in the management of type 2 diabetes mellitus. *Ann Intern Med* 2003; 138: 587-592 [M,II]

Lexchin J, Bero LA, Djulbegovic B, Clark O. Pharmaceutical industry sponsorship and research outcome and quality: systematic review. *BMJ* 2003; 326: 1167-1170 [M,III]

Melander H, Ahlqvist-Rastad J, Meijer G, Beermann B. Evidence B(1)ased medicine-selective reporting from studies sponsored by pharmaceutical industry: review of studies in new drug applications. *BMJ* 2003; 326:1171-1173 [M,III]

Schwartz k, Northrup J, Israel N, Crowell K, Lauder N, Neale AV. Use of on-line evidence-based resources at the point of care. *Fam Med* 2003; 35: 251-256 [S,II]

PREVENCIÓN:

Forster AJ, Murff HJ, Peterson JF, Gandhi TK, Bates DW. The incidence and severity of adverse events affecting patients after discharge from the hospital. *Ann Intern Med* 2003; 138: 161-167 [S,II]

Hart RG, Halperin JL, Pearce LA, Anderson DC, Kronmal RA, McBride R et al. Lessons from the stroke prevention in atrial fibrillation trials. *Ann Intern Med.* 2003;138: 831-838 [R, II]

Sisk JE, Whang W, Butler JC, Sneller P, Whitney CG. Cost-effectiveness of vaccination against invasive pneumococcal disease among people 50 through 64 years of age: role of comorbid conditions and race. *Ann Intern Med* 2003; 138: 960-968 [T,I]

Grandes G, Cortada JM, Arrazola A, Laka JP. Predictors of long-term outcome of a smoking cessation programme in primary care. *Br J Gen Pract* 2003; 53: 101-107 [QE,II]

Elley CR, Kerse N, Arrol B, Robinson E. Effectiveness of counselling patients on physical activity in general practice: cluster randomised controlled trial. *BMJ* 2003; 326: 793-796 [EC,II]

Stepo E, Perkins-Porras L, Mckay C, Rink E, Hilton S, Cappuccio FP. Behavioural counselling to increase consumption of fruit and vegetables in low income adults: randomised trial. *BMJ* 2003; 326: 855-858 [EC,II]

Enstrom JE, Kabat GC. Environmental tobacco smoke and tobacco related mortality in a prospective study of californians, 1960-98. *BMJ* 2003; 326: 1057-1061 [S,I]

Mozaffarian D, Kumanyika SK, Lemaitre RN, Olson JL, Burke GL, Siscovick DS. Cereal, fruit, and vegetable fiber intake and the risk of cardiovascular disease in elderly individuals. *JAMA* 2003; 289: 1659-1666 [S,III]

Hu FB, Li TY, Colditz GA, Willett WC, Manson JE. Television watching and other sedentary behaviors in relation to risk of obesity and type 2 diabetes mellitus in women. *JAMA* 2003; 289: 1785-1791 [S,I]

Schoor NM, Smit JH, Twisk JWR, Bouter LM, Lips P. Prevention of hip fractures by external hip protectors. *JAMA* 2003; 289: 1957-1962 [EC,II]

Greenspan SL, Resnick NM, Parker RA. Combination therapy with hormone replacement and alendronate for prevention of bone loss in elderly women. *JAMA* 2003; 289: 2525-2533 [EC,II]

Benn P. Improved antenatal screening for Down's syndrome. *Lancet* 2003; 361: 794-795 [AO,I]

Bhandari N, Bahl R, Mazumdar S, Martines J, Black RE, Bhan MK et al. Effect of community-based promotion of exclusive breastfeeding on diarrhoeal illness and growth: a cluster randomised controlled trial. *Lancet* 2003; 361: 1418-1423 [EC,II]

Evers JLH, Collins JA. Assessment of efficacy of varicocele repair for male subfertility: a systematic review. *Lancet* 2003; 361: 1849-1852 [M,II]

Vivekananthan DP, Penn MS, Sapp SK, Hsu A, Topol EJ. Use of antioxidant vitamins for the prevention of cardiovascular disease: meta-analysis of randomised trials. *Lancet* 2003; 361: 2017-2023 [M,II]

Lardelli P, Luna J de D, Jiménez JJ, García M, Bueno A, Gálvez R. Valoración del efecto del uso de casco en los ciclistas sobre el riesgo de sufrir lesiones craneales y de morir en España, entre 1990 y 1999. *Med Clin (Barc)* 2003; 120: 85-89 [CC,I]

Ramón C, Torra JE. Prevención activa y efectiva de las úlceras por presión: un reto pendiente. *Med Clin (Barc)* 2003; 120: 576 - 577 [AO,II]

Baron JA, Cole BF, Sandler RS, Haile RW, Ahnen D, Bresalier R et al. A randomized trial of aspirin to prevent colorectal adenomas. *N Engl J Med* 2003; 348: 891-899 [EC,II]

Hays J, Ockene JK, Brunner RL, Kotchen JM, Manson JE, Patterson RE et al. Effects of estrogen plus progestin on health-related quality of life. *N Engl J Med* 2003; 348: 1839-1854 [EC,II]

Hu FB. The mediterranean diet and mortality - olive oil and beyond. *N Engl J Med* 2003; 348: 2407-2415 [R,II]

EVALUACION / GARANTÍA DE CALIDAD:

Campbell S, Steiner A, Robison J, Webb D, Raven A, Roland M. Is the quality of care in general medical practice improving? Results of a longitudinal observational study. *Br J Gen Pract* 2003; 53: 298-304

Goudswaard AN, Lam K, Stolk RP, Rutten G. Quality of recording of data from patients with type 2 diabetes is not a valid indicator of quality of care. A cross-sectional study. *Fam Pract* 2003; 20: 173-177 [T,I]

BIOÉTICA:

Chen DT, Miller FG, Rosenstein DL. Clinical research and the physician-patient relationship. *Ann Intern Med.* 2003; 138: 669-672 [AO, I]

Santos C. Documento de voluntades anticipadas: actitud de los pacientes de atención primaria. *Aten Primaria* 2003; 32: 30-35 [T,I]

Altisent R. La relación con la industria farmacéutica: una cuestión ética de alta prevalencia en medicina de familia. *Aten Primaria* 2003; 32: 106-109 [AO,II]

Avenidaño C, Casas A, Dal-Ré R, Gomis R, Gracia D, Moreno A, et al. Comités éticos de investigación clínica y «dictamen único» de los ensayos clínicos multicéntricos. *Med Clin (Barc)* 2003; 120: 180-188 [AO,II]

PLANIFICACION / GESTIÓN:

Spiegel BMR, Targownik L, Dulai GS, Gralnek IM. The cost-effectiveness of cyclooxygenase-2 selective inhibitors in the management of chronic arthritis. *Ann Intern Med* 2003; 138: 795-806 [R, II]

Sisk JE, Whang W, Butler JC, Sneller P, Whitney CG. Cost-effectiveness of vaccination against invasive pneumococcal disease among people 50 through 64 years of age: role of comorbid conditions and race. *Ann Intern Med* 2003; 138: 960-968 [T,I]

Aguilera M. Oferta de servicios en atención primaria. *Aten Primaria* 2003; 31: 319-326 [T,I]

Gosálbez E, Pérez-Salinas I, Díez-Domingo J, Ballester A, Costa AM. Sistemas de información en atención primaria: ¿debemos codificar con la CIE-9-MC? *Aten Primaria* 2003; 31: 519 - 523 [R,II]

Brugos A, Guillén F, Mallor F, Fernández C. Modelos explicativos y predictivos de la carga asistencial médica: aplicación para el cálculo del cupo máximo en medicina de familia que permita un mínimo de diez minutos por consulta. *Aten Primaria* 2003; 32: 23-29 [T,II]

Korthals-de Bos IBC, Hoving JL, Van Tulder MWV, Rutten-Van Molken MPMH, Devet HCW, Koes BW et al. Cost effectiveness of physiotherapy, manual therapy and general practice care for neck pain: economic evaluation alongside a randomised controlled trial. *BMJ* 2003; 326: 911-914 [EC,II]

Landon BE, Reschovsky J, Blumenthal D. Changes in career satisfaction among primary care and specialist physicians, 1997-2001. *JAMA* 2003; 289: 442-449 [T,I]

Puerta JL, Rodés J. Una plaza fija para toda la vida. *Med Clin (Barc)* 2003; 120: 138-140 [AO,I]

INFORMÁTICA:

Rancaño I, Rodrigo JA, Villa R, Abdelsater M, Díaz R, Álvarez D. Evaluación de las páginas web en lengua española útiles para el médico de atención primaria. *Aten Primaria* 2003; 31: 575 - 580 [T,I]

Astorga P, Bravo R. Internet móvil. *Aten Primaria* 2003; 32: 118 - 121 [R,I]

OTRAS:

Nusbaum M, Hamilton C, Lenaham P. Chronic illness and sexual functioning. *Am Fam Physician* 2003; 67: 347-54, 357 [AO,II]

Luba MC, Bangs SA, Mohler AM, Stulberg DL. Common benign skin tumors. *Am Fam Physician* 2003; 67: 729-738 [AO,I]

Viera AJ, Bond MM, Yates SW. Diagnosing night sweats. *Am Fam Physician* 2003; 67: 1249-56, 1266-8 [AO, I]

Hadley S, Petry J. Valerian. *Am Fam Physician* 2003; 67: 1755-1758 [AO,I]

Goodnough LT, Shander A, Brecher ME. Transfusion medicine: looking to the future. *Lancet* 2003; 361: 161-169 [R,I].

Stirn A. Body piercing: medical consequences and psychological motivations. *Lancet* 2003; 361: 1205-15 [R,I]

Ruiz M, Rejas J, Soto J, Pardo A, Rebollo I. Adaptación y validación del Health Utilities Index Mark 3 al castellano y baremos de corrección en la población española. *Med Clin (Barc)* 2003; 120: 89-95 [T,II]

Druss BG, Marcus SC, Olfson M, Tanielian T, Pincus HA. Trends in care by nonphysician clinicians in the United States. *N Engl J Med* 2003; 348: 130-137 [T,II]