

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de julio a 30 de septiembre de 2003)

Rosado Bello I, Gálvez Alcaraz A, Jiménez López AM, Lahoz Rallo B, Manteca González A, Morata García de la Puerta J, Rodríguez Pappalardo V, Sánchez García C.

Médicos de familia

Los artículos, publicados entre el 1 de julio y el 30 de septiembre de 2003, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas, aparece el tipo de estudio, según la clasificación que se expone a continuación y, separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico casos y controles
- (S) Observacional analítico de seguimiento / cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas

Grado de interés:

- Alto: I
- Muy alto: II
- Imprescindible: III

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS_bases conceptuales, medicina de familia_profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

Palacio F, Marquet R, Oliver A, Castro P, Bel M, Piñol JL. Las expectativas de los profesionales: ¿qué aspectos valoran en un centro de salud? Un estudio cuali-cuantitativo. *Aten Primaria* 2003; 32: 135-141 [C, I]

Cortés JA, Martín J, Morente M, Caboblanco M, Garijo J, Rodríguez A. Clima laboral en atención primaria: ¿qué hay que mejorar? *Aten Primaria* 2003; 32: 288-295 [T, I]

Turabián JL, Pérez B. Apuntes sobre la «resolutividad» y la «cura» en la medicina de familia. *Aten Primaria* 2003; 32: 296-299 [AO, I]

Brink-Muinen A, Verhaak P, Bensing J, Bahrs O, Deveugele M, Gask L et al. Communication in general practice: differences between European countries. *Fam Pract* 2003;20:478-485 [T, II]

Lenfant C. Clinical research to clinical practice - lost in translation? *N Eng J Med* 2003; 349: 868-874 [AO, II]

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Schoofs MWCJ, van der Klift M, Hofman A, de Laet CEDH, Herings RMC, Stijnen T et al. Thiazide diuretics and the risk for hip fracture. *Ann Intern Med*. 2003;139: 476-482 [S, I]

Llor C. Abordaje de la dislipemia en la diabetes mellitus en atención primaria. *Aten Primaria* 2003; 32: 240-252 [R, II]

Hutchinson A, McIntosh A, Anderson J, Gilbert C, Field R. Developing primary care review criteria from evidence-based guidelines: coronary heart disease as a model. *Br J Gen Pract* 2003; 53: 690-696 [T, II]

Kedward J, Dakin L. A qualitative study of barriers to the use of statins and the implementation of coronary heart disease prevention in primary care. *Br J Gen Pract* 2003; 53: 684-689 [C, I]

Cottrell DA, Marshall BJ, Falko JM. Therapeutic approaches to dyslipidemia in diabetes mellitus and metabolic syndrome. *Curr Opin Cardiol* 2003 ;18: 301-308 [AO, I]

Goudswaard AN, Stolk RP, de Valk HW, Rutten GE. Improving glycaemic control in patients with Type 2 diabetes mellitus without insulin therapy. *Diabet Med* 2003 Jul; 20: 540-544 [S, II]

Krum H, Skiba M, Gilbert RE. Comparative metabolic effects of hydrochlorothiazide and indapamide in hypertensive diabetic patients receiving ACE inhibitor therapy. *Diabet Med* 2003; 20: 708-712 [T, I]

Keating GM, Jarvis B. Carvedilol: a review of its use in chronic heart failure. *Drugs* 2003; 16: 1697-1741 [R, I]

Hersberger M, Eckardstein A. Low high-density lipoprotein cholesterol: physiological background, clinical importance and drug treatment. *Drugs* 2003; 18: 1907-1945 [R, I]

Schiel R, Franke S, Busch M, Muller A, Fleck C, Muller UA et al. Effect of smoking on risk factors for cardiovascular disease in patients with diabetes mellitus and renal insufficiency. *Eur J Med Res*. 2003; 8: 283-291 [T, I]

Janssens HJ, Lisdonk EH, Bor H, Hoogen HJ, Janssen M. Gout, just a nasty event or a cardiovascular signal? A study from primary care. *Fam Pract* 2003; 20: 413-416 [CC, I]

Silva M, Ortigosa J. Betabloqueantes en insuficiencia cardiaca: indicaciones. *Inf Ter Sist Nac Salud* 2003; 27: 90-96 [R, II]

Critchley JA, Capewell S. Mortality risk reduction associated with smoking cessation in patients with coronary heart disease. A systematic review. *JAMA* 2003; 290: 86-97 [M, II]

Hajjar I, Kotchen TA. Trends in prevalence, awareness, treatment, and control of hypertension in the United States, 1988-2000. *JAMA* 2003; 290: 199-206 [T, II]

- Chiasson JL, Josse RG, Gomis R, Hanefeld M, Karasik A, Laakso M. STOP-NIDDM Trial Research Group. Acarbose treatment and the risk of cardiovascular disease and hypertension in patients with impaired glucose tolerance: the STOP-NIDDM trial. *JAMA* 2003; 290: 486-494 [EC, II]
- Hackam DG, Anand SS. Emerging risk factors for atherosclerotic vascular disease. A critical review of the evidence. *JAMA* 2003; 290: 932-940 [R, II]
- Rius F, Salinas I, Lucas A, Romero R, Sanmarti A. A prospective study of cardiovascular disease in patients with Type 2 diabetes. 6.3 years of follow-up. *J Diabetes Complications* 2003; 17: 235-242 [S, II]
- Poole-Wilson PA, Swedberg K, Cleland JG, Lenarda A, Hanrath P, Komajda M et al. Comparison of carvedilol and metoprolol on clinical outcomes in patients with chronic heart failure in the Carvedilol or Metoprolol European Trial (COMET): randomised controlled trial. *Lancet* 2003; 362: 7-13 [EC, II].
- Krum H, Gilbert RE. Demographics and concomitant disorders in heart failure. *Lancet* 2003; 362: 147-158 [R, I]
- Baglin T, Luddington R, Brown K, Baglin C. Incidence of recurrent venous thromboembolism in relation to clinical and thrombophilic risk factors: prospective cohort study. *Lancet* 2003; 362: 523-526 [S, I]
- Durrington P. Dyslipidaemia. *Lancet* 2003; 362: 717-731 [R, I]
- Pfeffer MA, Swedberg K, Granger CB, Held P, McMurray JJ, Michelson EL et al. Effects of candesartan on mortality and morbidity in patients with chronic heart failure: the CHARM-Overall programme. *Lancet* 2003; 362: 759-766 [EC, II]
- Fox KM. European trial on reduction of cardiac events with Perindopril in stable coronary Artery disease Investigators. Efficacy of perindopril in reduction of cardiovascular events among patients with stable coronary artery disease: randomised, double-blind, placebo-controlled, multicentre trial (the EUROPA study). *Lancet* 2003; 362: 782-788 [EC, II]
- Ezzati M, Lopez AD. Estimates of global mortality attributable to smoking in 2000. *Lancet* 2003; 362: 847-852 [T, I]
- Hernández A, Riera C, Solá E, Oliver MJ, Martínez ML, Morillas C et al. Prevalencia del síndrome metabólico entre pacientes con cardiopatía isquémica. *Med Clin (Barc)* 2003; 121: 204-208 [T, I]
- Brotos C, Cascanta P, Ribera A, Moral I, Permanyer G. Utilidad de la medición del riesgo coronario a partir de la ecuación del estudio de Framingham: estudio de casos y controles. *Med Clin (Barc)* 2003; 121: 327-330 [CC, II]
- Rodríguez-Artalejo F, Banegas JR. De la ecuación de Framingham a la prevención cardiovascular. *Med Clin (Barc)* 2003; 121: 334-336 [AO, II]
- DIABETES:**
- Bolaños E, Sarría-Santamer A. Perspectiva de los pacientes sobre la diabetes tipo 2 y relación con los profesionales sanitarios de atención primaria: un estudio cualitativo. *Aten Primaria* 2003; 32: 195-200 [C, I]
- Llor C. Abordaje de la dislipemia en la diabetes mellitus en atención primaria. *Aten Primaria* 2003; 32: 240-252 [R, II]
- Cottrell DA, Marshall BJ, Falko JM. Therapeutic approaches to dyslipidemia in diabetes mellitus and metabolic syndrome. *Curr Opin Cardiol* 2003; 18: 301-308 [AO, I]
- Colwell JA, Nesto RW. The platelet in diabetes: focus on prevention of ischemic events. *Diabetes Care* 2003; 26: 2181-2188 [R, II]
- Schwartz S, Sievers R, Strange P, Lyness WH, Hollander P. INS-2061 Study Team. Insulin 70/30 mix plus metformin versus triple oral therapy in the treatment of type 2 diabetes after failure of two oral drugs: efficacy, safety, and cost analysis. *Diabetes Care* 2003; 26: 2238-2243 [CC, II]
- Larsen JR, Sjöholm H, Hanssen KF, Sandvik L, Berg TJ, Dahl-Jørgensen K. Optimal blood glucose control during 18 years preserves peripheral nerve function in patients with 30 years' duration of type 1 diabetes. *Diabetes Care* 2003; 26: 2400-2404 [S, II]
- Krum H, Skiba M, Gilbert RE. Comparative metabolic effects of hydrochlorothiazide and indapamide in hypertensive diabetic patients receiving ACE inhibitor therapy. *Diabet Med* 2003; 20: 708-712 [T, I]
- Dunne F, Brydon P, Smith K, Gee H. Pregnancy in women with Type 2 diabetes: 12 years outcome data 1990-2002. *Diabet Med* 2003; 20: 734-738 [T, II]
- Goudswaard AN, Stolk RP, de Valk HW, Rutten GE. Improving glycaemic control in patients with Type 2 diabetes mellitus without insulin therapy. *Diabet Med* 2003; 20: 540-544 [S, II]
- Schiel R, Franke S, Busch M, Müller A, Fleck C, Müller UA et al. Effect of smoking on risk factors for cardiovascular disease in patients with diabetes mellitus and renal insufficiency. *Eur J Med Res.* 2003; 8: 283-291 [T, I]
- Chiasson JL, Josse RG, Gomis R, Hanefeld M, Karasik A, Laakso M. STOP-NIDDM Trial Research Group. Acarbose treatment and the risk of cardiovascular disease and hypertension in patients with impaired glucose tolerance: the STOP-NIDDM trial. *JAMA* 2003; 290: 486-494 [EC, II]
- Rius F, Salinas I, Lucas A, Romero R, Sanmarti A. A prospective study of cardiovascular disease in patients with Type 2 diabetes. 6.3 years of follow-up. *J Diabetes Complications* 2003; 17: 235-242 [S, II]
- CÁNCER.** Incluye: mama, cérvix, próstata, colon, otros.
- Martín A, Alonso L, Ordiz I, Vázquez J, Vizoso F. Utilidad clínica de los marcadores tumorales séricos. *Aten Primaria* 2003; 32: 227-239 [R, I]
- Glare P, Virik K, Jones M, Hudson M, Eychmuller S, Simes J et al. A systematic review of physicians' survival predictions in terminally ill cancer patients. *BMJ* 2003; 327: 195-198 [M, I]
- Evans LS, Hancock BW. Non-Hodgkin lymphoma. *Lancet* 2003; 362: 139-146 [R, I]
- Pastorino U, Bellomi M, Landoni C, Fiori E, Arnaldi P, Picchio M et al. Early lung-cancer detection with spiral CT and positron emission tomography in heavy smokers: 2 year results. *Lancet* 2003; 362: 593-597 [S, I]
- Thompson IM, Goodman PJ, Tangen CM, Lucia MS, Miller GJ, Ford LG et al. The influence of finasteride on the development of prostate cancer. *N Eng J Med* 2003; 349: 215-224 [S, II]
- Nelson WG, De Marzo AM, Isaacs WB. Prostate cancer. *N Eng J Med* 2003; 349: 366-381 [R, II]
- INFECCIOSAS.** Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.
- Headley AJ. Necrotizing soft tissue infections: a primary care review. *Am Fam Physician* 2003; 68: 323-328 [AO, II]
- Gascón JA, Navarro B, Gascón FJ, Pérula LA, Jurado A, Montes G. Conocimientos de los adolescentes sobre el sida y las enfermedades de transmisión sexual. *Aten Primaria* 2003; 32: 216-222 [T, I]
- Vicente D, Cilla G, Pérez-Trallero E. Tratamiento del Herpes Zoster. *Inf Ter Sist Nac Salud* 2003; 27: 81-89 [R, II]

- Mocroft A, Ledergerber B, Katlama C, Kirk O, Reiss P, D'Arminio A et al. Decline in the AIDS and death rates in the EuroSIDA study: an observational study. *Lancet* 2003; 362: 22-29 [S, I]
- Kuiken T, Fouchier R, Schutten M, Rimmelzwaan GF, Amerongen Gv, Riel D et al. Newly discovered coronavirus as the primary cause of severe acute respiratory syndrome. *Lancet* 2003; 362: 263-270 [S, I]
- Gajalakshmi V, Peto R, Santhanakrishna T, Jha P. Smoking and mortality from tuberculosis and other diseases in India: retrospective study of 43000 adult male deaths and 35000 controls. *Lancet* 2003; 362: 507-515 [CC, I]
- Frieden TR, Sterling TR, Munsiff SS, Watt CJ, Dye C. Tuberculosis. *Lancet* 2003; 362: 887-899 [R, II]
- ASMA/BRONQUITIS CRÓNICA:**
- Rey J, Fernández MC, Meijide L, Zamarrón C, González-Quintela A, Gude F. Eficacia de la pulsioximetría en el diagnóstico del síndrome de apnea obstructiva durante el sueño en un estudio poblacional. *Aten Primaria* 2003; 32: 144-49 [T, I]
- Marín JM. Principales parámetros de función pulmonar en la enfermedad pulmonar obstructiva crónica (EPOC). *Aten Primaria* 2003; 32: 169-176 [R, I]
- Flor X, Rodríguez M, Gallego L, Álvarez I, Juvanteny J, Fraga MM et al. ¿Siguen utilizando incorrectamente los inhaladores nuestros pacientes asmáticos? *Aten Primaria* 2003; 32: 269-273 [T, I]
- Llauger MA, Naberan K. GOLD: estrategia mundial para la enfermedad pulmonar obstructiva crónica (EPOC). *Aten Primaria* 2003; 32: 306-310 [R, II]
- Abernethy AP, Currow DC, Frith P, Fazekas BS, MC Hugh A, Bui C. Randomised, double blind, placebo controlled crossover trial of sustained release morphine for the management of refractory dyspnoea. *BMJ* 2003; 327: 523-526 [EC, II]
- Barr RG, Rowe BH, Camarge CA. Methylxantines for exacerbations of chronic obstructive pulmonary disease: meta-analysis of randomised trials. *BMJ* 2003; 327: 634-636 [M, III]
- Donnelly LE, Rogert DF. Therapy for chronic obstructive pulmonary disease in the 21st century. *Drugs* 2003; 19: 1973-1998 [R, II]
- Calverley PMA, Walker P. Chronic obstructive pulmonary disease. *Lancet* 2003; 362: 1053-1061 [R, II]
- SALUD MENTAL.** Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).
- Wright NM, Dixon CA, Tompkins CN. Managing violence in primary care: an evidence-based approach. *Br J Gen Pract* 2003; 53: 557-562 [R, II]
- Wong M, Crawford TJ, Gask L, Grinyer A. A qualitative investigation into women's experiences after a miscarriage: implications for the primary healthcare team. *Br J Gen Pract* 2003; 53: 697-702 [C, II]
- Iliffe S, Manthorpe J, Eden A. Sooner or later? Issues in the early diagnosis of dementia in general practice: a qualitative study. *Fam Pract* 2003; 20: 376-381 [C, II]
- Hartley K, Phelan M. The needs of children of depressed mothers in primary care. *Fam Pract* 2003; 20: 390-392 [T, I]
- Stein BD, Jaycox LH, Kataoka SH, Wong M, Tu W, Elliott MN et al. A mental health intervention for schoolchildren exposed to violence. A randomized controlled trial. *JAMA* 2003; 290: 603-611 [EC, II]
- Wagner KD, Ambrosini P, Rynn M, Wohlberg C, Yang R, Greenbaum MS et al. Efficacy of sertraline in the treatment of children and adolescents with major depressive disorder. Two randomized controlled trials. *JAMA* 2003; 290: 1033-1041 [EC, II]
- Hollander E, Phillips AT, Yeh CC. Targeted treatments for symptom domains in child and adolescent autism. *Lancet* 2003; 362: 732-734 [C, I]
- Bulbena A, Bobes J, Luque A, Dal-Ré R, Ballesteros J, Ibarra N. Validación de las versiones en español de la Clinical Anxiety Scale y del Physician Questionnaire para la evaluación de los trastornos de ansiedad. *Med Clin (Barc)* 2003; 121: 367-374 [S, II]
- ENFERMEDADES/PROBLEMAS PREVALENTES:**
- Springer K, Brown M, Stulberg D. Common hair loss disorders. *Am Fam Physician* 2003; 68: 93-102, 107-108 [AO, I]
- Magill MK, Gunning K, Saffel-Shrier S, Gay C. New developments in the management of hypertension. *Am Fam Physician* 2003; 68: 853-858, 865-866 [AO, II]
- Isaacson JE, Vora NM. Differential diagnosis and treatment of hearing loss. *Am Fam Physician* 2003; 68: 1125-1132 [AO, I]
- Neuner JM, Hamel MB, Phillips RS, Bona K, Aronson MD. Diagnosis and management of adults with pharyngitis. A cost-effectiveness analysis. *Ann Intern Med* 2003; 139: 113-122 [M, I]
- Purdy S, Langston J, Tait L. Presentation and management of acne in primary care: a retrospective cohort study. *Br J Gen Pract* 2003; 53: 525-529 [S, I]
- Hinman RS, Crossley KM, McConnell J, Bennell KL. Efficacy of knee tape in the management of osteoarthritis of the knee: blinded randomised controlled trial. *BMJ* 2003; 327: 135-138 [EC, II]
- Pengel LHM, Herbert RD, Maher CG, Refshauge KM. Acute low back pain: systematic review of its prognosis. *BMJ* 2003; 327: 323-325 [M, II]
- Nazareth I, Boynton P, King M. Problems with sexual function in people attending London General Practice: cross sectional study. *BMJ* 2003; 327: 423-426 [T, I]
- Viljanen M, Malmivaara A, Vitti J, Rinne M, Palmroos P, Laippala P. Effectiveness of dynamic muscle training, relaxation training or ordinary activity for chronic neck pain: randomised controlled trial. *BMJ* 2003; 327: 475-477 [EC, II]
- Beich A, Thorsen T, Rollnick S. Screening in brief intervention trials targeting excessive drinkers in general practice: systematic review and metaanalysis. *BMJ* 2003; 327: 536-540 [M, II]
- Bravata DM, Sanders L, Huang J, Krumholz HM, Olkin I, Gardner CD et al. Efficacy and safety of low-carbohydrate diets. A systematic review. *JAMA* 2003; 289: 1837-1850 [M, I]
- Cooper DS. Hyperthyroidism. *Lancet* 2003; 362: 459-468 [R, I]
- MEDIOS DIAGNÓSTICOS:**
- Rey J, Fernández MC, Meijide L, Zamarrón C, González-Quintela A, Gude F. Eficacia de la pulsioximetría en el diagnóstico del síndrome de apnea obstructiva durante el sueño en un estudio poblacional. *Aten Primaria* 2003; 32: 144-149 [T, I]
- Martín A, Alonso L, Ordiz I, Vázquez J, Vizoso F. Utilidad clínica de los marcadores tumorales séricos. *Aten Primaria* 2003; 32: 227-239 [R, I]
- Poller L, Keown M, Chauhan N, Van den Besselaar AM, Tripodi A, Shlach C et al. Reliability of international normalised ratios from two points of care test systems: comparison with conventional methods. *BMJ* 2003; 327: 30-32 [T, I]
- English DR, Burton RC, del Mar CB, Donovan RJ, Ireland PD, Emery G. Evaluation of aid to diagnosis of pigmented skin lesions in General Practice: controlled trial randomised by practice. *BMJ* 2003; 327: 375-378 [EC, I]
- Bulbena A, Bobes J, Luque A, Dal-Ré R, Ballesteros J, Ibarra N. Validación de las versiones en español de la Clinical Anxiety Scale y del Physician Questionnaire para la evaluación de los trastornos de ansiedad. *Med Clin (Barc)* 2003; 121: 367-374 [S, II]

INFANCIA Y ADOLESCENCIA:

Gascón JA, Navarro B, Gascón FJ, Pérula LA, Jurado A, Montes G. Conocimientos de los adolescentes sobre el sida y las enfermedades de transmisión sexual. *Aten Primaria* 2003; 32: 216-222 [T, I]

Hartley K, Phelan M. The needs of children of depressed mothers in primary care. *Fam Pract* 2003; 20: 390-392 [T, I]

Stein BD, Jaycox LH, Kataoka SH, Wong M, Tu W, Elliott MN et al. A mental health intervention for schoolchildren exposed to violence. A randomized controlled trial. *JAMA* 2003; 290: 603-611 [EC, II]

Wagner KD, Ambrosini P, Rynn M, Wohlberg C, Yang R, Greenbaum MS et al. Efficacy of sertraline in the treatment of children and adolescents with major depressive disorder. Two randomized controlled trials. *JAMA* 2003; 290: 1033-1041 [EC, II]

Baile JI, Guillén F, Garrido E. Desarrollo y validación de una escala de insatisfacción corporal para adolescentes. *Med Clin (Barc)* 2003; 121: 173-177 [T, I]

MUJER Y SALUD. Incluye: planificación familiar, embarazo, aborto, menopausia, mujer y medicina.

Quinla JD, Hill DA. Nausea and vomiting of pregnancy. *Am Fam Physician* 2003; 68: 121-128 [R, II]

Richardson M. Current perspectives in polycystic ovary syndrome. *Am Fam Physician* 2003; 68: 697-704 [AO, I].

Wright NM, Dixon CA, Tompkins CN. Managing violence in primary care: an evidence-based approach. *Br J Gen Pract* 2003; 53: 557-562 [R, II]

Wong M, Crawford TJ, Gask L, Grinyer A. A qualitative investigation into women's experiences after a miscarriage: implications for the primary healthcare team. *Br J Gen Pract* 2003; 53: 697-702 [C, II]

Li D-K, Liu L, Odouli R. Exposure to non-steroidal anti-inflammatory drugs during pregnancy and risk of miscarriage: population based cohort study. *BMJ* 2003; 327: 368-371 [S, II]

Dunne F, Brydon P, Smith K, Gee H. Pregnancy in women with Type 2 diabetes: 12 years outcome data 1990-2002. *Diabet Med* 2003; 20: 734-738 [T, II]

Becerra-Fernández A. Abordaje farmacológico en la menopausia. *Inf Ter Sist Nac Salud* 2003; 27: 105-11 [R, II]

Tice JA, Ettinger B, Ensrud K, Wallace R, Blackwell T, Cummings SR. Phytoestrogen supplements for the treatment of hot flashes: the Isoflavone Clover Extract (ICE) Study. A randomized controlled trial. *JAMA* 2003; 290: 207-214 [EC, II]

Vessey M, Painter R, Yeates D. Mortality in relation to oral contraceptive use and cigarette smoking. *Lancet* 2003; 362: 185-191 [S, I]

ANCIANOS:

Xakellis GC, Robinson M. A strategy for teaching students concepts of population-based health care for older persons. *Acad Med* 2003; 78: 789-792 [AO, I]

Sitjas E, San José A, Armadans L, Mundet X, Vilardell M. Factores predictores del deterioro funcional geriátrico. *Aten Primaria* 2003; 32: 282-287 [S, II]

Etminan M, Gill S, Samii A. Effect of non-steroidal anti-inflammatory drugs on risk of Alzheimer's disease: systematic reviews and meta-analysis of observational studies. *BMJ* 2003; 327: 128-131 [M, I]

Lawlor DA, Patel R, Ebrahim S. Association between falls in elderly women and chronic disease and drug use: cross sectional study. *BMJ* 2003; 327: 712-715 [T, II]

URGENCIAS Y EMERGENCIAS:

Sirven J, Waterhouse E. Management of status epilepticus. *Am Fam Physician* 2003; 68: 469-476 [R, II]

Meyer JS, Mehdirdad A, Salem BI, Kulikowska A, Kulikowski P. Sudden arrhythmia syndrome: importance of the long QT syndrome. *Am Fam Physician* 2003; 68: 483-488 [R, II]

Santaló M, Benito S, Vázquez G. Infarto agudo de miocardio: tratamiento fibrinolítico en urgencias. *Med Clin (Barc)* 2003; 121: 221-227 [R, II]

TERAPÉUTICA. Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.

Neuner JM, Hamel MB, Phillips RS, Bona K, Aronson MD. Diagnosis and management of adults with pharyngitis. A cost-effectiveness analysis. *Ann Intern Med* 2003; 139: 113-122 [M, I]

Schoofs MWCJ, Van der Klift M, Hofman A, de Laet CEDH, Herings RMC, Stijnen T et al. Thiazide diuretics and the risk for hip fracture. *Ann Intern Med.* 2003; 139: 476-482 [S, I]

Flor X, Rodríguez M, Gallego L, Álvarez I, Juvanteny J, Fraga MM, et al. ¿Siguen utilizando incorrectamente los inhaladores nuestros pacientes asmáticos? *Aten Primaria* 2003; 32: 269-273 [T, I]

Turabián JL, Pérez B. Apuntes sobre la «resolutividad» y la «cura» en la medicina de familia. *Aten Primaria* 2003; 32: 296-299 [AO, I]

Purdy S, Langston J, Tait L. Presentation and management of acne in primary care: a retrospective cohort study. *Br J Gen Pract* 2003; 53: 525-529 [S, I]

Kedward J, Dakin L. A qualitative study of barriers to the use of statins and the implementation of coronary heart disease prevention in primary care. *Br J Gen Pract* 2003; 53: 684-689 [C, I]

Van den Brink W, Hendriks VM, Blanken P, Koeter MW, Van Zwieten BJ, Van Ree JM. Medical prescription of heroin to treatment resistant heroin addicts: two randomised controlled trial. *BMJ* 2003; 327: 310-312 [EC, I]

McClellan K, Scott L. Tramadol/paracetamol. *Drugs* 2003; 11: 1079-1086 [R, I]

Keating GM, Jarvis B. Carvedilol: a review of its use in chronic heart failure. *Drugs* 2003; 16: 1697-1741 [R, I]

Donnelly LE, Rogert DF. Therapy for chronic obstructive pulmonary disease in the 21st century. *Drugs* 2003; 19: 1973-1998 [R, II]

Vicente D, Cilla G, Pérez-Trallero E. Tratamiento del Herpes Zoster. *Inf Ter Sist Nac Salud* 2003; 27: 81-89 [R, II]

Silva M, Ortigosa J. Betabloqueantes en insuficiencia cardiaca: indicaciones. *Inf Ter Sist Nac Salud* 2003; 27: 90-96 [R, II]

Becerra-Fernández A. Abordaje farmacológico en la menopausia. *Inf Ter Sist Nac Salud* 2003; 27: 105-11 [R, II]

González P, Lázaro E, Cuenca R, Rodríguez L. La digoxina, hoy. *Inf Ter Sist Nac Salud* 2003; 27: 115-123 [R, II]

Salomon JA, Weinstein MC, Hammit JK, Goldie SJ. Cost-effectiveness of treatment for chronic hepatitis C infection in an evolving patient population. *JAMA* 2003; 290: 228-237 [S, I]

Boutron I, Tubach F, Giraudeau B, Ravaud P. Methodological differences in clinical trials evaluating nonpharmacological and pharmacological treatments of hip and knee osteoarthritis. *JAMA* 2003; 290: 1062-1070 [R, I]

Schulman S. Care of patients receiving long-term anticoagulant therapy. *N Eng J Med* 2003; 349: 675-683 [R, II]

ENTREVISTA CLINICA:

Brink-Muinen A, Verhaak P, Bensing J, Bahrs O, Deveugele M, Gask L et al. Communication in general practice: differences between European countries. *Fam Pract* 2003; 20: 478-485 [T, II]

ACTIVIDADES COMUNITARIAS. Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.

Coma A, Martí M, Fernández E. Educación y clase social basada en la ocupación: su interrelación como indicadores de posición socio-económica en el estudio de las desigualdades sociales mediante encuestas de salud. *Aten Primaria* 2003; 32: 208-215 [T, I]

Xu K, Evans DB, Kawabata K, Zeramdini R, Klavus J, Murray C. Household catastrophic health expenditure: a multicountry analysis. *Lancet* 2003; 362:111-117 [CC, I]

Ezzati M, Vander Hoorn S, Rodgers A, Lopez AD, Mathers CD, Murray CJ et al. Estimates of global and regional potential health gains from reducing multiple major risk factors. *Lancet* 2003; 362: 271-280 [S, I]

DOCENCIA. Incluye: pregrado, postgrado, formación medica continuada, metodología docente.

Xakellis GC, Robinson M. A strategy for teaching students concepts of population-based health care for older persons. *Acad Med* 2003; 78: 789-792 [AO, I]

English DR, Burton RC, del Mar CB, Donovan RJ, Ireland PD, Emery G. Evaluation of aid to diagnosis of pigmented skin lesions in General Practice: controlled trial randomised by practice. *BMJ* 2003; 327: 375-378 [EC, I]

Yedidia MJ, Gillespie CC, Kachur E, Schwartz MD, Ockene J, Chepaitis AE. Effect of communications training on medical student performance. *JAMA* 2003; 290: 1157-1165 [S, II]

INVESTIGACIÓN. Incluye: investigación cualitativa, estadística.

Ramalle-Gómara E, Andrés de LLano JM. Utilización de métodos robustos en la estadística inferencial. *Aten Primaria* 2003; 32: 177-182 [R, II]

Krzyzanowska MK, Pintilie M, Tannock IF. Factors associated with failure to publish large randomized trials presented at an oncology meeting. *JAMA* 2003; 290: 495-501 [T, II]

Boutron I, Tubach F, Giraudeau B, Ravaud P. Methodological differences in clinical trials evaluating nonpharmacological and pharmacological treatments of hip and knee steoarthritis. *JAMA* 2003; 290: 1062-1070 [R, I]

Bosch F, Guardiola E. Lista de comprobación (checklist) abreviada para la evaluación de artículos de investigación biomédica básica. *Med Clin (Barc)* 2003; 121: 228-230 [AO, II]

Gálvez A. Métodos contemporáneos de síntesis científica: una propuesta de homogeneidad. *Med Clin (Barc)* 2003; 121: 256-263 [M, II]

Lenfant C. Clinical research to clinical practice - lost in translation? *N Eng J Med* 2003; 349: 868-874 [AO, II]

MEDICINA BASADA EN PRUEBAS:

Hutchinson A, McIntosh A, Anderson J, Gilbert C, Field R. Developing primary care review criteria from evidence-based guidelines: coronary heart disease as a model. *Br J Gen Pract* 2003; 53: 690-696 [T, II]

PREVENCIÓN:

Edwards A, Unigwe S, Elwyn G, Hood K. Effects of communicating individual risks in screening programmes: Cochrane systematic review. *BMJ* 2003; 327: 703-707 [M, II]

BIOÉTICA:

Brennan TA, Mello MM. Patient safety and medical malpractice: a case study. *Ann Intern Med.* 2003; 139: 267-273 [AO, II]

Heide A, Deliens L, Faisst K, Nistuln T, Norup M, Paci E et al. End-of-life decision-making in six European countries: descriptive study. *Lancet* 2003; 362: 345-350 [T, I]

Clayton EW. Ethical, legal, and social implications of genomic medicine. *N Eng J Med* 2003; 349: 526-569 [R, II]

PLANIFICACIÓN/GESTIÓN:

Xakellis GC, Robinson M. A strategy for teaching students concepts of population-based health care for older persons. *Acad Med* 2003; 78: 789-792 [AO, I]

OTRAS:

Siva C, Velazquez C, Mody A, Brasington R. Diagnosing acute monoarthritis in adults: a practical approach for the family physician. *Am Fam Physician* 2003; 68: 83-90 [R, I]

Viera AJ. Management of carpal tunnel syndrome. *Am Fam Physician* 2003; 68: 265-272, 279-280 [R, II]

Knutson D, Greenberg G, Cronau H. Management of Crohn's disease - a practical approach. *Am Fam Physician* 2003; 68: 707-714, 717-718 [R, I]

Isaacson JE, Vora NM. Differential diagnosis and treatment of hearing loss. *Am Fam Physician* 2003; 68: 1125-1132 [AO, I]

Talwalkar JA, Lindor KD. Primary biliary cirrhosis. *Lancet* 2003; 362: 53-61 [R, I]

Green P, Jabri B. Coeliac disease. *Lancet* 2003; 362: 383-391 [R, I]

Birck R, Krzossok S, Maarkowetz F, Schnulle P, Woude F, Braun C. Acetylcysteine for prevention of contrast nephropathy: meta-analysis. *Lancet* 2003; 362: 598-603 [M, I]

Polymiosis and dermatomyositis. *Lancet* 2003; 362: 971-982 [R, I]