

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de octubre a 31 de diciembre de 2003)

Alonso Morales F, Alvarez Rico F, Gálvez Alcaraz L, Guerrero García FJ, Manteca González A, Morata García de la Puerta J, Rosado Bello I.

Médicos de familia

Los artículos, publicados entre el 1 de octubre y el 31 de diciembre de 2003, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas, aparece el tipo de estudio, según la clasificación que se expone a continuación y, separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico casos y controles
- (S) Observacional analítico de seguimiento / cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas

Grado de interés:

- Alto: I
- Muy alto: II
- Imprescindible: III

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS_bases conceptuales, medicina de familia_profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

García-Barbero M. La atención primaria: recomendaciones de la Asamblea Mundial de la OMS, mayo de 2003. *Aten Primaria* 2003; 32: 321-322 [AO,II]

Valerio L, Guerrero L, Martínez O, Sabrià M, Garrido P, Fabregat A, et al. Los inmigrantes viajeros. *Aten Primaria* 2003; 32: 330-336 [CC,II]

Martínez de la Casa A, Del Castillo C, Magaña E, Bru I, Franco A, Segura A. Estudio sobre la prevalencia del burnout en los médicos del Área Sanitaria de Talavera de la Reina. *Aten Primaria* 2003; 32: 343-348 [T,II]

Miranda I, Peñarrubia MT, García I, Caramés E, Soler M, Serrano A. ¿Cómo derivamos a salud mental desde atención primaria? *Aten Primaria* 2003; 32: 524-530 [T,I]

Serra-Prat M, Ayllon J, Burdoy E, Mussoll J, Serra P, Papiol M, et al. Validación de la versión española del Modified Stanford Health Assessment Questionnaire (MSHAQ), un instrumento de medida de la satisfacción con la capacidad para realizar las actividades de la vida diaria. *Aten Primaria* 2003; 32: 564-570 [T,I]

Ruiz R, Rodríguez JJ, Epstein R. ¿Qué estilo de consulta debería emplear con mis pacientes?: reflexiones prácticas sobre la relación médico-paciente. *Aten Primaria* 2003; 32: 594 - 602 [AO,II]

Cebrià J, Sobrequés J, Rodríguez C, Segura J. Influencia del desgaste profesional en el gasto farmacéutico de los médicos de atención primaria. *Gac Sanit* 2003; 17: 483-489 [T,II]

Borrell F. Compromiso con el sufrimiento, empatía y dispatía. *Med Clin (Barc)* 2003; 121: 785 - 786 [AO,I]

Baker R, Falconer Smith J, Lambert PC. Randomised controlled trial of the effectiveness of feedback in improving test ordering in general practice. *Scand J Prim Health Care* 2003; 21: 219-223 [EC,II]

Lingfors H, Lindstrom K, Persson LG, Bengtsson C, Lissner L. Lifestyle changes after a health dialogue. Results from the Live for Life health promotion programme. *Scand J Prim Health Care* 2003; 21: 248-252 [QE, II]

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Gavin III JR, Peterson K, Warren-Boulton E. Reducing cardiovascular disease risk in patients with type 2 diabetes: A message from National Diabetes Education Program. *Am Fam Physician* 2003; 68: 1569-1574 [AO, III]

Scow DT, Smith EG, Shaughnessy AF. Combination therapy with ACE inhibitors and angiotensin-receptor blockers in heart failure. *Am Fam Physician* 2003; 68:1795-1798 [R, II]

Maiques A, Villar F, Llor C, Torcal J. El riesgo coronario en España y el tratamiento con fármacos hipolipemiantes. *Aten Primaria* 2003; 32: 420-422 [AO,II]

Bayó J, Coll G, Dalfó A, De la Figuera M, Salleras N, Vinyoles E. Aportaciones del séptimo informe del Joint National Committee. Seis años después. *Aten Primaria* 2003; 32: 471-474 [AO,II]

Hervás A, Lacosta U, Brugarolas C, Díez J. Aplicabilidad en una comunidad (validez externa) de los estudios de prevención primaria de hipercolesterolemia. *Aten Primaria* 2003; 32: 509 - 513 [T,II]

- Armero E, Viribay F, Cabal A, Hevia E. Estimación del riesgo coronario en la población de 35-60 años adscrita a un centro de salud. *Aten Primaria* 2003; 32: 577 - 582 [T,I]
- Maiques A. Valoración del riesgo cardiovascular. ¿Qué tabla utilizar? *Aten Primaria* 2003; 32: 586-589 [R,II]
- Lindbaek M, Sandvik E, Liodden K, Mjell J, Ravnsborg-Gjertsen K. Predictors for the white coat effect in general practice patients with suspected and treated hypertension. *Br J Gen Pract* 2003; 53: 790-793 [S,I]
- Durack-Bown I, Giral P, D'Ivernois J, Bazin C, Chadarevian R, Benkriyly A, et al. Patients' and physicians' perceptions and experience of hypercholesterolaemia: a qualitative study. *Br J Gen Pract* 2003; 53: 851-857 [C,I]
- He K, Merchant A, Rimm EB, Rosner BA, Stampfer MJ, Willett WC, et al. Dietary fat intake and risk of stroke in male US healthcare professionals: 14 year prospective cohort study. *BMJ* 2003; 327: 777-782 [S,I]
- Marshall T. Coronary heart disease prevention: insights from modelling incremental cost effectiveness. *BMJ* 2003; 327: 1264 [T,I]
- Keetch A, Colquhoun D, Best J, Kirby A, Simes RJ, Hunt D, et al. Secondary prevention of cardiovascular events with long-term pravastatin in patients with diabetes or impaired fasting glucose: results from the LIPID trial. *Diabetes Care* 2003 ; 26: 2713-2721 [EC,II]
- Palmieri V, Tracy RP, Roman MJ, Liu JE, Best LG, Bella JN, et al. Relation of left ventricular hypertrophy to inflammation and albuminuria in adults with type 2 diabetes: the strong heart study. *Diabetes Care* 2003;26: 2764-2769 [T,I]
- Folsom AR, Chambless LE, Duncan BB, Gilbert AC, Pankow JS. Prediction of coronary heart disease in middle-aged adults with diabetes. *Diabetes Care* 2003;26: 2777-2784 [S,II]
- Newton KM, LaCroix AZ, Heckbert SR, Abraham L, McCulloch D, Barlow W. Estrogen therapy and risk of cardiovascular events among women with type 2 diabetes. *Diabetes Care* 2003;26: 2810-2816 [CC,II]
- Liew D, Krum H. Aldosterone receptor antagonists for hypertension: what do they offer? *Drugs* 2003; 63: 1963-1972 [R,I]
- Bang LM, Chapman TM, Goa KL. Lercanidipine : a review of its efficacy in the management of hypertension. *Drugs* 2003; 63: 2449-2472 [R,I]
- Go A, Hylek E, Chang Y, Phillips K, Henault L, Capra A, et al. Anticoagulation therapy for stroke prevention in atrial fibrillation. How well do randomized trials translate into clinical practice? *JAMA* 2003; 290: 2685-2692 [S,II]
- Sesso H, Buring J, Rifai N, Blake G, Gaziano JM, Ridker PM. C-reactive protein and the risk of developing hypertension. *JAMA* 2003; 290: 2945-2951 [S,I]
- Hughes RJ, Hopkins RJ, Hill S, Weatherall M, Van de Water N, Nowitz M, et al. Frequency of venous thromboembolism in low to moderate risk long distance air travellers: the New Zealand Air Traveller's Thrombosis (NZATT) study. *Lancet* 2003; 362: 2039-2044 [S,I]
- Fortuny J, Agustí A. ¿Está indicado el tratamiento combinado con anti-coagulantes orales y antiagregantes en la prevención secundaria del infarto agudo de miocardio? *Med Clin (Barc)* 2003; 121: 433-435 [R,II]
- Bautista-Castaño I, Molina-Cabrillana J, Montoya-Alonso JA, Serramajem L. Factores de riesgo cardiovascular en el sobrepeso y la obesidad. Variaciones tras tratamiento de pérdida ponderal. *Med Clin (Barc)* 2003; 121: 485-491 [S,II]
- Ramos R, Solanas P, Cerdón F, Rohlfis I, Elosua R, Sala J, et al. Comparación de la función de Framingham original y la calibrada del REGICOR en la predicción del riesgo coronario poblacional. *Med Clin (Barc)* 2003; 121: 521-526 [T,II]
- Gómez-Belda A, Rodilla E, Albert A, García L, González C, Pascual JM. Uso clínico de las estatinas y objetivos terapéuticos en relación con el riesgo cardiovascular. *Med Clin (Barc)* 2003; 121: 527-531 [T,II]
- Soriguer F, Rojo G, Esteve I, Ruiz MS, Catalá M, Merelo MJ, et al. Actividad física y factores de riesgo cardiovascular y metabólico en la población general. *Med Clin (Barc)* 2003; 121: 565-569 [T,I]
- García J, Elosua R, Tormo MJ, Audicana C, Zurriaga O, Segura A. Letalidad poblacional por infarto agudo de miocardio. Estudio IBERICA. *Med Clin (Barc)* 2003; 121: 606-612 [T,I]
- Redón J, Coca A. Guías para el diagnóstico, la evaluación y el tratamiento de la hipertensión arterial: el punto de vista de la Sociedad Española de Hipertensión. *Med Clin (Barc)* 2003; 121: 739-740 [AO,II]
- Brennan ML, Penn MS, Van Lente F, Nambi V, Shishebor MH, Aviles RJ, et al. Prognostic value of myeloperoxidase in patients with chest pain. *N Engl J Med* 2003; 349: 1595-1604 [T,II]
- Blankenberg S, Rupprecht HJ, Bickel C, Torzewski M, Hafner G, Tiret L, et al. Glutathione peroxidase 1 activity and cardiovascular events in patients with coronary artery disease. *N Engl J Med* 2003; 349: 1605-13 [S,II]
- Pfeffer MA, McMurray JJ, Velazquez EJ, Rouleau JL, Køber L, Maggioni AP, et al. Valsartan, captopril, or both in myocardial infarction complicated by heart failure, left ventricular dysfunction, or both. *N Engl J Med* 2003; 349: 1893-1906 [EC,II]
- Ariyo AA, Thach C, Tracy R. Lp(a) lipoprotein, vascular disease, and mortality in the elderly. *N Engl J Med* 2003; 349: 2108-2115 [S,I]
- Kolodgie FD, Gold HK, Burke AP, Fowler DR, Kruth HS, Weber DK, et al. Intraplaque hemorrhage and progression of coronary atheroma. *N Engl J Med* 2003; 349: 2316-2325 [T,I]
- Lingfors H, Lindstrom K, Persson LG, Bengtsson C, Lissner L. Lifestyle changes after a health dialogue. Results from the Live for Life health promotion programme. *Scand J Prim Health Care* 2003; 21: 248-252 [QE, II]

DIABETES:

- Gavin III JR, Peterson K, Warren-Boulton E. Reducing cardiovascular disease risk in patients with type 2 diabetes: A message from National Diabetes Education Program. *Am Fam Physician* 2003; 68: 1569-1574 [AO, III]
- Turok DK, Ratcliffe SD, Baxley EG. Management of gestational diabetes mellitus. *Am Fam Physician* 2003; 68: 1767-1772 [R, III]
- Purnell JQ, Dev RK, Steffes MW, Cleary PA, Palmer JP, Hirsch IB, et al. Relationship of family history of type 2 diabetes, hypoglycemia, and autoantibodies to weight gain and lipids with intensive and conventional therapy in the Diabetes Control and Complications Trial. *Diabetes* 2003; 52: 2623-2629 [EC,I]
- Singleton JR, Smith AG, Russell JW, Feldman EL. Microvascular complications of impaired glucose tolerance. *Diabetes* 2003; 52: 2867-2873 [R,I]
- Cuff DJ, Meneilly GS, Martin A, Ignaszewski A, Tildesley HD, Frohlich JJ. Effective exercise modality to reduce insulin resistance in women with type 2 diabetes. *Diabetes Care* 2003; 26: 2977-2982 [EC,I]
- Helmer DA, Tseng CL, Brimacombe M, Rajan M, Stiptzarov N, Pogach L. Applying diabetes-related Prevention Quality Indicators to a national cohort of veterans with diabetes. *Diabetes Care* 2003; 26: 3017-3023 [S,I]
- Polonsky WH, Earles J, Smith S, Pease DJ, Macmillan M, Christensen R, et al. Integrating medical management with diabetes self-man-

- gement training: a randomized control trial of the Diabetes Outpatient Intensive Treatment program. *Diabetes Care* 2003; 26: 3048-3053 [EC,I]
- Keech A, Colquhoun D, Best J, Kirby A, Simes RJ, Hunt D, et al. Secondary prevention of cardiovascular events with long-term pravastatin in patients with diabetes or impaired fasting glucose: results from the LIPID trial. *Diabetes Care* 2003; 26: 2713-2721 [EC,II]
- Ilag LL, Martin CL, Tabaei BP, Isaman DJ, Burke R, Greene DA, et al. Improving diabetes processes of care in managed care. *Diabetes Care* 2003; 26: 2722-2727 [EC,I]
- Greenfield JR, Samaras K, Jenkins AB, Kelly PJ, Spector TD, Campbell LV. Moderate alcohol consumption, estrogen replacement therapy, and physical activity are associated with increased insulin sensitivity: is abdominal adiposity the mediator? *Diabetes Care* 2003; 26: 2734-2740 [CC,I]
- Palmieri V, Tracy RP, Roman MJ, Liu JE, Best LG, Bella JN, et al. Relation of left ventricular hypertrophy to inflammation and albuminuria in adults with type 2 diabetes: the strong heart study. *Diabetes Care* 2003; 26: 2764-2769 [T,I]
- Folsom AR, Chambless LE, Duncan BB, Gilbert AC, Pankow JS. Prediction of coronary heart disease in middle-aged adults with diabetes. *Diabetes Care* 2003; 26: 2777-2784 [S,II]
- Carlsson S, Hammar N, Grill V, Kaprio J. Alcohol consumption and the incidence of type 2 diabetes: a 20-year follow-up of the Finnish twin cohort study. *Diabetes Care* 2003; 26: 2785-2790 [S,II]
- Montori VM, Bryant SC, O'Connor AM, Jorgensen NW, Walsh EE, Smith SA. Decisional attributes of patients with diabetes: the aspirin choice. *Diabetes Care* 2003; 26: 2804-2809 [T,II]
- Newton KM, LaCroix AZ, Heckbert SR, Abraham L, McCulloch D, Barlow W. Estrogen therapy and risk of cardiovascular events among women with type 2 diabetes. *Diabetes Care* 2003; 26: 2810-2816 [CC,II]
- Khan A, Safdar M, Ali Khan MM, Khattak KN, Anderson RA. Cinnamon improves glucose and lipids of people with type 2 diabetes. *Diabetes Care* 2003; 26: 3215-3218 [EC,I]
- Lindstrom J, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, et al. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care* 2003; 26: 3230-3236 [S,II]
- De Rekeneire N, Resnick HE, Schwartz AV, Shorr RI, Kuller LH, Simonsick EM, et al. Diabetes is associated with subclinical functional limitation in nondisabled older individuals: the Health, Aging, and Body Composition study. *Diabetes Care* 2003; 26: 3257-3263 [CC,I]
- Sacco M, Pellegrini F, Roncaglioni MC, Avanzini F, Tognoni G, Nicolucci A. PPP Collaborative Group. Primary prevention of cardiovascular events with low-dose aspirin and vitamin E in type 2 diabetic patients: results of the Primary Prevention Project (PPP) trial. *Diabetes Care* 2003; 26: 3264-3272 [EC,II]
- Poulsen MK, Henriksen JE, Hother-Nielsen O, Beck-Nielsen H. The combined effect of triple therapy with rosiglitazone, metformin, and insulin aspart in type 2 diabetic patients. *Diabetes Care* 2003; 26: 3273-3279 [EC,II]
- Khaodhiar L, Niemi JB, Earnest R, Lima C, Harry JD, Veves A. Enhancing sensation in diabetic neuropathic foot with mechanical noise. *Diabetes Care* 2003; 26: 3280-3283 [QE,I]
- Andersen S, Brochner-Mortensen J, Parving HH. Kidney function during and after withdrawal of long-term irbesartan treatment in patients with type 2 diabetes and microalbuminuria. *Diabetes Care* 2003; 26: 3296-3302 [EC,I]
- Ascaso JF, Pardo S, Real JT, Lorente RI, Priego A, Carmena R. Diagnosing insulin resistance by simple quantitative methods in subjects with normal glucose metabolism. *Diabetes Care* 2003; 26: 3320-3325 [T,I]
- Ziegler A, Schmid S, Huber D, Hummel M, Bonifacio E. Early infant feeding and risk of developing type 1 diabetes-associated autoantibodies. *JAMA* 2003; 290: 1721-1728 [S,I]
- CÁNCER.** Incluye: mama, cérvix, próstata, colon, otros.
- Anderson G, Judd H, Kaunitz A, Barad D, Beresford S, Pettinger M. Effects of estrogen plus progestin on gynecologic cancers and associated diagnostic procedures: the Women's Health Initiative randomized trial. *JAMA* 2003; 290: 1739-1748 [EC,II]
- Zammit C, Yelland A, Deutsch G. Radiotherapy and tamoxifen in women with complete ductal carcinoma in situ. *Lancet* 2003; 362: 1154-1154 [S,I]
- Llovet JM, Burroughs A, Bruix J. Hepatocellular carcinoma. *Lancet* 2003; 362: 1907-1917 [R,I]
- Hjalgrim H, Askling J, Rostgaard K, Hamilton-Dutoit S, Frisch M, Zhang J, et al. Characteristics of Hodgkin's lymphoma after infectious mononucleosis. *N Engl J Med* 2003; 349: 1324-1332 [S,I]
- Hughes TP, Kaeda J, Branford S, Rudzki Z, Hochhaus A, Hensley ML, et al. Frequency of major molecular responses to imatinib or interferon alfa plus cytarabine in newly diagnosed chronic myeloid leukemia. *N Engl J Med* 2003; 349: 1423-1432 [S,I]
- Sawaya GF, McConnell KJ, Kulasingam SL, Lawson HW, Kerlikowske K, Melnikow J, et al. Risk of cervical cancer associated with extending the interval between cervical-cancer screenings. *N Engl J Med* 2003; 349: 1501-1509 [T,II]
- Machens A, Niccoli-Sire P, Hoegel J, Frank-Raue K, van Vroonhoven TJ, Roeher H, et al. Early malignant progression of hereditary medullary thyroid cancer. *N Engl J Med* 2003; 349: 1517-1525 [T,I]
- Goss PE, Ingle JN, Martino S, Robert NJ, Muss HB, Piccart MJ, et al. A randomized trial of letrozole in postmenopausal women after five years of tamoxifen therapy for early-stage breast cancer. *N Engl J Med* 2003; 349: 1793-1802 [EC,II]
- Forastiere AA, Goepfert H, Maor M, Pajak TF, Weber R, Morrison W, et al. Concurrent chemotherapy and radiotherapy for organ preservation in advanced laryngeal cancer. *N Engl J Med* 2003; 349: 2091-2098 [EC,II]
- Pickhardt PJ, Choi JR, Hwang I, Butler JA, Puckett ML, Hildebrandt HA, et al. Computed tomographic virtual colonoscopy to screen for colorectal neoplasia in asymptomatic adults. *N Engl J Med* 2003; 349: 2191-2200 [T,II]
- Attal M, Harousseau JL, Facon T, Guilhot F, Doyen C, Fuzibet JG, et al. Single versus double autologous stem-cell transplantation for multiple myeloma. *N Engl J Med* 2003; 349: 2495-2502 [EC,II]
- INFECCIOSAS.** Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.
- Lo Re III V, Gluckman SJ. Fever in the returned traveller. *Am Fam Physician* 2003; 68:1343-1350 [R , I]
- Cooper MA, Pommering TL, Korányi K. Primary immunodeficiencies. *Am Fam Physician* 2003; 68: 2001-2008 [R , II]
- Clark DC. Common acute hand infections. *Am Fam Physician* 2003; 68: 2167-2176 [R , II]
- Arrol B, Kenealy T, Kerse N. Do delayed prescriptions reduce antibiotic use in respiratory tract infections? A systematic review. *Br J Gen Pract* 2003; 53: 871-877 [M,II]
- Butler C, Kinnersley P, Hood K, Robling M, Prout H, Rollnick S et al. Clinical course of acute infection of the upper respiratory tract in children: cohort study. *BMJ* 2003; 327: 1088-1089 [S,II]

Guay DR. Short-course antimicrobial therapy of respiratory tract infections. *Drugs* 2003; 20: 2169-2184 [R,I]

Croom KF, Goa KL. Levofloxacin: a review of its use in the treatment of bacterial infections in the United States. *Drugs* 2003; 63: 2769-2802 [R,I]

Hocker M, Hohenberger P. Helicobacter pylori virulence factors-one part of a big picture. *Lancet* 2003; 362: 1231-1233 [R,I]

Wharton B, Bishop N. Ricketts. *Lancet* 2003; 362: 1389-1400 [R,I]

Stanek G, Strle F. Lyme borreliosis. *Lancet* 2003; 362: 1639-1647 [R,I]

Nicholson KG, Wood JM, Zambon M. Influenza. *Lancet* 2003; 362: 1733-1745 [R,I]

Gao W, Tamin A, Soloff A, D'aiuto L, Nwanegbo E, Robbins PD, et al. Effects of a SARS-associated coronavirus vaccine in monkeys. *Lancet* 2003; 362: 1895-1896 [CC,I]

Geisbert TW, Hensley LE, Jahrling PB, Larsen T, Geisbert JB, Paragas J, et al. Treatment of Ebola virus infection with a recombinant inhibitor of factor VIIa/tissue factor: a study in rhesus monkeys. *Lancet* 2003; 362:1953-1958 [CC,II]

Lai CL, Ratziu V, Yuen MF, Poynard T. Viral hepatitis B. *Lancet* 2003; 362: 2089-2094 [R,I]

Poynard T, Yuen MF, Ratziu V, Lai CL. Viral hepatitis C. *Lancet* 2003; 362: 2095-2100 [R,I]

Alseda M, Godoy P. Análisis de seis microepidemias familiares detectadas en el estudio de contactos de enfermos tuberculosos. *Med Clin (Barc)* 2003; 121: 492-493 [S,I]

Caylà JA, Orcau A. Estudio de contactos en el siglo XXI: se precisan innovaciones. *Med Clin (Barc)* 2003; 121: 494-495 [AO,I]

Grupo de Trabajo de los Talleres de 2001 y 2002 de la Unidad de Investigación en Tuberculosis de Barcelona. Prevención y control de las tuberculosis importadas. *Med Clin (Barc)* 2003; 121: 549-557 [R,III]

Schwartz E, Parise M, Kozarsky P, Cetron M. Delayed onset of malaria - Implications for chemoprophylaxis in travelers. *N Engl J Med* 2003; 349: 1510-1516 [T,II]

Friis-Moller N, Sabin CA, Weber R, d'Arminio Monforte A, El-Sadr WM, Reiss P, et al. Combination antiretroviral therapy and the risk of myocardial infarction. *N Engl J Med* 2003; 349: 1993-2003 [S,II]

Robbins GK, De Gruttola V, Shafer RW, Smeaton LM, Snyder SW, Pettinelli C, et al. Comparison of sequential three-drug regimens as initial therapy for HIV-1 infection. *N Engl J Med* 2003; 349: 2293-2303 [EC,I]

Shafer RW, Smeaton LM, Robbins GK, De Gruttola V, Snyder SW, D'Aquila RT, et al. Comparison of four-drug regimens and pairs of sequential three-drug regimens as initial therapy for HIV-1 infection. *N Engl J Med* 2003; 349: 2304-2315 [CC,I]

Olsen SJ, Chang HL, Cheung TY, Tang AF, Fisk TL, Ooi SP, et al. Transmission of the severe acute respiratory syndrome on aircraft. *N Engl J Med* 2003; 349: 2416-2422 [T,II]

Molstad S. Reduction in antibiotic prescribing for respiratory tract infections is needed! *Scand J Prim Health Care* 2003 ;21:196-198 [R,II]

ASMA/BRONQUITIS CRÓNICA:

Bjermer L, Bisgaard H, Bousquet J, Fabbri LM, Greening AP, Haahela T et al. Montelukast and fluticasone compared with salmeterol and fluticasone in protecting against asthma exacerbation in adults: one year, double blind, randomised, comparative trial. *BMJ* 2003; 327: 891 [EC,II]

Donnelly LE, Rogers DF. Therapy for chronic obstructive pulmonary disease in the 21st century. *Drugs* 2003; 63:1973-1998 [R,II]

Sin DD, McAlister FA, Man SF, Anthonisen NR. Contemporary management of chronic obstructive pulmonary disease: scientific review. *JAMA* 2003; 290: 2301-2312 [R,II]

Sears MR, Greene JM, Willan AR, Wiecek EM, Taylor DR, Flannery EM, et al. A longitudinal, population-based, cohort study of childhood asthma followed to adulthood. *N Engl J Med* 2003; 349: 1414-22 [S,II]

SALUD MENTAL. Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).

Stovall J, Domino FJ. Approaching the suicidal patient. *Am Fam Physician* 2003; 68: 1814-1818 [AO , II]

Jones EM, Knutson D, Haines D. Common problems in patients recovering from chemical dependency. *Am Fam Physician* 2003; 68: 1971-1978 [R , I]

Grinage BD. Diagnosis and management of post-traumatic stress disorder. *Am Fam Physician* 2003; 68: 2401-2408 [R , II]

Navarro C, Bachiller P, Palacios T, Ruiz P, Herrero M, Sánchez I. Características diferenciales sanitarias y toxicológicas de drogodependientes en tratamiento y consumo activo. *Aten Primaria* 2003; 32: 323-327 [T,I]

Miranda I, Peñarrubia MT, García I, Caramés E, Soler M, Serrano A. ¿Cómo derivamos a salud mental desde atención primaria? *Aten Primaria* 2003; 32: 524-530 [T,I]

Christensen KS, Toft T, Frostholm L, Ornbol E, Fink P, Olsen F. The FIP study: a randomised, controlled trial of screening and recognition of psychiatric disorders. *Br J Gen Pract* 2003; 53: 758-763 [EC,I]

Arroll B, Khin N, Kerse N. Screening for depression in primary care with two verbally asked questions: cross sectional study. *BMJ* 2003; 327: 1144-1146 [T,II]

Volkmar FR, Pauls D. Autism. *Lancet* 2003; 362: 1133-1141 [R,II]

SALUD LABORAL:

Martínez de la Casa A, Del Castillo C, Magaña E, Bru I, Franco A, Segura A. Estudio sobre la prevalencia del burnout en los médicos del Área Sanitaria de Talavera de la Reina. *Aten Primaria* 2003; 32: 343-348 [T,II]

Cebrià J, Sobrequés J, Rodríguez C, Segura J. Influencia del desgaste profesional en el gasto farmacéutico de los médicos de atención primaria. *Gac Sanit* 2003; 17: 483-489 [T,II]

Esteve M, Casas I, Baltasar M, Rodríguez D, Casas X, Monsó E. Prevalencia de sensibilización al látex en personal sanitario. *Med Clin (Barc)* 2003; 121: 681-683 [T,I]

ENFERMEDADES / PROBLEMAS PREVALENTES:

Heidelbaugh JJ, Nostrant TT, Kim C, Van Harrison R. Management of gastroesophageal reflux disease. *Am Fam Physician* 2003; 68: 1311-1318 [R , II]

Tallia AF, Cardone DA. Diagnostic and therapeutic injection of the ankle and foot. *Am Fam Physician* 2003; 68: 1356-1362 [R , II]

Sanderlin BW, Raspa RF. Common stress fractures. *Am Fam Physician* 2003; 68: 1527-1532 [R , I]

Smaga S. Tremor. *Am Fam Physician* 2003; 68: 1545-1552 [R , I]

Stulberg DL, Clark N, Tovey D. Common hyperpigmentation disorders in adults: Part I. Diagnostic approach, café au lait macules, diffuse hyperpigmentation, sun exposure, and phototoxic reactions. *Am Fam Physician* 2003; 68: 1955-1960 [R , II]

- Stulberg D, Clark N, Tovey D. Common hyperpigmentation disorders in adults: Part II. Melanoma, seborrheic keratoses, acanthosis nigricans, melasma, diabetic dermopathy, tinea versicolor, and postinflammatory hyperpigmentation. *Am Fam Physician* 2003; 68: 1963-1968 [R, II]
- Roth AR, Basello GM. Approach to the adult patient with fever of unknown origin. *Am Fam Physician* 2003; 68: 2223-2228 [R, II]
- Bradley JG, Davis KA. Orthostatic hypotension. *Am Fam Physician* 2003; 68: 2393-2398 [R, II]
- Hatch RL, Hacking S. Evaluation and management of toe fractures. *Am Fam Physician* 2003; 68: 2413-2418 [R, I]
- Moore H, Summerbell CD, Greenwood DC, Tovey P, Griffiths J, Henderson M, et al. Improving management of obesity in primary care: cluster randomised trial. *BMJ* 2003; 327: 1085 [EC,II]
- Gladstone JP, Gawel M. Newer formulations of the triptans: advances in migraine management. *Drugs* 2003; 63: 2285-2305 [R,I]
- Shaw MJ, Crawley JA. Improving health-related quality of life in gastroesophageal reflux disease. *Drugs* 2003; 63: 2307-2316 [R,I]
- Warlow C, Sudlow C, Dennis M, Wardlaw J, Sandercock P. Stroke. *Lancet* 2003; 362: 1211-1224 [R,II]
- Kingsnorth A, LeBlanc K. Hernias: inguinal and incisional. *Lancet* 2003; 362: 1561-1571 [R,I]
- Barenys M, Rota R, Moreno V, Villafafila R, García-Bayo I, Abad A et al. Estudio prospectivo de un modelo clínico predictivo de dispepsia orgánica. *Med Clin (Barc)* 2003; 121: 766-771 [S,I]
- McConnell JD, Roehrborn CG, Bautista OM, Andriole GL, Jr, Dixon CM, Kusek JW, et al. The long-term effect of doxazosin, finasteride, and combination therapy on the clinical progression of benign prostatic hyperplasia. *N Engl J Med* 2003; 349: 2387-2398 [EC,II]
- ENFERMEDADES DE BAJA INCIDENCIA:**
- Arbuckle MR, McClain MT, Rubertone MV, Hal Scofield R, Dennis GJ, James JA, et al. Development of autoantibodies before the clinical onset of systemic lupus erythematosus. *N Engl J Med* 2003; 349: 1526-33 [S,I]
- Glatzel M, Abela E, Maissen M, and Aguzzi A. Extraneural pathologic prion protein in sporadic Creutzfeldt-Jakob disease. *N Engl J Med* 2003; 349: 1812-1820 [T,II]
- Colao A, Di Sarno A, Cappabianca P, Di Somma C, Pivonello R, and Lombardi G. Withdrawal of long-term cabergoline therapy for tumoral and nontumoral hyperprolactinemia. *N Engl J Med* 2003; 349: 2023-2033 [S,I]
- Nankivell BJ, Borrows RJ, Fung CLS, O'Connell PJ, Allen R, and Chapman JR. The natural history of chronic allograft nephropathy. *N Engl J Med* 2003; 349: 2326-2333 [S,I]
- Roman MJ, Shanker B, Davis A, Lockshin MD, Sammaritano L, Simantov R, et al. Prevalence and correlates of accelerated atherosclerosis in systemic lupus erythematosus. *N Engl J Med* 2003; 349: 2399-2406 [CC,II]
- Asanuma Y, Oeser A, Shintani AK, Turner E, Olsen N, Fazio S, et al. Premature coronary-artery atherosclerosis in systemic lupus erythematosus. *N Engl J Med* 2003; 349: 2407-2415 [CC,II]
- Vissing J, Haller RG. The effect of oral sucrose on exercise tolerance in patients with McArdle's disease. *N Engl J Med* 2003; 349: 2503-2509 [CC,I]
- MEDIOS DIAGNÓSTICOS:**
- Gill JM, Quisel AM, Rocca PV, Walters DT. Diagnosis of systemic lupus erythematosus. *Am Fam Physician* 2003; 68 : 2179-2186 [R, I]
- Borriil Z, Houghton C, Sullivan PJ, Sestini P. Retrospective analysis of evidence base for tests used in diagnosis and monitoring of disease in respiratory medicine. *BMJ* 2003; 327: 1136-1138 [R,II]
- Ascaso JF, Pardo S, Real JT, Lorente RI, Priego A, Carmena R. Diagnosing insulin resistance by simple quantitative methods in subjects with normal glucose metabolism. *Diabetes Care* 2003; 26: 3320-3325 [T,II]
- Das A, Ben-Menachem T, Cooper GS, Chak A, Sivak MV, Gonet JA, et al. Prediction of outcome in acute lower-gastrointestinal haemorrhage based on an artificial neural network: internal and external validation of a predictive model. *Lancet* 2003; 362: 1261-1266 [CC,I]
- Barenys M, Rota R, Moreno V, Villafafila R, García-Bayo I, Abad A, et al. Estudio prospectivo de un modelo clínico predictivo de dispepsia orgánica. *Med Clin (Barc)* 2003; 121: 766-771 [S,I]
- Baker R, Falconer Smith J, Lambert PC. Randomised controlled trial of the effectiveness of feedback in improving test ordering in general practice. *Scand J Prim Health Care* 2003; 21: 219-223 [EC,I]
- INFANCIA Y ADOLESCENCIA:**
- Fremont WP. School refusal in children and adolescents. *Am Fam Physician* 2003; 68: 1555-1560 [AO, II]
- Gascón JA, Navarro B, Gascón FJ, Pérula LA, Jurado A. Comportamiento sexual de los escolares adolescentes en la ciudad de Córdoba. *Aten Primaria* 2003; 32: 355-360 [T,II]
- Díaz M, Rodríguez F, Martín C, Hiruela MV. Factores de riesgo relacionados con trastornos en la conducta alimentaria en una comunidad de escolares. *Aten Primaria* 2003; 32: 403-407 [T,II]
- Butler C, Kinnersley P, Hood K, Robling M, Prout H, Rollnick S, et al. Clinical course of acute infection of the upper respiratory tract in children: cohort study. *BMJ* 2003; 327: 1088-1089 [S,II]
- Zwart S, Rovers M, Melker R, Hoes AW. Penicillin for acute sore throat in children: randomised, double blind trial. *BMJ* 2003; 327: 1324 [EC,I]
- Ziegler A, Schmid S, Huber D, Hummel M, Bonifacio E. Early infant feeding and risk of developing type 1 diabetes-associated autoantibodies. *JAMA* 2003; 290: 1721-1728 [S,I]
- Sowell ER, Thompson PM, Welcome SE, Henkenius AL, Toga AW, Peterson BS. Cortical abnormalities in children and adolescents with attention-deficit hyperactivity disorder. *Lancet* 2003; 362: 1699-1707 [C,I]
- Serra L, Ribas L, Aranceta J, Pérez C, Saavedra P, Peña L. Obesidad infantil y juvenil en España. Resultados del Estudio enKid (1998-2000). *Med Clin (Barc)* 2003; 121: 725-732 [T,II]
- MUJER Y SALUD.** Incluye: Planificación Familiar, embarazo, Aborto, Menopausia, mujer y medicina.
- Leeman L, Spearman M, Rogers R. Repair of obstetric perineal laceration. *Am Fam Physician* 2003; 68: 1585-1590 [R, I]
- Lucas JH, Cone DL. Breast cyst aspiration. *Am Fam Physician* 2003; 68: 1983-1986 [R, I]
- Appar BS, Zoschnick L, Wright t JR. The 2001 Bethesda system terminology. *Am Fam Physician* 2003; 68: 1992-1998 [AO, III]
- Biagioli F. Returning to work while breastfeeding. *Am Fam Physician* 2003; 68: 2201-2208 [AO, I]
- Lawton B, Rose S, McLeod D, Dowell A. Changes in use of hormone replacement therapy after the report from the Women's Health Initiative: cross sectional survey of users. *BMJ* 2003; 327: 845-846 [T,II]

Magee L, Cham C, Waterman EJ, Ohlsson A, Dadelszen P. Hydralazine for treatment of severe hypertension in pregnancy: meta-analysis. *BMJ* 2003; 327: 955-960 [M,I]

Newton KM, LaCroix AZ, Heckbert SR, Abraham L, McCulloch D, Barlow W. Estrogen therapy and risk of cardiovascular events among women with type 2 diabetes. *Diabetes Care* 2003; 26: 2810-2816 [CC,II]

Anderson G, Judd H, Kaunitz A, Barad D, Beresford S, Pettinger M. Effects of estrogen plus progestin on gynecologic cancers and associated diagnostic procedures: the Women's Health Initiative randomized trial. *JAMA* 2003; 290: 1739-1748 [EC,II]

Cuzick J, Szarewski A, Cubie H, Hulman G, Kitchener H, Luesley D, et al. Management of women who test positive for high-risk papillomavirus: the HART study. *Lancet* 2003; 362: 1871-1876 [C,I]

Smith GC, Pell JP, Dobbie R. Caesarean section and risk of unexplained stillbirth in subsequent pregnancy. *Lancet* 2003; 362: 1779-1784 [T,I]

ANCIANOS:

Zunzunegui MV, Rodríguez-Laso A, García MJ, Aguilar MD, Lázaro P, Otero A. Prevalencia de la incontinencia urinaria y factores asociados en varones y mujeres de más de 65 años. *Aten Primaria* 2003; 32: 337-342 [T,I]

Bover A, Moreno ML, Mota S, Taltavull JM. El maltrato a los ancianos en el domicilio. Situación actual y posibles estrategias de intervención. *Aten Primaria* 2003; 32: 541-542 [R,II]

De Rekeneire N, Resnick HE, Schwartz AV, Shorr RI, Kuller LH, Simonick EM, et al. Diabetes is associated with subclinical functional limitation in nondisabled older individuals: the Health, Aging, and Body Composition study. *Diabetes Care* 2003; 26: 3257-3263 [CC,I]

Schulz R, Mendelsohn AB, Haley WE, Mahoney D, Allen RS, Zhang S, et al. End-of-life care and the effects of bereavement on family caregivers of persons with dementia. *N Engl J Med* 2003; 349: 1936-1942 [T,II]

Ariyo AA, Thach C, Tracy R. Lp(a) lipoprotein, vascular disease, and mortality in the elderly. *N Engl J Med* 2003; 349: 2108-2115 [S,I]

URGENCIAS Y EMERGENCIAS:

Tang AW. A practical guide to anaphylaxis. *Am Fam Physician* 2003; 68: 1325-1332 [R, II]

Zoorob RJ, Campbell JS. Acute dyspnea in the office. *Am Fam Physician* 2003; 68: 1803-1810 [R, II]

Siddoway LA. Amiodarone: guidelines for use and monitoring. *Am Fam Physician* 2003; 68: 2189-2196 [R, II]

Torné E, Guarga A, Torras MG, Pozuelo A, Pasarin M, Borrell C. Análisis de la demanda en los servicios de urgencias de Barcelona. *Aten Primaria* 2003; 32: 423 - 424 [T,I]

Conesa A, Vilardell L, Muñoz R, Casanellas JM, Torre P, Gelabert G, et al. Análisis y clasificación de las urgencias hospitalarias mediante los Ambulatory Patient Groups. *Gac Sanit* 2003; 17: 447-452 [T,II]

Stiell IG, Clement C, McKnight D, Brison R, Schull MJ, Rowe BH, et al. The Canadian C-spine rule versus the NEXUS low-risk criteria in patients with trauma. *N Engl J Med* 2003; 349: 2510-2518 [S,II]

TERAPÉUTICA. Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.

Heidelbaugh JJ, Nostrant TT, Kim C, Van Harrison R. Management of gastroesophageal reflux disease. *Am Fam Physician* 2003; 68:1311-1318 [R, II]

Delagarza VW. Pharmacologic treatment of Alzheimer's disease: an update. *Am Fam Physician* 2003; 68: 1365-1372 [R, II]

Riedl MA, Casillas AM. Adverse drug reactions: types and treatment options. *Am Fam Physician* 2003; 68: 1781-1790 [R, II]

Siddoway LA. Amiodarone: guidelines for use and monitoring. *Am Fam Physician* 2003; 68: 2189-2196 [R, II]

Carmona G, Guevara J. Estudio de la marca en la prescripción de genéricos en 6 centros de salud durante el año 2001. *Aten Primaria* 2003; 32: 415-419 [T,I]

Maiques A, Villar F, Llor C, Torcal J. El riesgo coronario en España y el tratamiento con fármacos hipolipemiantes. *Aten Primaria* 2003; 32: 420-422 [AO,II]

Gómez MJ, Arcos P, Rubiera G, Rigueria AI. Un sistema de indicadores de calidad de prescripción farmacéutica en atención primaria desarrollado por médicos prescriptores. *Aten Primaria* 2003; 32: 460-465 [AO,I]

Arrol B, Kenealy T, Kerse N. Do delayed prescriptions reduce antibiotic use in respiratory tract infections? A systematic review. *Br J Gen Pract* 2003; 53: 871-877 [M,II]

Lawton B, Rose S, McLeod D, Dowell A. Changes in use of hormone replacement therapy after the report from the Women's Health Initiative: cross sectional survey of users. *BMJ* 2003; 327: 845-846 [T,I]

Bjerner L, Bisgaard H, Bousquet J, Fabbri LM, Greening AP, Haahtela T et al. Montelukast and fluticasone compared with salmeterol and fluticasone in protecting against asthma exacerbation in adults: one year, double blind, randomised, comparative trial. *BMJ* 2003; 327: 891 [EC,II]

Magee L, Cham C, Waterman EJ, Ohlsson A, Dadelszen P. Hydralazine for treatment of severe hypertension in pregnancy: meta-analysis. *BMJ* 2003; 327: 955-960 [M,I]

Moore H, Summerbell CD, Greenwood DC, Tovey P, Griffiths J, Henderson M et al. Improving management of obesity in primary care: cluster randomised trial. *BMJ* 2003; 327: 1085 [EC,II]

Balen FA, Smit WM, Zuithoff A, Verheij T. Clinical efficacy of three common treatments in acute otitis externa in primary care: randomised controlled trial. *BMJ* 2003; 327: 1201-1205 [EC,II]

Zwart S, Rovers M, Melker R, Hoes AW. Penicillin for acute sore throat in children: randomised, double blind trial. *BMJ* 2003; 327: 1324 [EC,I]

Liew D, Krum H. Aldosterone receptor antagonists for hypertension: what do they offer? *Drugs* 2003; 63: 1963-1972 [R,I]

Donnelly LE, Rogers DF. Therapy for chronic obstructive pulmonary disease in the 21st century. *Drugs* 2003; 63: 1973-1998 [R,II]

Murdoch D, Goa KL, Keam SJ. Desloratadine: an update of its efficacy in the management of allergic disorders. *Drugs* 2003; 63: 2051-2077 [R,I]

Guay DR. Short-course antimicrobial therapy of respiratory tract infections. *Drugs* 2003; 20: 2169-2184 [R,I]

Gladstone JP, Gawel M. Newer formulations of the triptans: advances in migraine management. *Drugs* 2003; 63: 2285-2305 [R,I]

Shaw MJ, Crawley JA. Improving health-related quality of life in gastroesophageal reflux disease. *Drugs* 2003; 63: 2307-2316 [R,I]

McCormack PL, Wagstaff AJ. Lacidipine: a review of its use in the management of hypertension. *Drugs* 2003; 63: 2327-2356 [R,I]

Bang LM, Chapman TM, Goa KL. Lercanidipine : a review of its efficacy in the management of hypertension. *Drugs* 2003; 63: 2449-2472 [R,I]

Keating GM, Scott LJ. Vardenafil: a review of its use in erectile dysfunction. *Drugs* 2003; 63: 2673-2703 [R,I]

- Robinson M, Horn J. Clinical pharmacology of proton pump inhibitors: what the practising physician needs to know. *Drugs* 2003; 63: 2739-2754 [R,I]
- Croom KF, Goa KL. Levofloxacin: a review of its use in the treatment of bacterial infections in the United States. *Drugs* 2003; 63: 2769-2802 [R,I]
- Cebrià J, Sobrequès J, Rodríguez C, Segura J. Influencia del desgaste profesional en el gasto farmacéutico de los médicos de atención primaria. *Gac Sanit* 2003; 17: 483-489 [T,II]
- Lo GH, LaValley M, McAlindon T, Felson DT. Intra-articular hyaluronic acid in treatment of knee osteoarthritis: a meta-analysis. *JAMA* 2003; 290: 3115-3121 [M,I]
- Zajicek J, Fox P, Sanders H, Wright D, Vickery J, Nunn A, et al. Cannabinoids for treatment of spasticity and other symptoms related to multiple sclerosis (CAMS study): multicentre randomised placebo-controlled trial. *Lancet* 2003; 362: 1517-1526 [EC,II]
- Kovacs FM, Abaira V, Peña A, Martín-Rodríguez JG, Sanchez-Vera M, Ferrer E, et al. Effect of firmness of mattress on chronic non-specific low-back pain: randomised, double-blind, controlled, multicentre trial. *Lancet* 2003; 362: 1599-1604 [EC,II]
- Geisbert TW, Hensley LE, Jahrling PB, Larsen T, Geisbert JB, Paragas J et al. Treatment of Ebola virus infection with a recombinant inhibitor of factor VIIa/tissue factor: a study in rhesus monkeys. *Lancet* 2003; 362:1953-1958 [CC,II]
- Deeks SG. Treatment of antiretroviral-drug-resistant HIV-1 infection. *Lancet* 2003; 362: 2002-2011 [R,I]
- Gómez-Belda A, Rodilla E, Albert A, García L, González C, Pascual JM. Uso clínico de las estatinas y objetivos terapéuticos en relación con el riesgo cardiovascular. *Med Clin (Barc)* 2003; 121: 527-531 [T,II]
- Wilschanski M, Yahav Y, Yaacov Y, Blau H, Bentur L, Rivlin J, et al. Gentamicin-induced correction of CFTR function in patients with cystic fibrosis and CFTR stop mutations. *N Engl J Med* 2003; 349: 1433-41 [CC,II]
- Strom BL, Schinnar R, Apter AJ, Margolis DJ, Lautenbach E, Hennessey S, et al. Absence of cross-reactivity between sulfonamide antibiotics and sulfonamide nonantibiotics. *N Engl J Med* 2003; 349: 1628-35 [S,I]
- Büller HR, Davidson BL, Decousus H, Gallus A, Gent M, Piovella F, et al. Subcutaneous fondaparinux versus intravenous unfractionated heparin in the initial treatment of pulmonary embolism. *N Engl J Med* 2003; 349: 1695-1702 [QE,II]
- Pappone C, Santinelli V, Manguso F, Augello G, Santinelli O, Vicedomini G, et al. A randomized study of prophylactic catheter ablation in asymptomatic patients with the Wolff-Parkinson-White syndrome. *N Engl J Med* 2003; 349: 1803-1811 [EC,II]
- Pfeffer MA, McMurray JJ, Velazquez EJ, Rouleau JL, Køber L, Maggioni AP, et al. Valsartan, captopril, or both in myocardial infarction complicated by heart failure, left ventricular dysfunction, or both. *N Engl J Med* 2003; 349: 1893-1906 [EC,II]
- Kremer JM, Westhovens R, Leon M, Di Giorgio E, Alten R, Steinfeld S, et al. Treatment of rheumatoid arthritis by selective inhibition of T-cell activation with fusion protein CTLA4lg. *N Engl J Med* 2003; 349: 1907-1915 [EC,II]
- Krack P, Batir A, Van Blercom N, Chabardes S, Fraix V, Ardouin C, et al. Five-year follow-up of bilateral stimulation of the subthalamic nucleus in advanced Parkinson's disease. *N Engl J Med* 2003; 349: 1925-1934 [S,II]
- Lebwohl M, Tying SK, Hamilton TK, Toth D, Glazer S, Tawfik NH, et al. A novel targeted T-cell modulator, efalizumab, for plaque psoriasis. *N Engl J Med* 2003; 349: 2004-2013 [EC,I]
- Leonardi CL, Powers JL, Matheson RT, Goffe BS, Zitnik R, Wang A, et al. Etanercept as monotherapy in patients with psoriasis. *N Engl J Med* 2003; 349: 2014-2022 [EC,I]
- Schreiber MD, Gin-Mestan K, Marks JD, Huo D, Lee G, and Srisuparp P. Inhaled nitric oxide in premature infants with the respiratory distress syndrome. *N Engl J Med* 2003; 349: 2099-2107 [EC,II]
- McConnell JD, Roehrborn CG, Bautista OM, Andriole GL, Jr, Dixon CM, Kusek JW, et al. The long-term effect of doxazosin, finasteride, and combination therapy on the clinical progression of benign prostatic hyperplasia. *N Engl J Med* 2003; 349: 2387-2398 [EC,II]
- Molstad S. Reduction in antibiotic prescribing for respiratory tract infections is needed! *Scand J Prim Health Care* 2003; 21: 196-198 [R,II]

ENTREVISTA CLÍNICA:

- Ruiz R, Rodríguez JJ, Epstein R. ¿Qué estilo de consulta debería emplear con mis pacientes?: reflexiones prácticas sobre la relación médico-paciente. *Aten Primaria* 2003; 32: 594-602 [AO,II]
- Broggi MA. Gestión de los valores «ocultos» en la relación clínica. *Med Clin (Barc)* 2003; 121: 705-709 [AO,II]

ATENCIÓN FAMILIAR:

- Fernández MC, Herrero S, Buitrago F, Ciurana R, Chocron L, García J, et al. Violencia en la pareja: papel del médico de familia. *Aten Primaria* 2003; 32: 425-433 [R,I]
- Schulz R, Mendelsohn AB, Haley WE, Mahoney D, Allen RS, Zhang S, et al. End-of-life care and the effects of bereavement on family caregivers of persons with dementia. *N Engl J Med* 2003; 349: 1936-1942 [T,II]

ACTIVIDADES COMUNITARIAS. Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.

- Valerio L, Guerrero L, Martínez O, Sabrià M, Garrido P, Fabregat A, et al. Los inmigrantes viajeros. *Aten Primaria* 2003; 32: 330-336 [CC,II]
- Grupo de Trabajo de los Talleres de 2001 y 2002 de la Unidad de Investigación en Tuberculosis de Barcelona. Prevención y control de las tuberculosis importadas. *Med Clin (Barc)* 2003; 121: 549-557 [R,III]

DOCENCIA. Incluye: pregrado, postgrado, formación médica continuada, metodología docente.

- Haist SA, Wilson JF, Pursley HG, Jessup ML, Gibson JS, Kwolke DG et al. Domestic violence: increasing knowledge and improving skills with a four-hour workshop using standardized patients. *Academic Medicine* 2003; 78: S24-S26 [T,I]
- Bakken LL, Sheridan J, Carnes M. Gender differences among physician-scientists in self-assessed abilities to perform clinical research. *Academic Medicine* 2003; 78: 1281-1286 [T,I]
- Pedrerá V, Gil V, Orozco D. Unidades de investigación y docencia de apoyo a la gestión en atención primaria. *Aten Primaria* 2003; 32: 361-365 [AO,I]
- Loayssa JR. Dilemas y alternativas en la evaluación de la formación del médico de familia. *Aten Primaria* 2003; 32: 376-381 [R,II]
- Volkmar FR, Pauls D. Autism. *Lancet* 2003; 362: 1133-1141 [R,II]
- Warlow C, Sudlow C, Dennis M, Wardlaw J, Sandercock P. Stroke. *Lancet* 2003; 362: 1211-1224 [R,II]
- Gines P, Guevara M, Arroyo V, Rodes J. Hepatorenal syndrome. *Lancet* 2003; 362: 1819-1827 [R,I]

INVESTIGACIÓN. Incluye: investigación cualitativa, estadística.

- Federman DD. Minimizing risk in clinical research. *Ann Intern Med* 2003; 139: 71-72 [AO, II]

- Pedraza V, Gil V, Orozco D. Unidades de investigación y docencia de apoyo a la gestión en atención primaria. *Aten Primaria* 2003; 32: 361-365 [AO,I]
- Puffer S, Torgerson D, Watson J. Evidence for risk of bias in cluster randomised trials: review of recent trials published in three general medical journals. *BMJ* 2003; 327: 785-789 [T,II]
- Catalán-Reyes MJ, Galindo-Villardón MP. Utilización de los modelos multinivel en investigación sanitaria. *Gac Sanit* 2004; 17: 35-52 [R,II]
- Zajicek J, Fox P, Sanders H, Wright D, Vickery J, Nunn A, et al. Cannabinoids for treatment of spasticity and other symptoms related to multiple sclerosis (CAMS study): multicentre randomised placebo-controlled trial. *Lancet* 2003; 362: 1517-1526 [EC,II]
- Sowell ER, Thompson PM, Welton SE, Henkenius AL, Toga AW, Peterson BS. Cortical abnormalities in children and adolescents with attention-deficit hyperactivity disorder. *Lancet* 2003; 362: 1699-1707 [C,I]
- Geisbert TW, Hensley LE, Jahrling PB, Larsen T, Geisbert JB, Paragas J, et al. Treatment of Ebola virus infection with a recombinant inhibitor of factor VIIa/tissue factor: a study in rhesus monkeys. *Lancet* 2003; 362:1953-1958 [CC,II]
- Arnau C, Cobo E, Ribera JM, Cardellach F, Selva A, Urrutia A. Efecto de la revisión estadística en la calidad de los manuscritos publicados en Medicina Clínica: estudio aleatorizado. *Med Clin (Barc)* 2003; 121: 690-694 [EA,I]
- Serrano Mp, Ordoñas M, Fernández S, Silva LC. Valoración de la fiabilidad externa de las publicaciones de dos revistas científicas durante el último quinquenio. *Med Clin (Barc)* 2003; 121: 793-794 [T,II]

MEDICINA BASADA EN PRUEBAS:

- Borriol Z, Houghton C, Sullivan PJ, Sestini P. Retrospective analysis of evidence base for tests used in diagnosis and monitoring of disease in respiratory medicine. *BMJ* 2003; 327: 1136-1138 [R,II]

PREVENCIÓN:

- Fernández MC, Herrero S, Buitrago F, Ciurana R, Chocron L, García J, et al. Violencia en la pareja: papel del médico de familia. *Aten Primaria* 2003; 32: 425-433 [R,I]
- Helmer DA, Tseng CL, Brimacombe M, Rajan M, Stiptzarov N, Pogach L. Applying diabetes-related Prevention Quality Indicators to a national cohort of veterans with diabetes. *Diabetes Care* 2003 ; 26: 3017-3023 [S,I]
- Lindstrom J, Louheranta A, Mannelin M, Rastas M, Salminen V, Eriksson J, et al. The Finnish Diabetes Prevention Study (DPS): Lifestyle intervention and 3-year results on diet and physical activity. *Diabetes Care* 2003; 26: 3230-3236 [S,II]
- Sacco M, Pellegrini F, Roncaglioni MC, Avanzini F, Tognoni G, Nicolucci A. PPP Collaborative Group. Primary prevention of cardiovascular events with low-dose aspirin and vitamin E in type 2 diabetic patients: results of the Primary Prevention Project (PPP) trial. *Diabetes Care* 2003; 26: 3264-3272 [EC,II]
- Go A, Hylek E, Chang Y, Phillips K, Henault L, Capra A et al. Anticoagulation therapy for stroke prevention in atrial fibrillation. How well do randomized trials translate into clinical practice? *JAMA* 2003; 290: 2685-2692 [S,II]
- Martínez-Frías ML, Rodríguez-Pinilla E, Bermejo E. Análisis de la situación en España sobre el consumo de ácido fólico/folinato cálcico para la prevención de defectos congénitos. *Med Clin (Barc)* 2003; 121: 772-775 [T,II]
- Carrera JM. Prevención primaria de los defectos del tubo neural. *Med Clin (Barc)* 2003; 121: 782-784 [AO,II]

- Klugman KP, Madhi SA, Huebner RE, Kohberger R, Mbelle N, Pierce N. A trial of a 9-valent pneumococcal conjugate vaccine in children with and those without HIV infection. *N Engl J Med* 2003; 349: 1341-48 [S,II]
- Wapner R, Thom E, Simpson JL, Pergament E, Silver R, Filkins K, et al. First-trimester screening for trisomies 21 and 18. *N Engl J Med* 2003; 349: 1405-13 [S,II]
- Francis CW, Berkowitz S, Comp PC, Lieberman JR, Ginsberg JS, Paiement G, et al. Comparison of ximelagatran with warfarin for the prevention of venous thromboembolism after total knee replacement. *N Engl J Med* 2003; 349: 1703-1712 [EC,II]
- Schulman S, Wähländer K, Lundström T, Clason SB, and Eriksson H. Secondary prevention of venous thromboembolism with the oral direct thrombin inhibitor ximelagatran. *N Engl J Med* 2003; 349: 1713-21 [EC,II]
- Lingfors H, Lindstrom K, Persson LG, Bengtsson C, Lissner L. Lifestyle changes after a health dialogue. Results from the Live for Life health promotion programme. *Scand J Prim Health Care* 2003 ; 21: 248-252 [QE, II]

BIOÉTICA:

- Federman DD. Minimizing risk in clinical research. *Ann Intern Med* 2003; 139: 71-72 [AO, II]
- Brennan AT, Mello MM. Patient safety and medical malpractice: a case study. *Ann Intern Med* 2003; 139: 267-273 [T, II]
- Carles M. Responsabilidad por una práctica médica inadecuada: una perspectiva económica. *Gac Sanit* 2003; 17: 494-503 [R,II]

PLANIFICACIÓN / GESTIÓN:

- Arroyo A, Tomás AJ, Andreu J, García P, Arroyo MA, Costa D, et al. Programa de implantación y desarrollo de la cirugía menor ambulatoria en atención primaria. *Aten Primaria* 2003; 32: 371-375 [S,II]
- Torné E, Guarga A, Torras MG, Pozuelo A, Pasarin M, Borrell C. Análisis de la demanda en los servicios de urgencias de Barcelona. *Aten Primaria* 2003; 32: 423-424 [T,I]
- Ilag LL, Martin CL, Tabaei BP, Isaman DJ, Burke R, Greene DA, et al. Improving diabetes processes of care in managed care. *Diabetes Care* 2003; 26: 2722-2727 [EC,I]
- Conesa A, Vilardell L, Muñoz R, Casanellas JM, Torre P, Gelabert G, et al. Análisis y clasificación de las urgencias hospitalarias mediante los Ambulatory Patient Groups. *Gac Sanit* 2003; 17: 447-452 [T,II]
- Villar J. El talón de Aquiles del Sistema Nacional de Salud. Punto de vista. *Med Clin (Barc)* 2003; 121: 741-742 [AO,II]
- Huskamp HA, Deverka PA, Epstein AM, Epstein RS, McGuigan KA, Frank RG. The effect of incentive-based formularies on prescription-drug utilization and spending. *N Engl J Med* 2003; 349: 2224-2232 [C,I]

OTRAS:

- Kiefer D, Pantuso T. Panax ginseng. *Am Fam Physician* 2003; 68: 1539-1542 [R, I]
- Gill JM, Quisel AM, Rocca PV, Walters DT. Diagnosis of systemic lupus erythematosus. *Am Fam Physician* 2003; 68: 2179-2186 [R, I]
- Pérez S, Atitár A, Díez MD, Montero N. Perforaciones inconscientes. Breve descripción del fenómeno de piercing y sus posibles complicaciones. *Aten Primaria* 2003; 32: 535-540 [R,I]
- Carles M. Responsabilidad por una práctica médica inadecuada: una perspectiva económica. *Gac Sanit* 2003; 17: 494-503 [R,II]
- Villar J. El talón de Aquiles del Sistema Nacional de Salud. Punto de vista. *Med Clin (Barc)* 2003; 121: 741-742 [AO,II]