

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de enero a 31 de marzo de 2004)

Alonso Morales F, Álvarez Rico F, Gálvez Alcaraz L, Guerrero García FJ, Lahoz Rallo B, Manteca González A, Rodríguez Pappalardo V.

Médicos de familia

Los artículos, publicados entre el 1 de enero y el 31 de marzo de 2003, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas, aparece el tipo de estudio, según la clasificación que se expone a continuación y, separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico casos y controles
- (S) Observacional analítico de seguimiento / cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas

Grado de interés:

- Alto: I
- Muy alto: II
- Imprescindible: III

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS/bases conceptuales, medicina de familia/profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

Rosenbaum ME, Ferguson KJ, Lobas JG. Teaching medical students and residents skills for delivering bad news: a review of strategies. *Acad Med* 2004; 79: 107-117 [R,I]

Orozco D, Pedrera V, Gil V, Prieto I, Ribera MC, Martínez P et al. Gestión clínica de la consulta: previsibilidad y contenido clínico (estudio SyN-PC) *Aten Primaria* 2004; 33: 69-77 [T,I]

Ortega MA, Roca G, Iglesias M, Jurado JM. Pacientes hiperfrecuentadores de un centro de atención primaria: características sociodemográficas, clínicas y de utilización de los servicios sanitarios. *Aten Primaria* 2004; 33: 78-85 [T,I]

Fernández E, Rodríguez D, Diogene E. Grupo de Estudio de la Prescripción Inducida. Prescripción inducida a médicos de atención primaria procedente del hospital de referencia, Hospital Universitario Vall d'Hebron. *Aten Primaria* 2004; 33: 118-123 [T,I]

Ruiz A. La presión asistencial. *Aten Primaria* 2004; 33: 145-148 [AO,I]

Stratelis G, Jakobsson P, Molstad S, Zetterstrom O. Early detection of COPD in primary care: screening by invitation of smokers aged 40 to 55 years. *Br J Gen Pract* 2004; 54: 201-206 [T,II]

Richards DA, Meakins J, Godfrey L, Tawfik J, Dutton E. Survey of the impact of nurse telephone triage on general practitioner activity. *Br J Gen Pract* 2004; 54: 207-210 [T,I]

Ring F, Jones M. NHS Direct usage in a GP population of children under 5 years: is NHS Direct used by people with the greatest health need? *Br J Gen Pract* 2004; 54: 211-213 [T,I]

Lester H, Tritter JQ, Soroohan H. Managing crisis: the role of primary care for people with serious mental illness. *Fam Med* 2004; 36: 28-34 [T,I]

Nasmith L, Cote B, Cox J, Inkel D, Rubenstein H, Jimenez V, et al. The challenge of promoting integration: conceptualization, implementation, and assessment of a pilot care delivery model for patients with type 2 diabetes. *Fam Med* 2004; 36: 40-45 [T,II]

Senf JH, Kutob R, Campos-Outcalt D. Which primary care specialty? Factors that relate to a choice of family medicine, internal medicine, combined internal medicine-pediatrics, or pediatrics. *Fam Med* 2004; 36: 123-130 [T,II]

Martín J, Cortés JA, Morente M, Caboblanco M, Garijo J, Rodríguez A. Características métricas del Cuestionario de Calidad de Vida Profesional (CVP-35). *Gac Sanit* 2004; 18: 129-136 [T,II]

Grumbach K, Bodenheimer T. Can health care teams improve primary care practice? *JAMA* 2004; 291: 1246-1251 [Ao,I]

Rowe S, MacLean CH, Shekelle PG. Preventing visual loss from chronic eye disease in primary care: scientific review. *JAMA* 2004; 291: 1487-1495 [M,II]

Goldzweig CL, Rowe S, Wenger NS, MacLean CH, Shekelle PG. Preventing and managing visual disability in primary care: clinical applications. *JAMA* 2004; 291: 1497-1502 [Ao,II]

Moll Van Charante E, Hartman E, Yzermans J, Voogt E, Klazinga N, Bindels P. The first general practitioner hospital in The Netherlands: towards a new form of integrated care? *Scand J Prim Health Care* 2004; 22: 38-43 [C, I]

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Romera I, de Dios R, García A, González Y, Lenza C, Salinero MA. Adecuación de la profilaxis tromboembólica en pacientes con fibrilación auricular crónica en 3 centros de atención primaria. *Aten Primaria* 2004; 33: 188-192 [T,II]

Pineda M, Custardoy J, Ortin JM, Cano JG, Andreu MT, Grau C. Grado de conocimiento, tratamiento y control de la hipertensión arterial, hipercolesterolemia y diabetes mellitus en la población general adulta. *Aten Primaria* 2004; 33: 254-260 [T,I]

- Ibáñez M, Barutell L, Jaunsolo MA. Manejo en atención primaria de la vasculopatía diabética: diagnóstico y control. *Aten Primaria* 2004; 33: 267-276 [R,I]
- Little P, Dorward M, Gralton S, Hammerton L, Pillinger J, White P, et al. A randomised controlled trial of three pragmatic approaches to initiate increased physical activity in sedentary patients with risk factors for cardiovascular disease. *Br J Gen Pract* 2004; 54: 189-195 [EC,II]
- Bartelink M, Stoffers HEJH, Biesheuvel CJ, Hoes AW. Walking exercise in patients with intermittent claudication. Experience in routine clinical practice. *Br J Gen Pract* 2004; 54: 196-200 [T,I]
- Piepoli MF, Davos C, Francis DP, Coats AJ. ExTraMATCH Collaborative. Exercise training meta-analysis of trials in patients with chronic heart failure (ExTraMATCH). *BMJ* 2004; 328: 189-192 [M,II]
- Birtwhistle RV, Godwin MS, Delva MD, Casson RI, Lam M, MacDonald SE, et al. Randomised equivalence trial comparing three month and six month of follow up of patient with hypertension by family practitioners. *BMJ* 2004; 328: 204-206 [EC,III]
- Coull AJ, Lovett JK, Rothwell PM. Population based study of early risk of stroke after transient ischaemic attack or minor stroke: implications for public education and organisation of services. *BMJ* 2004; 328: 326-328 [S,II]
- García de Albéniz XA, Guerra-Gutiérrez F, Ortega-Martínez R, Sánchez-Villegas A, Martínez-González MA. Consumo de tabaco en titulados universitarios. El Proyecto SUN (Seguimiento Universidad de Navarra). *Gac Sanit* 2004; 18: 108-117 [T,I]
- Greenland P, LaBree L, Azen SP, Doherty TM, Detrano RC. Coronary artery calcium score combined with Framingham score for risk prediction in asymptomatic individuals. *JAMA* 2004; 291: 210-215 [S,I]
- Toole JF, Malinow MR, Chambless LE, Spence DJ, Pettigrew LC, Howard VJ, et al. Lowering homocysteine in patients with ischemic stroke to prevent recurrent stroke, myocardial infarction, and death: the vitamin intervention for stroke prevention (VISP) randomized controlled trial. *JAMA* 2004; 291: 565-575 [EC,I]
- Staessen JA, Hond ED, Celis H, Fagard R, Keary L, Vandenhoven G, et al. Antihypertensive treatment based on blood pressure measurement at home or in the physician's office. A randomized controlled trial. *JAMA* 2004; 291: 955-964 [EC,II]
- Nissen SE, Tuzcu EM, Schoenhagen P, Brown BG, Ganz P, Vogel RA, et al. Effect of intensive compared with moderate lipid-lowering therapy on progression of coronary atherosclerosis: a randomized controlled trial. *JAMA* 2004; 291: 1071-1080 [EC,II]
- Bobrie G, Chatellier G, Genes N, Clerson P, Vaur L, Vaisse B, et al. Cardiovascular prognosis of «masked hypertension» detected by blood pressure self-measurement in elderly treated hypertensive patients. *JAMA* 2004; 291: 1342-1349 [T,I]
- Collins R, Armitage J, Parish S, Sleight P, Peto R. Heart Protection Study Collaborative Group. Effects of cholesterol-lowering with simvastatin on stroke and other major vascular events in 20 536 people with cerebrovascular disease or other high-risk conditions. *Lancet* 2004; 363: 757-767 [EC,II]
- Esmatjes E, Castell C, Franch J, Puigoriol E, Hernaez R. Consumo de ácido acetilsalicílico en pacientes con diabetes mellitus. *Med Clin (Barc)* 2004; 122: 96-98 [T,I]
- Bueno H. Infratilización del ácido acetilsalicílico en la prevención cardiovascular del paciente con diabetes mellitus. *Med Clin (Barc)* 2004; 122: 101 - 103 [AO,II]
- Llisterri JL, Rodríguez GC, Alonso FJ, Lou S, Divison JA, Santos JA, et al. Control de la presión arterial en la población hipertensa española atendida en atención primaria. Estudio PRESCAP 2002. *Med Clin (Barc)* 2004; 122: 165-171 [T,II]
- Córdoba R, Altisent R. Ética clínica y tabaco. *Med Clin (Barc)* 2004; 122: 262-266 [AO,I]
- Nilsson PM, Theobald H, Journath G, Fritz T. Gender differences in risk factor control and treatment profile in diabetes: a study in 229 Swedish primary health care centres. *Scand J Prim Health Care* 2004; 22: 27-31 [T,II]
- Van Steenkiste B, Van der Weijden T, Stoffers HE, Grol R. Barriers to implementing cardiovascular risk tables in routine general practice. *Scand J Prim Health Care* 2004; 22: 32-37 [C,II]
- Jarvelaid M. Adolescent tobacco smoking and associated psychosocial health risk factors. *Scand J Prim Health Care* 2004; 22: 50-53 [T,II]
- DIABETES:
- Koenigsberg MR, Bartlett D, Cramer S. Facilitating treatment adherence with lifestyle changes in diabetes. *Am Fam Physician* 2004; 69: 309-324 [R,II]
- López-Carmona JM, Rodríguez-Moctezuma JR, Ariza-Andraca CR, Martínez-Bermudez M. Estilo de vida y control metabólico en pacientes con diabetes mellitus tipo 2. Validación por constructo del IMEVID. *Aten Primaria* 2004; 33: 20-27 [T,II]
- Comerma A, Agusti J, Mas M, Girona R. Diabetes mellitus tipo 2: ¿la insulinización en atención primaria mejora el control metabólico? *Aten Primaria* 2004; 33: 105-105 [T,I]
- Ibáñez M, Barutell L, Jaunsolo MA. Manejo en atención primaria de la vasculopatía diabética: diagnóstico y control. *Aten Primaria* 2004; 33: 267-276 [R,I]
- Van de Laar FA, Van de Lisdonk EH, Lucassen PLBJ, Tigchelaar JMH, Meyboom S, Mulder J, et al. Fat intake in patients newly diagnosed with type 2 diabetes: a 4-year follow-up study in general practice. *Br J Gen Pract* 2004; 54: 177-182 [S,II]
- Peel E, Parry O, Douglas M, Lawton J. Blood glucose self-monitoring in non-insulin-treated type 2 diabetes: a qualitative study of patients' perspectives. *Br J Gen Pract* 2004; 54: 183-188 [C,I]
- Marre M, Lievre M, Chatellier G, Mann JF, Passa P, Menard J. DIABHYCAR Study Investigators. Effects of low dose ramipril on cardiovascular and renal outcomes in patients with type 2 diabetes and raised excretion of urinary albumin: randomised, double blind, placebo controlled trial (the DIABHYCAR study). *BMJ* 2004; 328: 495-499 [EC,II]
- Nasmith L, Cote B, Cox J, Inkell D, Rubenstein H, Jimenez V, et al. The challenge of promoting integration: conceptualization, implementation, and assessment of a pilot care delivery model for patients with type 2 diabetes. *Fam Med* 2004; 36: 40-45 [T,II]
- Saydah SH, Fradkin J, Cowie CC. Poor control of risk factors for vascular disease among adults with previously diagnosed diabetes. *JAMA* 2004; 291: 335-342 [R,I]
- Jiang R, Manson JE, Meigs JB, Ma J, Rifai N, Hu FB. Body iron stores in relation to risk of type 2 diabetes in apparently healthy women. *JAMA* 2004; 291: 711-717 [CC,II]
- Tuomilehto J, Hu G, Bidel S, Lindström J, Jousilahti P. Coffee consumption and risk of type 2 diabetes mellitus among middle-aged finnish men and women. *JAMA* 2004; 291: 1213-1219 [S,I]
- Gale EA, Bingley PJ, Emmett CL, Collier T. European Nicotinamide Diabetes Intervention Trial (ENDIT) Group. European Nicotinamide Diabetes Intervention Trial (ENDIT): a randomised controlled trial of intervention before the onset of type 1 diabetes. *Lancet* 2004; 363: 925-31 [EC,I]
- Esmatjes E, Castell C, Franch J, Puigoriol E, Hernaez R. Consumo de ácido acetilsalicílico en pacientes con diabetes mellitus. *Med Clin (Barc)* 2004; 122: 96-98 [T,I]

Bueno H. Infratilización del ácido acetilsalicílico en la prevención cardiovascular del paciente con diabetes mellitus. *Med Clin (Barc)* 2004; 122: 101-103 [AO,II]

Petersen KF, Dufour S, Befroy D, García R, Shulman GI. Impaired mitochondrial activity in the insulin-resistant offspring of patients with type 2 diabetes. *N Engl J Med* 2004; 350: 664-671 [S,I]

Nilsson PM, Theobald H, Journath G, Fritz T. Gender differences in risk factor control and treatment profile in diabetes: a study in 229 Swedish primary health care centres. *Scand J Prim Health Care* 2004; 22: 27-31 [T, II]

CÁNCER. Incluye: mama, cérvix, próstata, colon, otros.

Harris JE, Thun MJ, Mondul AM, Calle EE. Cigarette tar yields in relation to mortality from lung cancer in the cancer prevention study II prospective cohort, 1982-8. *BMJ* 2004; 328: 72-76 [S,I]

Michels KB, Ekbohm A. Caloric restriction and incidence of breast cancer. *JAMA* 2004; 291: 1226-1230 [S,II]

Berrington de Gonzalez A, Darby S. Risk of cancer from diagnostic X-rays: estimates for the UK and 14 other countries. *Lancet* 2004; 363: 345-351 [S,I]

Filella X, Truan D, Alcover J, Quinto L, Molina R, Luque P, et al. Antígeno prostático específico y sus fracciones en el diagnóstico del cáncer de próstata. *Med Clin (Barc)* 2004; 122: 241-244 [T,I]

INFECCIOSAS. Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.

Flinders DC, Schweinitz P. Pediculosis and scabies. *Am Fam Physician* 2004; 69: 341-354 [R,II]

Hay AD, Fahey T, Peters TJ, Wilson A. Predicting complications from acute cough in pre-school children in primary care: a prospective cohort study. *Br J Gen Pract* 2004; 54: 9-14 [S,II]

Graffelman AW, Neven AK, Le Cessie S, Kroes A, Springer MP, Van den Broek PJ. Pathogens involved in lower respiratory tract infections in general practice. *Br J Gen Pract* 2004; 54: 15-19 [S,I]

Graffelman AW, Neven AK, Le Cessie S, Kroes A, Springer MP, Van den Broek PJ. A diagnostic rule for the aetiology of lower respiratory tract infections as guidance for antimicrobial treatment. *Br J Gen Pract* 2004; 54: 20-24 [S,II]

Johnson G, Helman C. Remedy or cure? Lay beliefs about over-the-counter medicines for coughs and colds. *Br J Gen Pract* 2004; 54: 98-102 [C,I]

Blondeau JM. Current issues in the management of urinary tract infections: extended-release ciprofloxacin as a novel treatment option. *Drugs* 2004; 64: 611-628 [R,II]

Alsedà M, Godoy P. Factores asociados a la infección tuberculosa latente en los contactos de pacientes afectados. *Gac Sanit* 2004; 18: 101-107 [T, I]

Chang LY, Tsao KC, Hsia SH, Shih SR, Huang CG, Chan WK, et al. Transmission and clinical features of enterovirus 71 infections in household contacts in Taiwan. *JAMA* 2004; 291: 222-227 [S,I]

Vázquez M, LaRussa PS, Gershon AA, Niccolai LM, Muehlenbein CE, Steinberg SP, et al. Effectiveness over time of varicella vaccine. *JAMA* 2004; 291: 851-855 [CC,II]

Keene WE, Markum AC, Samadpour M. Outbreak of pseudomonas aeruginosa infections caused by commercial piercing of upper ear cartilage. *JAMA* 2004; 291: 981-985 [T,I]

Christ-Crain M, Jaccard-Stolz D, Bingisser R, Gencay MM, Huber PR, Tamm M, et al. Effect of procalcitonin-guided treatment on antibiotic use and outcome in lower respiratory tract infections: cluster-randomised, single-blinded intervention trial. *Lancet* 2004; 363: 600-607 [EC,I]

Mirete C, Gutierrez F, Masia M, Ramos JM, Hernandez I, Soldan B. Reactantes de fase aguda en la neumonía adquirida en la comunidad. *Med Clin (Barc)* 2004; 122: 245 - 247 [S,I]

Corey L, Wald A, Patel R, Sacks SL, Tying SK, Warren T, et al. Once-daily valacyclovir to reduce the risk of transmission of genital herpes. *N Engl J Med* 2004; 350: 11-20 [S,II]

Lecuit M, Abachin E, Martin A, Poyart C, Pochart P, Suarez F, et al. Immunoproliferative small intestinal disease associated with campylobacter jejuni. *N Engl J Med* 2004; 350: 239-248 [T,I]

García HH, Pretell EJ, Gilman RH, Martínez SM, Moulton LH, Del Brutto OH, et al. A trial of antiparasitic treatment to reduce the rate of seizures due to cerebral cysticercosis. *N Engl J Med* 2004; 350: 249-258 [EC,I]

Reed KD, Melski JW, Graham MB, Regnery RL, Sotir MJ, Wegner MV, et al. The detection of monkeypox in humans in the western hemisphere. *N Engl J Med* 2004; 350: 342-350 [T,I]

Williams JV, Harris PA, Tollefson SJ, Halburnt-Rush LL, Pingsterhaus JM, Edwards KM, et al. Human metapneumovirus and lower respiratory tract disease in otherwise healthy infants and children. *N Engl J Med* 2004; 350: 443-450 [T,II]

Williams CF, Klinzman D, Yamashita TE, Xiang J, Polgreen PM, Rinaldo C, et al. Persistent GB virus C infection and survival in HIV-infected men. *N Engl J Med* 2004; 350: 981-990 [S,I]

Tran TH, Nguyen TL, Nguyen TD, Luong TS, Pham PM, Nguyen VC, et al. Avian influenza A (H5N1) in 10 patients in Vietnam. *N Engl J Med* 2004; 350: 1179-1188 [T,I]

ASMA/BRONQUITIS CRÓNICA:

Barreiro TJ, Perillo I. An approach to interpreting spirometry. *Am Fam Physician* 2004; 69: 1107-1116 [R,II]

Leal M, Abellán J, Martínez J, Nicolás A. Información escrita sobre el uso de aerosoles en pacientes con enfermedad pulmonar obstructiva crónica. ¿Mejoramos su calidad de utilización? *Aten Primaria* 2004; 33: 6-10 [EC,I]

Nabera K, Alberti J. Mortalidad por asma en la ciudad de Barcelona (1983-1993) *Aten Primaria* 2004; 33: 13-19 [T,I]

García C, García F. ¿Qué podemos hacer ante la escasa implantación de la espirometría en atención primaria? *Aten Primaria* 2004; 33: 261 - 266 [R,II]

Stratelis G, Jakobsson P, Molstad S, Zetterstrom O. Early detection of COPD in primary care: screening by invitation of smokers aged 40 to 55 years. *Br J Gen Pract* 2004; 54: 201-206 [T,II]

Reynolds NA, Perry CM, Keating GM. Budesonide/formoterol: in chronic obstructive pulmonary disease. *Drugs* 2004; 64: 431-441 [R,II]

Harrison TW, Osborne J, Newton S, Tattersfield AE. Doubling the dose of inhaled corticosteroid to prevent asthma exacerbations: randomised controlled trial. *Lancet* 2004; 363: 271-275 [S,II]

Vega JA, Montero M, Sánchez P. Factores pronósticos de reingreso en la enfermedad pulmonar obstructiva crónica. *Med Clin (Barc)* 2004; 122: 293-297 [S,I]

Celli BR, Cote CG, Marin JM, Casanova C, Montes de Oca M, Mendez RA, et al. The body-mass index, airflow obstruction, dyspnea, and exercise capacity index in chronic obstructive pulmonary disease. *N Engl J Med* 2004; 350: 1005-1012 [S,II]

SALUD MENTAL. Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).

Alonso A, Garrido A, Díaz A, Casquero R, Riera M. Perfil y sobrecarga de los cuidadores de pacientes con demencia incluidos en el programa ALOIS. *Aten Primaria* 2004; 33: 61-66 [T,I]

- Christensen H, Griffiths KM, Jorm AF. Delivering interventions for depression by using the internet: randomised controlled trial. *BMJ* 2004; 328: 265-268 [EC,II]
- Asnis GM, Kohn SR, Henderson M, Brown NL. SSRIs versus non-SSRIs in post-traumatic stress disorder: an update with recommendations. *Drugs* 2004; 64: 383-404 [R,I]
- Lester H, Tritter JQ, Sorohan H. Managing crisis: the role of primary care for people with serious mental illness. *Fam Med* 2004; 36: 28-34 [T,I]
- Bruce ML, Ten Have TR, Reynolds CF III, Katz II, Schulberg HC, Mulsant BH, et al. Reducing suicidal ideation and depressive symptoms in depressed older primary care patients. A randomized controlled trial. *JAMA* 2004; 291: 1081-1091 [EC,I]
- Barsky AJ, Ahern DK. Cognitive behavior therapy for hypochondriasis: a randomized controlled trial. *JAMA* 2004; 291: 1464-1470 [EC,II]
- Jarvelaid M. Adolescent tobacco smoking and associated psychosocial health risk factors. *Scand J Prim Health Care* 2004; 22: 50-53 [T,II]
- SALUD LABORAL.**
- Shiels C, Gabbay MB, Ford FM. Patient factors associated with duration of certified sickness absence and transition to long-term incapacity. *Br J Gen Pract* 2004; 54: 86-91 [S,I]
- Martín J, Cortés JA, Morente M, Caboblanco M, Garijo J, Rodríguez A. Características métricas del Cuestionario de Calidad de Vida Profesional (CVP-35). *Gac Sanit* 2004; 18: 129-136 [T, II]
- ENFERMEDADES / PROBLEMAS PREVALENTES.**
- McTigue KM, Harris R, Hemphill B, Lux L, Sutton S, Bunton AJ, et al. Screening and interventions for obesity in adults: summary of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med* 2003; 139: 933-949 [R, II]
- García J, García V, Sainz M, Carvajal A. Utilización de medicamentos para la osteoporosis en España. *Aten Primaria* 2004; 33: 104 - 104 [T,II]
- Zwart M, Fradera M, Solanas P, González C, Adalid C. Abordaje de la osteoporosis en un centro de atención primaria. *Aten Primaria* 2004; 33: 183-187 [T,I]
- Dekel R, Morse C, Fass R. The role of proton pump inhibitors in gastro-oesophageal reflux disease. *Drugs* 2004; 64: 277-295 [R,II]
- Tonini M, De Giorgio R, De Ponti F. Progress with novel pharmacological strategies for gastro-oesophageal reflux disease. *Drugs* 2004; 64: 347-361 [R,I]
- Kruit MC, van Buchem MA, Hofman PAM, Bakkers JTN, Terwindt GM, Ferrari Md, et al. Migraine as a risk factor for subclinical brain lesions. *JAMA* 2004; 291: 427-434 [T,I]
- Legg L, Langhorne P. Outpatient Service Trialists. Rehabilitation therapy services for stroke patients living at home: systematic review of randomised trials. *Lancet* 2004; 363: 352-356 [M,I]
- Muir KW, Lees KR, Ford I, Davis S. Intravenous Magnesium Efficacy in Stroke (IMAGES) Study Investigators. Magnesium for acute stroke (Intravenous Magnesium Efficacy in Stroke trial): randomised controlled trial. *Lancet* 2004; 363: 439-445 [EC,I]
- Hacke W, Donnan G, Fieschi C, Kaste M, Von Kummer R, Broderick JP, et al. The ATLANTIS, ECASS, and NINDS rt-PA Study Group Investigators. Association of outcome with early stroke treatment: pooled analysis of ATLANTIS, ECASS, and NINDS rt-PA stroke trials. *Lancet* 2004; 363: 768-774 [EC,II]
- Martín D, Pedrero P, Martínez JA, González A, Hernando T, Herreros I. Prevención de la enfermedad tromboembólica en pacientes con fibrilación auricular crónica en atención primaria. *Med Clin (Barc)* 2004; 122: 53-56 [T,II]
- González A, Ruiz F, Pedraza C, Díaz F, Sáez JM. Eficacia de la erradicación de *Helicobacter pylori* en la dispepsia no ulcerosa. *Med Clin (Barc)* 2004; 122: 87-91 [EC,II]
- Arrizabalaga JJ, Masmiquel L, Vidal J, Calanas-Continente A, Díaz-Fernández MJ, García-Luna PP, et al. Recomendaciones y algoritmo de tratamiento del sobrepeso y la obesidad en personas adultas. *Med Clin (Barc)* 2004; 122: 104-110 [M,II]
- Vallano A, Bosch M. Tratamiento erradicador de *Helicobacter pylori* y uso de antiinflamatorios no esteroideos. *Med Clin (Barc)* 2004; 122: 155-157 [R,II]
- Thomas JM, Newton-Bishop J, A'Hern R, Coombes G, Timmons M, Evans J, et al. Excision margins in high-risk malignant melanoma. *N Engl J Med* 2004; 350: 757-766 [EC,II]
- Choi HK, Atkinson K, Karlson EW, Willett W, Curhan G. Purine-rich foods, dairy and protein intake, and the risk of gout in men. *N Engl J Med* 2004; 350: 1093-1103 [S,I]
- ENFERMEDADES DE BAJA INCIDENCIA.**
- Raghu G, Brown KK, Bradford WZ, Starko K, Noble PW, Schwartz DA, et al. A placebo-controlled trial of interferon gamma-1b in patients with idiopathic pulmonary fibrosis. *N Engl J Med* 2004; 350: 125-133 [EC,I]
- Sagristá-Sauleda J, Angel J, Sánchez A, Permanyer-Miralda G, Soler-Soler J. Effusive-constrictive pericarditis. *N Engl J Med* 2004; 350: 469-475 [S,I]
- Freedman SD, Blanco PG, Zaman MM, Shea JC, Ollero M, Hopper IK, et al. Association of cystic fibrosis with abnormalities in fatty acid metabolism. *N Engl J Med* 2004; 350: 560-569 [T,II]
- Gladwin MT, Sachdev V, Jison ML, Shizukuda Y, Plehn JF, Minter K, et al. Pulmonary hypertension as a risk factor for death in patients with sickle cell disease. *N Engl J Med* 2004; 350: 886-895 [S,I]
- MEDIOS DIAGNÓSTICOS.**
- Barreiro TJ, Perillo I. An approach to interpreting spirometry. *Am Fam Physician* 2004; 69: 1107-1116 [R,II]
- Fawcett RS, Hart TM, Linford S, Stulberg D. Nail abnormalities: clues to systemic disease. *Am Fam Physician* 2004; 69: 1417-1428 [R,II]
- Jackson JL, O'Malley PG, Kroenke K. Evaluation of acute knee pain in primary care. *Ann Intern Med.* 2003; 139: 575-588 [R, III]
- Miglioretti DL, Rutter CM, Geller BM, Cutter G, Barlow WE, Rosenberg R, et al. Effect of breast augmentation on the accuracy of mammography and cancer characteristics. *JAMA* 2004; 291: 442-450 [S,I]
- Kowalski RG, Claassen J, Kreiter KT, Bates JE, Ostapkovich ND, Connolly ES, et al. Initial misdiagnosis and outcome after subarachnoid haemorrhage. *JAMA* 2004; 291: 866-869 [S,I]
- King KM, Ghali WA, Faris PD, Curtis MJ, Galbraith PD, Graham MM, et al. Sex differences in outcomes after cardiac catheterization: effect modification by treatment strategy and time. *JAMA* 2004; 291: 1220-1225 [S,I]
- Filella X, Truan D, Alcover J, Quinto L, Molina R, Luque P, et al. Antígeno prostático específico y sus fracciones en el diagnóstico del cáncer de próstata. *Med Clin (Barc)* 2004; 122: 241-244 [T,II]
- Mirete C, Gutierrez F, Masia M, Ramos JM, Hernandez I, Soldan B. Reactantes de fase aguda en la neumonía adquirida en la comunidad. *Med Clin (Barc)* 2004; 122: 245-247 [S,I]
- España M, Rebollo P, Puig M. Validación de la versión española del International Consultation on Incontinence Questionnaire-Short Form. Un cuestionario para evaluar la incontinencia urinaria. *Med Clin (Barc)* 2004; 122: 288-292 [T,II]

Gibot S, Cravoisy A, Levy B, Bene MC, Faure G, Bollaert PE. Soluble triggering receptor expressed on myeloid cells and the diagnosis of pneumonia. *N Engl J Med* 2004; 350: 451-458 [S,I]

INFANCIA Y ADOLESCENCIA.

Hay AD, Fahey T, Peters TJ, Wilson A. Predicting complications from acute cough in pre-school children in primary care: a prospective cohort study. *Br J Gen Pract* 2004; 54: 9-14 [S,II]

Henderson R, Oates K, MacDonald H, Smith WCS, Selvaraj S. Factors influencing the uptake of childhood immunisation in rural areas. *Br J Gen Pract* 2004; 54: 114-118 [T,I]

Shah S, Whittle A, Wilfond B, Gensler G, Wendler D. How do institutional review boards apply the federal risk and benefit standards for pediatric research? *JAMA* 2004; 291: 476-482 [T,I]

Garde V, Harper D, Fairchok MP. Tertiary contact vaccinia in a breast-feeding infant. *JAMA* 2004; 291: 725-727 [Ao,I]

Haninger K, Thompson KM. Content and ratings of teen-rated video games. *JAMA* 2004; 291: 856-865 [T,I]

Pantell RH, Newman TB, Bernzweig J, Bergman DA, Takayama JL, Segal M, et al. Management and outcomes of care of fever in early infancy. *JAMA* 2004; 291: 1203-1212 [S,II]

Checkley W, Gilman RH, Black RE, Epstein LD, Cabrera L, Sterling CR, et al. Effect of water and sanitation on childhood health in a poor Peruvian peri-urban community. *Lancet* 2004; 363: 112-118 [S,I]

Reiner WG, Gearhart JP. Discordant sexual identity in some genetic males with cloacal exstrophy assigned to female sex at birth. *N Engl J Med* 2004; 350: 333-341 [S,I]

Williams JV, Harris PA, Tollefson SJ, Halburnt-Rush LL, Pingsterhaus JM, Edwards KM, et al. Human metapneumovirus and lower respiratory tract disease in otherwise healthy infants and children. *N Engl J Med* 2004; 350: 443-450 [T,II]

Bhargava SK, Sachdev HS, Fall CH, Osmond C, Lakshmy R, Barker DJ, et al. Relation of serial changes in childhood body-mass index to impaired glucose tolerance in young adulthood. *N Engl J Med* 2004; 350: 865-875 [S,II]

Yeh TF, Lin YJ, Lin HC, Huang CC, Hsieh WS, Lin CH, et al. Outcomes at school age after postnatal dexamethasone therapy for lung disease of prematurity. *N Engl J Med* 2004; 350: 1304-1313 [CC,II]

Jarvelaid M. Adolescent tobacco smoking and associated psychosocial health risk factors. *Scand J Prim Health Care* 2004; 22: 50-53 [T,II]

MUJER Y SALUD. Incluye: Planificación Familiar, embarazo, Aborto, Menopausia, mujer y medicina.

Herndon EJ, Ziemann M. New contraceptive options. *Am Fam Physician* 2004; 69: 853-864 [R,II]

Bailón E. ¿Se debe tratar la menopausia? *Aten Primaria* 2004; 33: 203-208 [R,II]

Luengo S, Muñoz A. Uso de la citología de cribado de cérvix y factores relacionados con el uso de la prueba en España. *Aten Primaria* 2004; 33: 229-234 [T,I]

Oakeshott P, Kerry S, Hay S, Hay P. Bacterial vaginosis and preterm birth: a prospective community-based cohort study. *Br J Gen Pract* 2004; 54: 119-122 [S,I]

Minelli C, Abrams KR, Sutton AJ, Cooper NJ. Benefits and harms associated with hormone replacement therapy: clinical decision analysis. *BMJ* 2004; 328: 371-375 [Estudio probabilístico, II]

Taft A, Broom DH, Legge D. General practitioner management of intimate partner abuse and the whole family: qualitative study. *BMJ* 2004; 328: 618-621 [C,II]

Ruiz I, Bermejo MJ. Conocimientos de las mujeres menopáusicas respecto a la terapia hormonal sustitutiva. *Gac Sanit* 2004; 18: 32-37 [T,I]

Hersh AL, Stefanick ML, Stafford RS. National use of postmenopausal hormone therapy: annual trends and response to recent evidence. *JAMA* 2004; 291: 47-53 [T,II]

Holroyd-Leduc JM, Straus SE. Management of urinary incontinence in women: scientific review. *JAMA* 2004; 291: 986-995 [R,II]

Holroyd-Leduc JM, Straus SE. Management of urinary incontinence in women: clinical applications. *JAMA* 2004; 291: 996-999 [Ao,I]

Michels KB, Ekblom A. Caloric restriction and incidence of breast cancer. *JAMA* 2004; 291: 1226-1230 [S,II]

Anderson MR, Klink K, Cohn A. Evaluation of vaginal complaints. *JAMA* 2004; 291: 1368-1379 [R,I]

Kuppermann M, Varner RE, Summitt RL Jr, Learman LA, Ireland C, Vittinghoff E. Effect of hysterectomy vs medical treatment on health-related quality of life and sexual functioning. The medicine or surgery (ms) randomized trial. *JAMA* 2004; 291: 1447-1455 [EC,II]

Hurskainen R, Teperi J, Rissanen P, Aalto A, Grenman S, Kivelä A, et al. Clinical outcomes and costs with the levonorgestrel-releasing intrauterine system or hysterectomy for treatment of menorrhagia: randomized trial 5-year follow-up. *JAMA* 2004; 291: 1456-1463 [EC,I]

Palacios S, Ferrer-Barriendas J, Parrilla JJ, Castelo-Branco C, Manubens M, Alberich X, et al. Calidad de vida relacionada con la salud en la mujer española durante la perimenopausia y posmenopausia. Desarrollo y validación de la Escala Cervantes. *Med Clin (Barc)* 2004; 122: 205-211 [T,I]

España M, Rebollo P, Puig M. Validación de la versión española del International Consultation on Incontinence Questionnaire-Short Form. Un cuestionario para evaluar la incontinencia urinaria. *Med Clin (Barc)* 2004; 122: 288-292 [T,I]

Pelayo M, Agra Y. Bisfosfonatos en la prevención de la osteoporosis de mujeres posmenopáusicas con baja masa ósea. *Med Clin (Barc)* 2004; 122: 304-310 [M,II]

Rothenberg SP, Da Costa MP, Sequeira JM, Cracco J, Roberts JL, Weedon J, et al. Autoantibodies against folate receptors in women with a pregnancy complicated by a neural-tube defect. *N Engl J Med* 2004; 350: 134-142 [CC,I]

Meunier PJ, Roux C, Seeman E, Ortolani S, Badurski JE, Spector TD, et al. The effects of strontium ranelate on the risk of vertebral fracture in women with postmenopausal osteoporosis. *N Engl J Med* 2004; 350: 459-468 [EC,II]

Levine RJ, Maynard SE, Qian C, Lim KH, England LJ, Yu KF, et al. Circulating angiogenic factors and the risk of preeclampsia. *N Engl J Med* 2004; 350: 672-683 [CC,I]

Chlebowski RT, Wactawski-Wende J, Ritenbaugh C, Hubbell FA, Ascensao J, Rodabough RJ, et al. Estrogen plus progestin and colorectal cancer in postmenopausal women. *N Engl J Med* 2004; 350: 991-1004 [EC,II]

Bone HG, Hosking D, Devogelaer JP, Tucci JR, Emkey RD, Tonino RP, et al (Alendronate Phase III Osteoporosis Treatment Study Group). Ten years' experience with alendronate for osteoporosis in postmenopausal women. *N Engl J Med* 2004; 350: 1189-1199 [EC,II]

ANCIANOS.

Chang JT, Morton SC, Rubenstein LZ, Mojica WA, Maglione M, Suttorp MJ, et al. Interventions for the prevention of falls in older adults: systematic review and meta-analysis of randomised clinical trials. *BMJ* 2004; 328: 680-683 [M,II]

Bruce ML, Ten Have TR, Reynolds CF III, Katz II, Schulberg HC, Mulsant BH, et al. Reducing suicidal ideation and depressive symptoms in

- depressed older primary care patients. A randomized controlled trial. *JAMA* 2004; 291: 1081-1091 [EC,I]
- Salva A, Bolibar I, Pera G, Arias C. Incidencia y consecuencias de las caídas en las personas mayores que viven en la comunidad. *Med Clin (Barc)* 2004; 122: 172-176 [S,II]
- URGENCIAS Y EMERGENCIAS.**
- Snow V, Weiss KB, LeFevre M, McNamara R, Bass E, Green LA, et al. Management of newly detected atrial fibrillation: a clinical practice guideline from the American Academy of Family Physicians and the American College of Physicians. *Ann Intern Med.* 2003; 139: 1009-1017 [T, II]
- McNamara RL, Tamariz LJ, Segal JB, Bass EB. Management of atrial fibrillation: review of evidence for the role of pharmacologic therapy, electrical cardioversion, and echocardiography. *Ann Intern Med.* 2003; 139: 1018-1033 [R, II].
- Heeschen C, Dimmeler S, Fichtlscherer S, Hamm CW, Berg J, Simons ML, et al. Prognostic value of placental growth factor in patients with acute chest pain. *JAMA* 2004; 291: 435-441 [S,I]
- Booth CM, Boone RH, Tomlinson G, Detsky AS. Is this patient dead, vegetative, or severely neurologically impaired?: assessing outcome for comatose survivors of cardiac arrest. *JAMA* 2004; 291: 870-879 [R,I]
- Kastrati A, Mehilli J, Schlotterbeck K, Dotzer F, Dirschinger J, Schmitt C, et al. Early administration of reteplase plus abciximab vs abciximab alone in patients with acute myocardial infarction referred for percutaneous coronary intervention: a randomized controlled trial. *JAMA* 2004; 291: 947-954 [EC,I]
- Cooper DJ, Myles PS, McDermott FT, Murray LJ, Laidlaw J, Cooper G, et al. Prehospital hypertonic saline resuscitation of patients with hypotension and severe traumatic brain injury: a randomized controlled trial. *JAMA* 2004; 291: 1350-1357 [EC,I]
- Wenzel V, Krismer AC, Arntz HR, Sitter H, Stadlbauer KH, Lindner KH, et al. A comparison of vasopressin and epinephrine for out-of-hospital cardiopulmonary resuscitation. *N Engl J Med* 2004; 350: 105-113 [EC,II]
- Mueller C, Scholer A, Laule-Kilian K, Martina B, Schindler C, Buser P, et al. Use of B-type natriuretic peptide in the evaluation and management of acute dyspnea. *N Engl J Med* 2004; 350: 647-654 [S,I]
- Wang TJ, Larson MG, Levy D, Benjamin EJ, Leip EP, Omland T, et al. Plasma natriuretic peptide levels and the risk of cardiovascular events and death. *N Engl J Med* 2004; 350: 655-663 [S,I]
- TERAPÉUTICA:** Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.
- Ward R, Kugelmas M, Libsch K. Management of hepatitis C: evaluating suitability for drug therapy. *Am Fam Physician* 2004; 69: 1429-1442 [R,II]
- Snow V, Weiss KB, LeFevre M, McNamara R, Bass E, Green LA, et al. Management of newly detected atrial fibrillation: a clinical practice guideline from the American Academy of Family Physicians and the American College of Physicians. *Ann Intern Med.* 2003; 139: 1009-1017 [T, II]
- McNamara RL, Tamariz LJ, Segal JB, Bass EB. Management of atrial fibrillation: review of evidence for the role of pharmacologic therapy, electrical cardioversion, and echocardiography. *Ann Intern Med.* 2003; 139: 1018-1033 [R, II].
- Leal M, Abellán J, Martínez J, Nicolás A. Información escrita sobre el uso de aerosoles en pacientes con enfermedad pulmonar obstructiva crónica. ¿Mejoramos su calidad de utilización?. *Aten Primaria* 2004; 33: 6-10 [EC,I]
- García J, García V, Sainz M, Carvajal A. Utilización de medicamentos para la osteoporosis en España. *Aten Primaria* 2004; 33: 104-104 [T,I]
- Fernández E, Rodríguez D, Diogene E. Grupo de Estudio de la Prescripción Inducida. Prescripción inducida a médicos de atención primaria procedente del hospital de referencia, Hospital Universitario Vall d'Hebron. *Aten Primaria* 2004; 33: 118-123 [T,I]
- Simo J, de Pablo R, Ramos MJ, Gaztambide MS. ¿Gastamos demasiado en medicamentos? El gasto farmacéutico, un bien de primera necesidad entre los países europeos. *Aten Primaria* 2004; 33: 244-253 [T,II]
- Killestein J, Uitdehaag BM, Polman CH. Cannabinoids in multiple sclerosis: do they have a therapeutic role? *Drugs* 2004; 64: 1-11 [R,I]
- Abdel-Hamid IA. Phosphodiesterase 5 inhibitors in rapid ejaculation: potential use and possible mechanisms of action. *Drugs* 2004; 64: 13-26 [R,I]
- Schapiro AH. Restless legs syndrome: an update on treatment options. *Drugs* 2004; 64: 149-158 [R,I]
- Dekel R, Morse C, Fass R. The role of proton pump inhibitors in gastro-oesophageal reflux disease. *Drugs* 2004; 64: 277-295 [R,II]
- Tonini M, De Giorgio R, De Ponti F. Progress with novel pharmacological strategies for gastro-oesophageal reflux disease. *Drugs* 2004; 64: 347-361 [R,I]
- Asnis GM, Kohn SR, Henderson M, Brown NL. SSRI versus non-SSRI in post-traumatic stress disorder: an update with recommendations. *Drugs* 2004; 64: 383-404 [R,I]
- Reynolds NA, Perry CM, Keating GM. Budesonide/formoterol: in chronic obstructive pulmonary disease. *Drugs* 2004; 64: 431-441 [R,I]
- Curran MP, Scott LJ, Perry CM. Cetirizine: a review of its use in allergic disorders. *Drugs* 2004; 64: 523-561 [R,I]
- Blondeau JM. Current issues in the management of urinary tract infections: extended-release ciprofloxacin as a novel treatment option. *Drugs* 2004; 64: 611-628 [R,II]
- Ruiz I, Bermejo MJ. Conocimientos de las mujeres menopáusicas respecto a la terapia hormonal sustitutiva. *Gac Sanit* 2004; 18: 32-37 [T, I]
- De Blas B, Laredo LM, Vargas E. Interacciones de los fármacos más consumidos. *Inf Ter Sist Nac Salud* 2004; 28: 1-11 [R,II]
- Staats PS, Yearwood T, Charapata SG, Presley RW, Wallace MS, Byas-Smith M, et al. Intrathecal ziconotide in the treatment of refractory pain in patients with cancer or AIDS. Controlled trial. *JAMA* 2004; 291: 63-70 [EC,I]
- Surks MI, Ortiz E, Daniels GH, Sawin CT, Col NF, Cobin RH, et al. Subclinical thyroid disease: scientific review and guidelines for diagnosis and management. *JAMA* 2004; 291: 228-238 [M, III]
- Col NF, Surks MI, Daniels GH. Subclinical thyroid disease: clinical applications. *JAMA* 2004; 291: 239-243 [Ao,I]
- Chaitman BR, Pepine CJ, Parker JO, Skopal J, Chumakova G, Kuch J, et al. Effects of ranolazine with atenolol, amlodipine, or diltiazem on exercise tolerance and angina frequency in patients with severe chronic angina: a randomized controlled trial. *JAMA* 2004; 291: 309-316 [EC,I]
- Tariot PN, Farlow MR, Grossberg GT, Graham SM, McDonald S, Gergel I. Memantine treatment in patients with moderate to severe Alzheimer disease already receiving donepezil. A randomized controlled trial. *JAMA* 2004; 291: 317-324 [EC,I]
- Schapiro AHV, Olanow CW. Neuroprotection in Parkinson disease: mysteries, myths, and misconceptions. *JAMA* 2004; 291: 358-364 [Ao,I]
- LaRoche SM, Helmers SL. The new antiepileptic drugs: scientific review. *JAMA* 2004; 291: 605-614 [R,II]
- LaRoche SM, Helmers SL. The new antiepileptic drugs: clinical applications. *JAMA* 2004; 291: 615-620 [Ao,I]

- Pantell RH, Newman TB, Bernzweig J, Bergman DA, Takayama JI, Segal M, et al. Management and outcomes of care of fever in early infancy. *JAMA* 2004; 291: 1203-1212 [S,II]
- Christ-Crain M, Jaccard-Stolz D, Bingisser R, Gencay MM, Huber PR, Tamm M, et al. Effect of procalcitonin-guided treatment on antibiotic use and outcome in lower respiratory tract infections: cluster-randomised, single-blinded intervention trial. *Lancet* 2004; 363: 600-607 [EC,I]
- Vallano A, Bosch M. Tratamiento erradicador de *Helicobacter pylori* y uso de antiinflamatorios no esteroideos. *Med Clin (Barc)* 2004; 122: 155-157 [R,II]
- Shane E, Adesso V, Namerow PB, McMahon DJ, Lo SH, Staron RB, et al. Alendronate versus calcitriol for the prevention of bone loss after cardiac transplantation. *N Engl J Med* 2004; 350: 767-776 [EC,II]
- Sands BE, Anderson FH, Bernstein CN, Chey WY, Feagan BG, Fedorak RN, et al. Infliximab maintenance therapy for fistulizing Crohn's disease. *N Engl J Med* 2004; 350: 876-885 [EC,I]
- Coombs RC, Hall E, Gibson LJ, Paridaens R, Jassem J, Delozier T, et al. A randomized trial of exemestane after two to three years of tamoxifen therapy in postmenopausal women with primary breast cancer. *N Engl J Med* 2004; 350: 1081-1092 [EC,II]
- Olesen J, Diener HC, Husstedt IW, Goadsby PJ, Hall D, Meier U, et al. Calcitonin gene-related peptide receptor antagonist BIBN 4096 BS for the acute treatment of migraine. *N Engl J Med* 2004; 350: 1104-1110 [EC,I]
- Neoptolemos JP, Stocken DD, Friess H, Bassi C, Dunn JA, Hickey H, et al (European Study Group for Pancreatic Cancer.). A randomized trial of chemoradiotherapy and chemotherapy after resection of pancreatic cancer. *N Engl J Med* 2004; 350: 1200-1210 [EC,II]
- Milpied N, Deconinck E, Gaillard F, Delwail V, Foussard C, Berthou C, et al. Initial treatment of aggressive lymphoma with high-dose chemotherapy and autologous stem-cell support. *N Engl J Med* 2004; 350: 1287-1295 [EC,II]
- ENTREVISTA CLINICA.**
- Dowrick CF, Ring A, Humphris GM, Salmon P. Normalisation of unexplained symptoms by general practitioners: a functional typology. *Br J Gen Pract* 2004; 54: 165-170 [C,I]
- Salmon P, Dowrick CF, Ring A, Humphris GM. Voiced but unheard agendas: qualitative analysis of the psychosocial cues that patients with unexplained symptoms present to general practitioners. *Br J Gen Pract* 2004; 54: 171-176 [C,I]
- ATENCION FAMILIAR.**
- Delicado MV, Candel E, Alfaro A, López M, García C. Interacción de enfermería y cuidadoras informales de personas dependientes. *Aten Primaria* 2004; 33: 193-199 [C,II]
- Teno JM, Clarridge BR, Casey V, Welch LC, Wetle T, Shield R, et al. Family perspectives on end-of-life care at the last place of care. *JAMA* 2004; 291: 88-93 [S,I]
- Rabow MW, Hauser JM, Adams J. Supporting family caregivers at the end of life: "they don't know what they don't know". *JAMA* 2004; 291: 483-491 [Ao,I]
- ACTIVIDADES COMUNITARIAS.** Incluye: encuestas de satisfacción, todo lo relacionado con los usuarios.
- Wofford MM, Wofford JL, Bothra J, Kendrick SB, Smith A, Lichstein PR. Patient complaints about physician behaviors: a qualitative study. *Acad Med* 2004; 79: 134-138 [C,I]
- Chapple A, Ziebland S, McPherson A. Qualitative study of men's perceptions of why treatment delays occur in the UK for those with testicular cancer. *Br J Gen Pract* 2004; 54: 25-32 [C,I]
- Little P, Dorward M, Warner G, Moore M, Stephens K, Senior J, et al. Randomised controlled trial of effect of leaflets to empower patients in consultations in primary care. *BMJ* 2004; 328: 441-444 [EC,I]
- Gruen RL, Pearson SD, Brennan TA. Physician-citizens-public roles and professional obligations. *JAMA* 2004; 291: 94-98 [Ao,II]
- Cummings P, Rivara FP. Car occupant death according to the restraint use of other occupants: a matched cohort study. *JAMA* 2004; 291: 343-349 [CC,I]
- Shinoda-Tagawa T, Leonard R, Pontikas J, McDonough JE, Allen D, Dreyer PI. Resident-to-resident violent incidents in nursing homes. *JAMA* 2004; 291: 591-598 [CC,I]
- Alter DA, Iron K, Austin PC, Naylor CD. Socioeconomic status, service patterns, and perceptions of care among survivors of acute myocardial infarction in Canada. *JAMA* 2004; 291: 1100-1107 [S,I]
- Amowitz LL, Kim G, Reis C, Asher JL, Iacopino V. Human rights abuses and concerns about women's health and human rights in southern Iraq. *JAMA* 2004; 291: 1471-1479 [T,I]
- Reis C, Ahmed AT, Amowitz LL, Kushner AL, Elahi M, Iacopino V. Physician participation in human rights abuses in southern Iraq. *JAMA* 2004; 291: 1480-1486 [T,I]
- DOCENCIA.** Incluye: pregrado, postgrado, formación medica continuada, metodología docente.
- Rosenbaum ME, Ferguson KJ, Lobas JG. Teaching medical students and residents skills for delivering bad news: a review of strategies. *Acad Med* 2004; 79: 107-117 [R,I]
- Wofford MM, Wofford JL, Bothra J, Kendrick SB, Smith A, Lichstein PR. Patient complaints about physician behaviors: a qualitative study. *Acad Med* 2004; 79: 134-138 [C,I]
- Santen SA, Hemphill RR, McDonald MF, Jo CO. Patients' willingness to allow residents to learn to practice medical procedures. *Acad Med* 2004; 79: 144-147 [T,I]
- McGowan JJ, Berner ES. Proposed curricular objectives to teach physicians competence in using the world wide web. *Acad Med* 2004; 79: 236-240 [AO,I]
- Howley LD, Wilson WG. Direct observation of students during clerkship rotations: a multiyear descriptive study. *Acad Med* 2004; 79: 276-280 [T,I]
- Ramos A, Barroso A, Dolado R, Aliaga J, Padros J, Bruguera M. Formación orientada a la inserción laboral de médicos (1994-2002) *Med Clin (Barc)* 2004; 122: 140-144 [T,II]
- Pardell H. De la acreditación de la formación médica continuada a la Ley de Ordenación de las Profesiones Sanitarias. Sobre la regulación de la profesión médica en España. *Med Clin (Barc)* 2004; 122: 267-268 [AO,I]
- INVESTIGACION.** Incluye: investigación cualitativa, estadística.
- Thomas E, Croft PR, Paterson SM, Dziedzic K, Dip G, Hay EM. What influences participants' treatment preference and can it influence outcome? Results from a primary carebased randomised trial for shoulder pain. *Br J Gen Pract* 2004; 54: 93-96 [EC,I]
- McBride BF, Karapanos AK, Krudysz A, Kluger J, Coleman CI, White CM. Electrocardiographic and hemodynamic effects of a multicomponent dietary supplement containing ephedra and caffeine: a randomized controlled trial. *JAMA* 2004; 291: 216-221 [EC,I]
- Liu Y, Coresh J, Eustace JA, Longenecker JC, Jaar B, Fink NE, et al. Association between cholesterol level and mortality in dialysis pa-

- tients: role of inflammation and malnutrition. *JAMA* 2004; 291: 451-459 [S,I]
- Jacquemont S, Hagerman RJ, Leehey MA, Hall DA, Levine RA, Brunberg JA, et al. Penetrance of the fragile x-associated tremor/ataxia syndrome in a premutation carrier population. *JAMA* 2004; 291: 460-469 [S,I]
- Levine SR, Brey RL, Tilley BC, Thompson JL, Sacco RL, Sciacca RR, et al (APASS investigators). Antiphospholipid antibodies and subsequent thrombo-occlusive events in patients with ischemic stroke. *JAMA* 2004; 291: 576-584 [EC,I]
- Erlinger TP, Platz EA, Rifai N, Helzlsouer KJ. C-reactive protein and the risk of incident colorectal cancer. *JAMA* 2004; 291: 585-590 [CC,I]
- Seddon JM, Gensler G, Milton RC, Klein ML, Rifai N. Association between C-reactive protein and age-related macular degeneration. *JAMA* 2004; 291: 704-710 [EC,I]
- Lynch HT, Coronel SM, Okimoto R, Hampel H, Sweet K, Lynch JF, et al. A founder mutation of the MSH2 gene and hereditary nonpolyposis colorectal cancer in the United States. *JAMA* 2004; 291: 718-724 [T,I]
- Velicer CM, Heckbert SR, Lampe JW, Potter JD, Robertson CA, Taplin SH. Antibiotic use in relation to the risk of breast cancer. *JAMA* 2004; 291: 827-835 [CC,II]
- Kotchen TA, Lindquist T, Malik K, Ehrenfeld E. NIH peer review of grant applications for clinical research. *JAMA* 2004; 291: 836-843 [T,I]
- Fox CS, Larson MG, Leip EP, Cullerton B, Wilson PWF, Levy D. Predictors of new-onset kidney disease in a community-based population. *JAMA* 2004; 291: 844-850 [S,I]
- Von Elm E, Poglia G, Walder B, Tramèr MR. Different patterns of duplicate publication: an analysis of articles used in systematic reviews. *JAMA* 2004; 291: 974-980 [R,I]
- Dhallan R, Au WC, Mattagajasingh S, Emche S, Bayliss P, Damewood M, et al. Methods to increase the percentage of free fetal DNA recovered from the maternal circulation. *JAMA* 2004; 291: 1114-1119 [T,I]
- Crowley WF Jr, Sherwood L, Salber P, Scheinberg D, Slavkin H, Tilson H, et al. Clinical research in the United States at a crossroads: proposal for a novel public-private partnership to establish a national clinical research enterprise. *JAMA* 2004; 291: 1120-1126 [Ao,I]
- Adams KM, Nelson JL. Microchimerism: an investigative frontier in autoimmunity and transplantation. *JAMA* 2004; 291: 1127-1131 [Ao,I]
- Cobo E. Diseño y análisis de un ensayo clínico: el aspecto más crítico. *Med Clin (Barc)* 2004; 122: 184-189 [R,II]
- Dwyer JH, Allayee H, Dwyer KM, Fan J, Wu H, Mar R, et al. Arachidonate 5-lipoxygenase promoter genotype, dietary arachidonic acid, and atherosclerosis. *N Engl J Med* 2004; 350: 29-37 [S,I]
- Shulenin S, Nogue LM, Annilo T, Wert SE, Whitsett JA, Dean M. ABCA3 gene mutations in newborns with fatal surfactant deficiency. *N Engl J Med* 2004; 350: 1296-1303 [T,I]
- MEDICINA BASADA EN PRUEBAS.**
- Bailón E. ¿Se debe tratar la menopausia? *Aten Primaria* 2004; 33: 203-208 [R,II]
- Dey P, Simpson CWR, Collins S, Hodgson G, Dowrick CF, Simison AJM, et al. Implementation of RCGP guidelines for acute low back pain: a cluster randomised controlled trial. *Br J Gen Pract* 2004; 54: 33-37 [EC,I]
- Thomas E, Croft PR, Paterson SM, Dziedzic K, Dip G, Hay EM. What influences participants' treatment preference and can it influence outcome? Results from a primary care based randomised trial for shoulder pain. *Br J Gen Pract* 2004; 54: 93-96 [EC,I]
- Von Elm E, Poglia G, Walder B, Tramèr MR. Different patterns of duplicate publication: an analysis of articles used in systematic reviews. *JAMA* 2004; 291: 974-980 [R,I]
- PREVENCIÓN.**
- McTigue KM, Harris R, Hemphill B, Lux L, Sutton S, Buntun AJ, et al. Screening and interventions for obesity in adults: summary of the evidence for the U.S. Preventive Services Task Force. *Ann Intern Med* 2003; 139: 933-949 [R, II]
- Romera I, De Dios R, García A, González Y, Lenza C, Salinero MA. Adecuación de la profilaxis tromboembólica en pacientes con fibrilación auricular crónica en 3 centros de atención primaria. *Aten Primaria* 2004; 33: 188-192 [T,II]
- Luengo S, Muñoz A. Uso de la citología de cribado de cérvix y factores relacionados con el uso de la prueba en España. *Aten Primaria* 2004; 33: 229-234 [T,I]
- Orozco P, Zwart M, Vilert E, Olmos C. INDICAD Study 2001. Predicción de la ingesta total de calcio a través del consumo de lácteos en la población adulta de España. Estudio INDICAD 2001. *Aten Primaria* 2004; 33: 237-243 [T,I]
- Schwartz LM, Woloshin S, Fowler FJ, Jr, Welch HG. Enthusiasm for cancer screening in the United States. *JAMA* 2004; 291: 71-78 [T,I]
- Wong BC, Lam SK, Wong WM, Chen JS, Zheng TT, Feng RE, et al (China Gastric Cancer Study Group). Helicobacter pylori eradication to prevent gastric cancer in a high-risk region of China: Controlled trial. *JAMA* 2004; 291: 187-194 [EC,II]
- Samore MH, Evans RS, Lassen A, Gould P, Lloyd J, Gardner RM, et al. Surveillance of medical device-related hazards and adverse events in hospitalized patients. *JAMA* 2004; 291: 325-334 [T,I]
- Brandes JL, Saper JR, Diamond M, Couch JR, Lewis DW, Schmitt J, et al. Topiramate for migraine prevention: a randomized controlled trial. *JAMA* 2004; 291: 965-973 [EC,II]
- Checkley W, Gilman RH, Black RE, Epstein LD, Cabrera L, Sterling CR, et al. Effect of water and sanitation on childhood health in a poor Peruvian peri-urban community. *Lancet* 2004; 363: 112-118 [S,I]
- Khaw KT, Reeve J, Luben R, Bingham S, Welch A, Wareham N, et al. Prediction of total and hip fracture risk in men and women by quantitative ultrasound of the calcaneus: EPIC-Norfolk prospective population study. *Lancet* 2004; 363: 197-202 [S,I]
- Martín D, Pedrero P, Martínez JA, González A, Hernando T, Herreros I. Prevención de la enfermedad tromboembólica en pacientes con fibrilación auricular crónica en atención primaria. *Med Clin (Barc)* 2004; 122: 53-56 [T,II]
- Surkan PJ, Stephansson O, Dickman PW, Cnattingius S. Previous preterm and small-for-gestational-age births and the subsequent risk of stillbirth. *N Engl J Med* 2004; 350: 777-785 [T,II]
- Mutsch M, Zhou W, Rhodes P, Bopp M, Chen RT, Linder T, et al. Use of the inactivated intranasal influenza vaccine and the risk of Bell's palsy in Switzerland. *N Engl J Med* 2004; 350: 896-903 [CC,II]
- EVALUACION / GARANTÍA DE CALIDAD.**
- Dey P, Simpson CWR, Collins S, Hodgson G, Dowrick CF, Simison AJM, et al. Implementation of RCGP guidelines for acute low back pain: a cluster randomised controlled trial. *Br J Gen Pract* 2004; 54: 33-37 [EC,I]
- Wathen B, Dean T. An evaluation of the impact of NICE guidance on GP prescribing. *Br J Gen Pract* 2004; 54: 103-107 [T,II]
- Jiwa M, Walters S, Mathers N. Referral letters to colorectal surgeons: the impact of peer-mediated feedback. *Br J Gen Pract* 2004; 54: 123-126 [QE,I]

Stafford RS, Furberg CD, Finkelstein SN, Cockburn IM, Alehegn T, Jun M. Impact of clinical trial results on national trends in alpha-blocker prescribing, 1996-2002. *JAMA* 2004; 291: 54-62 [T,I]

Peterson ED, Coombs LP, DeLong ER, Haan CK, Ferguson TB. Procedural volume as a marker of quality for CABG surgery. *JAMA* 2004; 291: 195-201 [T,I]

Rogowski JA, Horbar JD, Staiger DO, Kenny M, Carpenter J, Geppert J. Indirect vs direct hospital quality indicators for very low-birth-weight infants. *JAMA* 2004; 291: 202-209 [S,I]

BIOÉTICA.

Santen SA, Hemphill RR, McDonald MF, Jo CO. Patients' willingness to allow residents to learn to practice medical procedures. *Acad Med* 2004; 79: 144-147 [T,I]

Shah S, Whittle A, Wilfond B, Gensler G, Wendler D. How do institutional review boards apply the federal risk and benefit standards for pediatric research? *JAMA* 2004; 291: 476-482 [T,I]

Miller FG, Emanuel EJ, Rosenstein DL, Straus SE. Ethical issues concerning research in complementary and alternative medicine. *JAMA* 2004; 291: 599-604 [Ao,I]

PLANIFICACION / GESTIÓN.

Orozco D, Pedrera V, Gil V, Prieto I, Ribera MC, Martínez P, et al. Gestión clínica de la consulta: previsibilidad y contenido clínico (estudio SyN-PC) *Aten Primaria* 2004; 33: 69-77 [T,I]

Ortega MA, Roca G, Iglesias M, Jurado JM. Pacientes hiperfrecuentadores de un centro de atención primaria: características sociodemográficas, clínicas y de utilización de los servicios sanitarios. *Aten Primaria* 2004; 33: 78-85 [T,I]

Ruiz A. La presión asistencial. *Aten Primaria* 2004; 33: 145-148 [AO,I]

Simo J, de Pablo R, Ramos MJ, Gaztambide MS. ¿Gastamos demasiado en medicamentos? El gasto farmacéutico, un bien de primera necesidad entre los países europeos. *Aten Primaria* 2004; 33: 244-253 [T,II]

Husain-Gambles M, Neal RD, Dempsey O, Lawlor DA, Hodgson J. Missed appointments in primary care: questionnaire and focus group study of health professionals. *Br J Gen Pract* 2004; 54: 108-113 [T,I]

Kotchen TA, Lindquist T, Malik K, Ehrenfeld E. NIH peer review of grant applications for clinical research. *JAMA* 2004; 291: 836-843 [T,I]

Crowley WF Jr, Sherwood L, Salber P, Scheinberg D, Slavkin H, Tilson H, et al. Clinical research in the United States at a crossroads: pro-

posal for a novel public-private partnership to establish a national clinical research enterprise. *JAMA* 2004; 291: 1120-1126 [Ao,I]

Newacheck PW, Park MJ, Brindis CD, Biehl M, Irwin CE. Trends in private and public health insurance for adolescents. *JAMA* 2004; 291: 1231-1237 [T,I]

Mokdad AH, Marks JS, Stroup DF, Gerberding JL. Actual causes of death in the United States, 2000. *JAMA* 2004; 291: 1238-1245 [R,I]

Phillips CO, Wright SM, Kern DE, Singa RM, Shepperd S, Rubin H. Comprehensive discharge planning with postdischarge support for older patients with congestive heart failure: a meta-analysis. *JAMA* 2004; 291: 1358-1367 [M,II]

Legg L, Langhorne P. Outpatient Service Trialists. Rehabilitation therapy services for stroke patients living at home: systematic review of randomised trials. *Lancet* 2004; 363: 352-356 [M,I]

Grupo para la Asistencia Medica Integrada Continua de Cádiz (GAMIC). La consultoría de medicina interna en atención primaria mejora la eficacia de la atención médica. *Med Clin (Barc)* 2004; 122: 46-52 [CC,I]

Rodríguez F. El médico ante la evaluación económica. *Med Clin (Barc)* 2004; 122: 377-378 [AO,I]

Sacristan JA, Ortun V, Rovira J, Prieto L, García-Alonso F: Grupo ECO-MED. Evaluación económica en medicina. *Med Clin (Barc)* 2004; 122: 379-382 [R,II]

Sacristan JA, Rovira J, Ortun V, García-Alonso F, Prieto L, Antoñanzas F. Análisis de costes y resultados en la evaluación económica de las intervenciones sanitarias. *Med Clin (Barc)* 2004; 122: 423-429 [R,II]

INFORMÁTICA.

McGowan JJ, Berner ES. Proposed curricular objectives to teach physicians competence in using the world wide web. *Acad Med* 2004; 79: 236-240 [AO,I]

Pyper C, Amery J, Watson M, Crook C. Patients' experiences when accessing their on-line electronic patient records in primary care. *Br J Gen Pract* 2004; 54: 38-43 [T,I]

OTRAS.

Schapira AH. Restless legs syndrome: an update on treatment options. *Drugs* 2004; 64: 149-158 [R,I]

Navarro FA. Lenguaje médico: el rayo neológico que no cesa. *Med Clin (Barc)* 2004; 122: 430-436 [AO,II]