

PUBLICACIONES DE INTERÉS / ALERTA BIBLIOGRÁFICA

(1 de julio a 30 de septiembre de 2004)

Gálvez Alcaraz L, Manteca González A, Morata García de la Puerta J.

Médicos de familia

Los artículos, publicados entre el 1 de julio y el 30 de septiembre de 2004, aparecen a continuación clasificados por ÁREAS DE INTERÉS, debajo de cada cual aparecen las reseñas bibliográficas correspondientes. Algunos artículos han sido clasificados bajo 2 ó más epígrafes.

La recopilación se ha extraído de la consulta a las revistas que aparecen en la sección correspondiente del número 0 de la revista.

Entre corchetes, tras cada una de las referencias bibliográficas, aparece el tipo de estudio, según la clasificación que se expone a continuación y, separado por una coma, el grado de interés del artículo según la opinión del revisor.

TIPO DE ESTUDIO

- (AO) Artículo de opinión / editoriales / comentarios.
- (R) Revisiones no sistemáticas.
- (C) Cualitativo
- (T) Observacional descriptivo transversal
- (CC) Observacional analítico casos y controles
- (S) Observacional analítico de seguimiento / cohortes
- (QE) Quasi experimental
- (EC) Experimental ensayo clínico
- (M) Metaanálisis y Revisiones Sistemáticas

Grado de interés:

- Alto: I
- Muy alto: II
- Imprescindible: III

ÁREAS DE INTERÉS:

MEDICINA DE FAMILIA/ATENCIÓN PRIMARIA DE SALUD. Incluye: APS/bases conceptuales, medicina de familia/profesión, ejercicio profesional, enfermería, trabajo social, trabajo en equipo, relaciones interniveles, psicología, sociología, antropología.

McLean M, Armstrong D. Eliciting patients' concerns: a randomised controlled trial of different approaches by the doctor. *B J Gen Pract* 2004; 54: 663-666 [EC,I]

Liddell C, Rae G, Brown T, Johnston D, Coates V, Mallett J. Giving patients an audiotape of their GP consultation: a randomised controlled trial. *B J Gen Pract* 2004; 54: 667-672 [EC,I]

De Smet PA, Dautzenberg M. Repeat prescribing: scale, problems and quality management in ambulatory care patients. *Drugs* 2004; 64: 1779-1800 [R,II]

Verstappen WH, Ter Riet G, Dubois WI, Winkens R, Grol RP, Van der Weijden T. Variation in test ordering behaviour of GPs: professional or context-related factors? *Fam Pract* 2004; 21: 387-395 [T,I]

Wilson I. A pilot study to validate modification of the Duke University Severity of Illness scale to measure a family's burden of illness. *Fam Pract* 2004; 21: 443-446 [CC,I]

Argimon JM, Limon E, Vila J, Cabezas C. Health-related quality of life in carers of patients with dementia. *Fam Pract* 2004; 21: 454-457 [CC,I]

Christensen MB, Christensen B, Mortensen JT, Olesen F. Intervention among frequent attenders of the out-of-hours service: a stratified cluster randomized controlled trial. *Scand J Prim Health Care* 2004; 22: 180-186 [EC,II]

RIESGO CARDIOVASCULAR. Incluye: tabaco, dislipemias, hipertensión, obesidad, ejercicio físico, nutrición / dietética.

Snow V, Barry P, Fihn SD, Gibbons RJ. Evaluation of Primary Care patients with Chronic Stable Angina: Guidelines from the American College of Physicians. *Ann Intern Med* 2004; 141: 57-64 [M,III]

Prandoni P, Lensing AWA, Prins MH, Frulla M, Marchiori A, Bernardi E, et al. Below-knee elastic compression stockings to prevent the post-thrombotic syndrome. *Ann Intern Med* 2004; 141: 249-256 [QE,I]

Cappuccio F, Kerry S, Forbes L, Donald A. Blood pressure control by home monitoring: meta-analysis of randomised trials. *BMJ* 2004; 329: 145-148 [M,II]

Rubio-Guerra AF, Arceo-Navarro A, Vargas-Ayala G, Rodriguez-Lopez L, Lozano-Nuevo JJ, Gomez-Harper CT. The effect of trandolapril and its fixed-dose combination with verapamil on proteinuria in normotensive adults with type 2 diabetes. *Diabetes Care* 2004; 27: 1688-1691 [EC,I]

Pyorala K, Ballantyne CM, Gumbiner B, Lee MW, Shah A, Davies MJ, et al; Scandinavian Simvastatin Survival Study (4S). Reduction of cardiovascular events by simvastatin in nondiabetic coronary heart disease patients with and without the metabolic syndrome: subgroup analyses of the Scandinavian Simvastatin Survival Study (4S). *Diabetes Care* 2004; 27: 1735-1740 [EC,II]

D'Agostino RB Jr, Hamman RF, Karter AJ, Mykkanen L, Wagenknecht LE, Haffner SM. Insulin Resistance Atherosclerosis Study Investigators. Cardiovascular disease risk factors predict the development of type 2 diabetes: the insulin resistance atherosclerosis study. *Diabetes Care* 2004; 27: 2234-2240 [S,II]

Palmer AJ, Annemans L, Roze S, Lamotte M, Lapuerta P, Chen R, et al. Cost-effectiveness of early irbesartan treatment versus control (standard antihypertensive medications excluding ACE inhibitors, other angiotensin-2 receptor antagonists, and dihydropyridine calcium channel blockers) or late irbesartan treatment in patients with type 2 diabetes, hypertension, and renal disease. *Diabetes Care* 2004; 27: 1897-1903 [EP,I]

Van Sluijs EM, Van Poppel MN, Stalman WA, Van Mechelen W. Feasibility and acceptability of a physical activity promotion programme in general practice. *Fam Pract* 2004; 21: 429-436 [EC,I]

Granero L, Villalbi JR, Gallego R. ¿Quién se opone a la prevención? Un mapa de los actores pro tabaco en España. *Gac Sanit* 2004; 18: 374-379 [T,I]

- Maiques A, Franch M, Fluixá C. Estatinas: eficacia, seguridad e indicaciones. *Inf Ter Sist Nac Salud* 2004; 28: 89-100 [M,II]
- Wiegman A, Hutten BA, De Groot E, Rodenburg J, Bakker HD, Buller HR, et al. Efficacy and safety of statin therapy in children with familial hypercholesterolemia: a randomized controlled trial. *JAMA* 2004; 292: 331-337 [EC,I]
- Roger VL, Weston SA, Redfield MM, Hellermann-Homan JP, Killian J, Yawn BP, et al. Trends in heart failure incidence and survival in a community-based population. *JAMA* 2004; 292: 344-350 [S,I]
- McDermott MM, Liu K, Greenland P, Guralnik JM, Criqui MH, Chan C, et al. Functional decline in peripheral arterial disease: associations with the ankle brachial index and leg symptoms. *JAMA* 2004; 292: 453-461 [S,I]
- Colhoun HM, Betteridge DJ, Durrington PN, Hitman GA, Neil HA, Livingstone SJ, et al; CARDS investigators. Primary prevention of cardiovascular disease with atorvastatin in type 2 diabetes in the Collaborative Atorvastatin Diabetes Study (CARDS): multicentre randomised placebo-controlled trial. *Lancet* 2004; 364: 685-96 [EC,II]
- Strandberg TE, Pyörälä K, Cook TJ, Wilhelmsen L, Faergeman O, Thorgeirsson G, et al; 4S Group. Mortality and incidence of cancer during 10-year follow-up of the Scandinavian Simvastatin Survival Study (4S). *Lancet* 2004; 364: 771-77 [EC,I]
- Poole-Wilson PA, Lubsen J, Kirwan BA, Van Dalen FJ, Wagener G, Danchin N, et al. A Coronary disease Trial Investigating Outcome with Nifedipine gastrointestinal therapeutic system investigators. Effect of long-acting nifedipine on mortality and cardiovascular morbidity in patients with stable angina requiring treatment (ACTION trial): randomised controlled trial. *Lancet* 2004; 364: 849-57 [EC,II]
- Yusuf S, Hawken S, Ounpuu S, Dans T, Avezum A, Lanas F, et al; INTERHEART Study Investigators. Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. *Lancet* 2004; 364: 937-52 [CC,III]
- Rosengren A, Hawken S, Ounpuu S, Sliwa K, Zubaid M, Almahmeed WA, et al; INTERHEART investigators. Association of psychosocial risk factors with risk of acute myocardial infarction in 11119 cases and 13648 controls from 52 countries (the INTERHEART study): case-control study. *Lancet* 2004; 364: 953-62 [CC,III]
- DIABETES.**
- Williams R, Rapport F, Elwyn G, Lloyd B, Rance J, Belcher S. The prevention of type 2 diabetes: general practitioner and practice nurse opinions. *B J Gen Pract* 2004; 54: 531-535 [C,I]
- Doyle EA, Weinzimer SA, Steffen AT, Ahern JA, Vincent M, Tamborlane WV. A randomized, prospective trial comparing the efficacy of continuous subcutaneous insulin infusion with multiple daily injections using insulin glargine. *Diabetes Care* 2004; 27: 1554-1558 [EC,II]
- Strowig SM, Aviles-Santa ML, Raskin P. Improved glycemic control without weight gain using triple therapy in type 2 diabetes. *Diabetes Care* 2004; 27: 1577-1583 [EC,II]
- Rubio-Guerra AF, Arceo-Navarro A, Vargas-Ayala G, Rodriguez-Lopez L, Lozano-Nuevo JJ, Gomez-Harper CT. The effect of trandolapril and its fixed-dose combination with verapamil on proteinuria in normotensive adults with type 2 diabetes. *Diabetes Care* 2004; 27: 1688-1691 [EC,I]
- Kan BV, Sola S, Lauten WB, Natarajan R, Hooper WC, Menon RG, et al. Quinapril, an ACE inhibitor, reduces markers of oxidative stress in the metabolic syndrome. *Diabetes Care* 2004; 27: 1712-1715 [EC,I]
- Song Y, Manson JE, Buring JE, Liu S. A prospective study of red meat consumption and type 2 diabetes in middle-aged and elderly women: the women's health study. *Diabetes Care* 2004; 27: 2108-2115 [S,I]
- Icks A, Haastert B, Gandjour A, John J, Lowel H, Holle R, et al. KORA Study Group. Cost-effectiveness analysis of different screening procedures for type 2 diabetes: the KORA Survey 2000. *Diabetes Care* 2004; 27: 2120-2128 [EP,II]
- Stockl K, Vanderplas A, Tafesse E, Chang E. Costs of lower-extremity ulcers among patients with diabetes. *Diabetes Care* 2004; 27: 2129-2134 [T,I]
- Ilanne-Parikka P, Eriksson JG, Lindstrom J, Hamalainen H, Keinänen-Kiukaanniemi S, Laakso M, et al. Finnish Diabetes Prevention Study Group. Prevalence of the metabolic syndrome and its components: findings from a Finnish general population sample and the Diabetes Prevention Study cohort. *Diabetes Care* 2004; 27: 2135-2140 [T,II]
- D'Agostino RB Jr, Hamman RF, Karter AJ, Mykkanen L, Wagenknecht LE, Haffner SM. Insulin Resistance Atherosclerosis Study Investigators. Cardiovascular disease risk factors predict the development of type 2 diabetes: the insulin resistance atherosclerosis study. *Diabetes Care* 2004; 27: 2234-2240 [S,II]
- Jovanovic L. Achieving euglycaemia in women with gestational diabetes mellitus: current options for screening, diagnosis and treatment. *Drugs* 2004; 64: 1401-1417 [R,I]
- Donker GA, Fleming DM, Schellevis FG, Spreeuwenberg P. Differences in treatment regimes, consultation frequency and referral patterns of diabetes mellitus in general practice in five European countries. *Fam Pract* 2004; 21: 364-369 [S,II]
- Schulze MB, Manson JE, Ludwig DS, Colditz GA, Stampfer MJ, Willett WC, et al. Sugar-sweetened beverages, weight gain, and incidence of type 2 diabetes in young and middle-aged women. *JAMA* 2004; 292: 927-934 [S,II]
- Esposito K, Marfella R, Ciotola M, Di Palo C, Giugliano F, Giugliano G, et al. Effect of a mediterranean-style diet on endothelial dysfunction and markers of vascular inflammation in the metabolic syndrome: a randomized trial. *JAMA* 2004; 292: 1440-1446 [EC,I]
- Aktas MK, Ozduran V, Pothier CE, Lang R, Lauer MS. Global risk scores and exercise testing for predicting all-cause mortality in a preventive medicine program. *JAMA* 2004; 292: 1462-1468 [S,II]
- Hippisley-Cox J, Pringle M. Prevalence, care, and outcomes for patients with diet-controlled diabetes in general practice: cross sectional survey. *Lancet* 2004; 364: 423-28 [T,II]
- Goday A, Franch J, Mata M. Criterios de control y pautas de tratamiento combinado en la diabetes tipo 2. Actualización 2004. *Med Clin (Barc)* 2004; 123: 187-197 [R,III]
- Sobrinho J, Plana J, Felip A, Domenech M, Reth P, Adrian Mj, et al. Utilización de fármacos antihipertensivos y desarrollo de insuficiencia cardiaca. *Med Clin (Barc)* 2004; 123: 328-331 [CC,I]
- González-Juanatey JR, Grigorian L. Prevención de la insuficiencia cardiaca en la hipertensión arterial. ¿Influyen los fármacos o los valores de presión arterial? *Med Clin (Barc)* 2004; 123: 342-344 [AO,I]
- CÁNCER.** Incluye: mama, cérvix, próstata, colon, otros.
- Hamilton W, Sharp D. Symptomatic diagnosis of prostate cancer in primary care: a structured review. *B J Gen Pract* 2004; 54: 617-621 [M,I]
- Whelan T, Levine M, Willan A, Gafni A, Sanders K, Mirsky D, et al. Effect of a decision aid on knowledge and treatment decision making for breast cancer surgery: a randomized trial. *JAMA* 2004; 292: 435-441 [EC,I]

- Green MJ, Peterson SK, Baker MW, Harper GR, Friedman LC, Rubinstein WS, et al. Effect of a computer-based decision aid on knowledge, perceptions, and intentions about genetic testing for breast cancer susceptibility: a randomized controlled trial. *JAMA* 2004; 292: 442-452 [CC,I]
- D'Amico AV, Manola J, Loffredo M, Renshaw AA, DellaCroce A, Kantoff PW. 6-month androgen suppression plus radiation therapy vs radiation therapy alone for patients with clinically localized prostate cancer: a randomized controlled trial. *JAMA* 2004; 292: 821-827 [EC,I]
- Joensuu H, Lehtimäki T, Holli K, Elomaa L, Turpeenniemi-Hujanen T, Kataja V, et al. Risk for distant recurrence of breast cancer detected by mammography screening or other methods. *JAMA* 2004; 292: 1064-1073 [S,I]
- Kriege M, Brekelmans CT, Boetes C, Besnard PE, Zonderland HM, Obdeijn IM, et al; Magnetic Resonance Imaging Screening Study Group. Efficacy of MRI and mammography for breast-cancer screening in women with a familial or genetic predisposition. *N Engl J Med* 2004; 351: 427-437 [S,I]
- INFECCIOSAS.** Incluye: VIH/SIDA, tuberculosis, tropicales, enfermedades de declaración obligatoria, hepatitis, vacunas, infecciones urinarias, neumonías.
- Ostapchuk M, Roberts DM, Haddy R. Community-acquired pneumonia in infants and children. *Am Fam Physician* 2004; 70: 899-908 [R,II]
- Rietveld R, Riet G, Bindels P, Sloos J, Weert H. Predicting bacterial cause in infectious conjunctivitis: cohort study on informativeness of combinations of signs and symptoms. *BMJ* 2004; 329: 206-210 [S,II]
- Welschen I, Kuyvenhoen M, Hoes A, Verheij T. Effectiveness of a multiple intervention to reduce antibiotic prescribing for respiratory tract symptoms in primary care: randomised controlled trial. *BMJ* 2004; 329: 431-433 [EC,II]
- Pirrotta M, Gunn J, Chondros P, Grover S, O'Malley P, Hurley S, et al. Effect of lactobacillus in preventing post-antibiotic vulvovaginal candidiasis: a randomised controlled trial. *BMJ* 2004; 329: 548-550 [EC,I]
- Raghavan M, Linden PK. Newer treatment options for skin and soft tissue infections. *Drugs* 2004; 64: 1621-1642 [R,I]
- Pachón del Amo I. Calendario de vacunación infantil y recomendaciones de vacunación en adultos. *Inf Ter Sist Nac Salud* 2004; 28: 81-88 [R,II]
- Sobel JD, Wiesenfeld HC, Martens M, Danna P, Hooton TM, Rompalo A, et al. Maintenance fluconazole therapy for recurrent vulvovaginal candidiasis. *N Engl J Med* 2004; 35: 876-883 [EC,II]
- ASMA/BRONQUITIS CRÓNICA:**
- Huggins JL, Looney RJ. Allergen immunotherapy. *Am Fam Physician* 2004; 70: 689-696 [R,II]
- Mintz M. Asthma update: part I. Diagnosis, monitoring, and prevention of disease progression. *Am Fam Physician* 2004; 70: 893-898 [M,II]
- Mintz M. Asthma update: Part II. Medical management. *Am Fam Physician* 2004; 70: 1061-1066 [M,II]
- Smith IE, Quinell TG. Pharmacotherapies for obstructive sleep apnoea: where are we now? *Drugs* 2004; 64: 1385-1399 [R,I]
- Goldsmith DR, Keating GM. Budesonide/formoterol: a review of its use in asthma. *Drugs* 2004; 64: 1597-1618 [R,II]
- Fenton C, Keating GM. Inhaled salmeterol/fluticasone propionate: a review of its use in chronic obstructive pulmonary disease. *Drugs* 2004; 64: 1975-1996 [R,II]
- Morgan WJ, Crain EF, Gruchalla RS, O'Connor GT, Kattan M, Evans R, et al. Inner-City Asthma Study Group. Results of a home-based environmental intervention among urban children with asthma. *N Engl J Med* 2004; 351: 1068-1080 [EC,I]
- SALUD MENTAL.** Incluye: demencias, y drogodependencias ilegales y legales (no tabaquismo).
- Pitt E, Rosenthal MM, Gay TL, Lewton E. Mental health services for residents: more important than ever. *Acad Med* 2004; 79: 840-844 [AO,I]
- Thibault JM, Steiner RW. Efficient identification of adults with depression and dementia. *Am Fam Physician* 2004; 70: 1101-1110 [R,II]
- Dietrich A, Oxman T, Williams J, Schulberg H, Bruce M, Lee P et al. Re-engineering systems for the treatment of depression in primary care: cluster randomised controlled trial. *BMJ* 2004; 329: 602-604 [EC,I]
- Cortes I, Artazcoz L, Rodríguez-Sanz M, Borrell C. Desigualdades en la salud mental de la población ocupada. *Gac Sanit* 2004; 18: 351-359 [T,I]
- Jick H, Kaye JA, Jick SS. Antidepressants and the risk of suicidal behaviors. *JAMA* 2004; 292: 338-343 [CC,I]
- March J, Silva S, Petrycki S, Curry J, Wells K, Fairbank J, et al. Treatment for Adolescents With Depression Study (TADS) Team. Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for Adolescents With Depression Study (TADS) randomized controlled trial. *JAMA* 2004; 292: 807-820 [EC,II]
- Simon GE, Ludman EJ, Tutty S, Operskalski B, Von Korff M. Telephone psychotherapy and telephone care management for primary care patients starting antidepressant treatment: a randomized controlled trial. *JAMA* 2004; 292: 935-942 [EC,I]
- Schulz R, Belle SH, Czaja SJ, McGinnis KA, Stevens A, Zhang S. Long-term care placement of dementia patients and caregiver health and well-being. *JAMA* 2004; 292: 961-967 [QE,I]
- Ayuso JL. Depresión: una prioridad en salud pública. *Med Clin (Barc)* 2004; 123: 181-186 [R,II]
- Marques A, Smithson A, Lozano N, Rodríguez JP. Trastornos de conducta. Escaso tratamiento en ancianos con deterioro cognitivo. *Med Clin (Barc)* 2004; 123: 317-317 [S,I]
- Rubio G. Evolución a largo plazo del alcoholismo: claves para la reflexión. *Med Clin (Barc)* 2004; 123: 383-384 [AO,I]
- Gual A, Lligoña A, Costa S, Segura L, Colom J. Tratamiento del alcoholismo y su impacto a largo plazo. Resultados a 10 años de un estudio longitudinal prospectivo de 850 pacientes. *Med Clin (Barc)* 2004; 123: 364-369 [S,II]
- ENFERMEDADES/PROBLEMAS PREVALENTES.**
- Dickerson LM, King DE. Evaluation and management of nonulcer dyspepsia. *Am Fam Physician.* 2004; 70: 107-114 [R,I]
- Aldridge T. Diagnosing heel pain in adults. *Am Fam Physician* 2004; 70: 332-338 [R,I]
- Lin J, Zhang W, Jones A, Doherty M. Efficacy of topical non-steroidal anti-inflammatory drugs in the treatment of osteoarthritis: meta-analysis of randomised controlled trials. *BMJ* 2004; 329: 304-305 [M,III]
- Zinner NR, Koke SC, Viktrup L. Pharmacotherapy for stress urinary incontinence: present and future options. *Drugs* 2004; 64: 1503-1516 [R,I]
- Jackson G. Treatment of erectile dysfunction in patients with cardiovascular disease: guide to drug selection. *Drugs* 2004; 64: 1533-1545 [R,II]

- Pinnington MA, Miller J, Stanley I. An evaluation of prompt access to physiotherapy in the management of low back pain in primary care. *Fam Pract* 2004; 21: 372-380 [S,I]
- O'Halloran J, Miller GC, Britt H. Defining chronic conditions for primary care with ICPC-2. *Fam Pract* 2004; 21: 381-386 [R,II]
- Jacoby D, Mohler ER 3rd. Drug treatment of intermittent claudication. *Drugs* 2004; 64: 1657-1670 [R,I]
- Haider A, Shaw JC. Treatment of acne vulgaris. *JAMA* 2004; 292: 726-735 [R,II]
- Schulze MB, Manson JE, Ludwig DS, Colditz GA, Stampfer MJ, Willett WC, et al. Sugar-sweetened beverages, weight gain, and incidence of type 2 diabetes in young and middle-aged women. *JAMA* 2004; 292: 927-934 [S,II]
- Argüelles F, Herrerías JM. Estreñimiento crónico. *Med Clin (Barc)* 2004; 123: 389-394 [R,II]
- Domínguez M, Moreno D, González R. Estrategias terapéuticas en la enfermedad por reflujo gastroesofágico no erosiva. *Med Clin (Barc)* 2004; 123: 352-356 [R,II]
- Vandvik PO, Kristensen P, Aabakken L, Farup PG. Abdominal complaints in general practice. *Scand J Prim Health Care* 2004; 22: 157-162 [T,I]
- MEDIOS DIAGNÓSTICOS.**
- Rietveld R, Riet G, Bindels P, Sloos J, Weert H. Predicting bacterial cause in infectious conjunctivitis: cohort study on informativeness of combinations of signs and symptoms. *BMJ* 2004; 329: 206-210 [S,II]
- INFANCIA Y ADOLESCENCIA.**
- Ostapchuk M, Roberts DM, Haddy R. Community-acquired pneumonia in infants and children. *Am Fam Physician* 2004; 70: 899-908 [R,II]
- Pena-Rey I, Perez-Farinos N, Cortes-García M, Amela-Heras C. Coste-efectividad de la vacunación contra la varicela en adolescentes en España. *Gac Sanit* 2004; 18: 287-294 [EP,I]
- Rajmil L, Berra S, Estrada MD, Serra-Sutton V, Rodríguez M, Borrell C, et al. Versión española del perfil de salud infantil, cuestionario para padres y madres: Child Health and Illness Profile-Child Edition Parent Report Form (CHIP-CE/PRF) *Gac Sanit* 2004; 18: 305-311 [T,II]
- Wiegman A, Hutten BA, de Groot E, Rodenburg J, Bakker HD, Buller HR, et al. Efficacy and safety of statin therapy in children with familial hypercholesterolemia: a randomized controlled trial. *JAMA* 2004; 292: 331-337 [EC,I]
- March J, Silva S, Petrycki S, Curry J, Wells K, Fairbank J, et al. Treatment for Adolescents With Depression Study (TADS) Team. Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for Adolescents With Depression Study (TADS) randomized controlled trial. *JAMA* 2004; 292: 807-820 [EC,II]
- Hancox RJ, Milne BJ, Poulton R. Association between child and adolescent television viewing and adult health: a longitudinal birth cohort study. *Lancet* 2004; 364: 257-62 [S,I]
- Morgan WJ, Crain EF, Gruchalla RS, O'Connor GT, Kattan M, Evans R, et al. Inner-City Asthma Study Group. Results of a home-based environmental intervention among urban children with asthma. *N Engl J Med* 2004; 35: 1068-1080 [EC,I]
- MUJER Y SALUD.** Incluye: Planificación Familiar, embarazo, Aborto, Menopausia, mujer y medicina.
- Leung AK, Pacaud D. Diagnosis and management of galactorrhea. *Am Fam Physician* 2004; 70: 543-50 [R,I]
- Weismiller DG. Emergency contraception. *Am Fam Physician* 2004; 70: 707-714 [R,II]
- Jovanovic L. Achieving euglycaemia in women with gestational diabetes mellitus: current options for screening, diagnosis and treatment. *Drugs* 2004; 64: 1401-1417 [R,I]
- Kreijkamp-Kaspers S, Kok L, Grobbee DE, de Haan EH, Aleman A, Lampe JW, et al. Effect of soy protein containing isoflavones on cognitive function, bone mineral density, and plasma lipids in postmenopausal women: a randomized controlled trial. *JAMA* 2004; 292: 65-74 [EC,II]
- Peto J, Gilham C, Fletcher O, Matthews FE. The cervical cancer epidemic that screening has prevented in the UK. *Lancet* 2004; 364: 249-256 [S,II]
- Alexander EK, Marqsee E, Lawrence J, Jarolim P, Fischer GA, Larsen PR. Timing and magnitude of increases in levothyroxine requirements during pregnancy in women with hypothyroidism. *N Engl J Med* 2004; 35: 241-249 [S,I]
- ANCIANOS.**
- Knoops KT, de Groot LC, Kromhout D, Perrin AE, Moreiras-Varela O, Menotti A, et al. Mediterranean diet, lifestyle factors, and 10-year mortality in elderly European men and women: the HALE project. *JAMA* 2004; 292: 1433-1439 [S,II]
- Abbott RD, White LR, Ross GW, Masaki KH, Curb JD, Petrovitch H. Walking and dementia in physically capable elderly men. *JAMA* 2004; 292: 1447-1453 [S,I]
- Weuve J, Kang JH, Manson JE, Breteler MM, Ware JH, Grodstein F. Physical activity, including walking, and cognitive function in older women. *JAMA* 2004; 292: 1454-1461 [S,I]
- Marques A, Smithson A, Lozano N, Rodríguez JP. Trastornos de conducta. Escaso tratamiento en ancianos con deterioro cognitivo. *Med Clin (Barc)* 2004; 123: 317-317 [S,I]
- URGENCIAS Y EMERGENCIAS.**
- Wilson SA, Last A. Management of corneal abrasions. *Am Fam Physician* 2004; 70: 123-128 [R,I]
- Hallstrom AP, Ornato JP, Weisfeldt M, Travers A, Christenson J, McBurnie MA, et al. Public Access Defibrillation Trial Investigators. Public-access defibrillation and survival after out-of-hospital cardiac arrest. *N Engl J Med* 2004; 351: 637-646 [EC,II]
- Stiell IG, Wells GA, Field B, Spaite DW, Nesbitt LP, De Maio VJ, et al. Ontario Prehospital Advanced Life Support Study Group. Advanced cardiac life support in out-of-hospital cardiac arrest. *N Engl J Med* 2004; 351: 647-656 [EC,II]
- TERAPÉUTICA:** Incluye: farmacología, adherencia al tratamiento, cuidados paliativos y tratamiento del dolor, calidad de las prescripciones.
- Liao S, Amin A, Rucker L. An innovative, longitudinal program to teach residents about end-of-life care. *Acad Med*. 2004; 79: 752-757 [S,I]
- Sullivan AM, Warren AG, Lakoma MD, Liaw KR, Hwang D, Block SD. End-of-life care in the curriculum: a national study of medical education deans. *Acad Med* 2004; 79: 760-768 [T,I]
- Porter-Williamson K, von Gunten CF, Garman K, Herbst L, Bluestein HG, Evans W. Improving knowledge in palliative medicine with a required hospice rotation for third-year medical students. *Acad Med* 2004; 79: 777-782 [S,I]
- Lang F, Quill T. Making decisions with families at the end of life. *Am Fam Physician* 2004 ; 70: 719-723 [R,II]
- Salgado J, Maeso R, Machin S, Tapias E. ¿Cuánto nos cuestan los fármacos desechados? *Aten Primaria* 2004; 34: 152-153 [T,I]

- McLean M, Armstrong D. Eliciting patients' concerns: a randomised controlled trial of different approaches by the doctor. *B J Gen Pract* 2004; 54: 663-666 [EC,I]
- Liddell C, Rae G, Brown T, Johnston D, Coates V, Mallett J. Giving patients an audiotape of their GP consultation: a randomised controlled trial. *B J Gen Pract* 2004; 54: 667-672 [EC,I]
- Lin J, Zhang W, Jones A, Doherty M. Efficacy of topical non-steroidal anti-inflammatory drugs in the treatment of osteoarthritis: meta-analysis of randomised controlled trials. *BMJ* 2004; 329: 304-305 [M,III]
- Welschen I, Kuyvenhoen M, Hoes A, Verheij T. Effectiveness of a multiple intervention to reduce antibiotic prescribing for respiratory tract symptoms in primary care: randomised controlled trial. *BMJ* 2004; 329: 431-433 [EC,II]
- Pirotta M, Gunn J, Chondros P, Grover S, O'Malley P, Hurley S, et al. Effect of lactobacillus in preventing post-antibiotic vulvovaginal candidiasis: a randomised controlled trial. *BMJ* 2004; 329: 548-550 [EC,I]
- Dietrich A, Oxman T, Williams J, Schulberg H, Bruce M, Lee P, et al. Re-engineering systems for the treatment of depression in primary care: cluster randomised controlled trial. *BMJ* 2004; 329: 602-604 [EC,I]
- Frost H, Lamb S, Doll H, Carver P, Stewart-Brown S. Randomised controlled trial of physiotherapy compared with advice for low back pain. *BMJ* 2004; 329: 708-711 [EC,II]
- Rubio-Guerra AF, Arceo-Navarro A, Vargas-Ayala G, Rodriguez-Lopez L, Lozano-Nuevo JJ, Gomez-Harper CT. The effect of trandolapril and its fixed-dose combination with verapamil on proteinuria in normotensive adults with type 2 diabetes. *Diabetes Care* 2004; 27: 1688-1691 [EC,I]
- Smith IE, Quinell TG. Pharmacotherapies for obstructive sleep apnoea: where are we now? *Drugs* 2004; 64: 1385-1399 [R,I]
- Zinner NR, Koke SC, Viktrup L. Pharmacotherapy for stress urinary incontinence: present and future options. *Drugs* 2004; 64: 1503-1516 [R,I]
- Goldsmith DR, Keating GM. Budesonide/formoterol: a review of its use in asthma. *Drugs* 2004; 64: 1597-1618 [R,II]
- Raghavan M, Linden PK. Newer treatment options for skin and soft tissue infections. *Drugs* 2004; 64: 1621-1642 [R,I]
- Jacoby D, Mohler ER 3rd. Drug treatment of intermittent claudication. *Drugs* 2004; 64: 1657-1670 [R,I]
- De Smet PA, Dautzenberg M. Repeat prescribing: scale, problems and quality management in ambulatory care patients. *Drugs* 2004; 64: 1779-1800 [R,II]
- Fenton C, Keating GM. Inhaled salmeterol/fluticasone propionate: a review of its use in chronic obstructive pulmonary disease. *Drugs* 2004; 64: 1975-1996 [R,II]
- Pinnington MA, Miller J, Stanley I. An evaluation of prompt access to physiotherapy in the management of low back pain in primary care. *Fam Pract* 2004; 21: 372-380 [S,I]
- Dominguez-Castro A, Inesta-Garcia A. Evaluación de la calidad de las webs de centros de farmacoconomía y economía de la salud en Internet mediante un cuestionario validado. *Gac Sanit* 2004; 18: 295-304 [T,I]
- Manques A, Franch M, Fluixá C. Estatinas: eficacia, seguridad e indicaciones. *Inf Ter Sist Nac Salud* 2004; 28: 89-100 [M,II]
- Wiegman A, Hutten BA, de Groot E, Rodenburg J, Bakker HD, Buller HR, et al. Efficacy and safety of statin therapy in children with familial hypercholesterolemia: a randomized controlled trial. *JAMA* 2004; 292: 331-337 [EC,I]
- Jick H, Kaye JA, Jick SS. Antidepressants and the risk of suicidal behaviors. *JAMA* 2004; 292: 338-343 [CC,I]
- Binder EF, Brown M, Sinacore DR, Steger-May K, Yarasheski KE, Schechtman KB. Effects of extended outpatient rehabilitation after hip fracture: a randomized controlled trial. *JAMA* 2004; 292: 837-846 [EC,I]
- Diener HC, Bogousslavsky J, Brass LM, Cimminiello C, Csiba L, Kaste M, et al. MATCH investigators. Aspirin and clopidogrel compared with clopidogrel alone after recent ischaemic stroke or transient ischaemic attack in high-risk patients (MATCH): randomised, double-blind, placebo-controlled trial. *Lancet* 2004; 364: 331-37 [EC,II]
- Colhoun HM, Betteridge DJ, Durrington PN, Hitman GA, Neil HA, Livingstone SJ, et al. CARDS investigators. Primary prevention of cardiovascular disease with atorvastatin in type 2 diabetes in the Collaborative Atorvastatin Diabetes Study (CARDS): multicentre randomised placebo-controlled trial. *Lancet* 2004; 364: 685-96 [EC,II]
- Strandberg TE, Pyörala K, Cook TJ, Wilhelmsen L, Faergeman O, Thorgeirsson G, et al. 4S Group. Mortality and incidence of cancer during 10-year follow-up of the Scandinavian Simvastatin Survival Study (4S). *Lancet* 2004; 364: 771-77 [EC,I]
- Sicras A, Navarro R. Prescripción ambulatoria de medicamentos entre los diferentes niveles asistenciales de una organización sanitaria. *Med Clin (Barc)* 2004; 123: 317-319 [T,I]
- Sobrinho J, Plana J, Felip A, Domenech M, Reth P, Adrian Mj, et al. Utilización de fármacos antihipertensivos y desarrollo de insuficiencia cardíaca. *Med Clin (Barc)* 2004; 123: 328-331 [CC,I]
- Domínguez M, Moreno D, González R. Estrategias terapéuticas en la enfermedad por reflujo gastroesofágico no erosiva. *Med Clin (Barc)* 2004; 123: 352-356 [R,II]
- Gonzalez-Juanatey JR, Grigorian L. Prevención de la insuficiencia cardíaca en la hipertensión arterial. ¿Influyen los fármacos o los valores de presión arterial? *Med Clin (Barc)* 2004; 123: 342-344 [AO,I]
- Juurink DN, Mamdani MM, Lee DS, Kopp A, Austin PC, Laupacis A, et al. Rates of hyperkalemia after publication of the Randomized Aldactone Evaluation Study. *N Engl J Med* 2004; 351: 543-551 [S,I]
- Sobel JD, Wiesenfeld HC, Martens M, Danna P, Hooton TM, Rompalo A, et al. Maintenance fluconazole therapy for recurrent vulvovaginal candidiasis. *N Engl J Med* 2004; 351: 876-883 [EC,II]
- Ray WA, Murray KT, Meredith S, Narasimhulu SS, Hall K, Stein CM. Oral erythromycin and the risk of sudden death from cardiac causes. *N Engl J Med* 2004; 351: 1089-1096 [S,I]

ENTREVISTA CLINICA.

- Egnew TR, Mauksch LB, Greer T, Farber SJ. Integrating communication training into a required family medicine clerkship. *Acad Med* 2004; 79: 737-743 [R,I]
- Benbassat J, Baumal R. What is empathy, and how can it be promoted during clinical clerkships? *Acad Med* 2004; 79: 832-839 [R,I]
- McLean M, Armstrong D. Eliciting patients' concerns: a randomised controlled trial of different approaches by the doctor. *B J Gen Pract* 2004; 54: 663-666 [EC,I]
- Liddell C, Rae G, Brown T, Johnston D, Coates V, Mallett J. Giving patients an audiotape of their GP consultation: a randomised controlled trial. *B J Gen Pract* 2004; 54: 667-672 [EC,I]

ATENCION FAMILIAR.

- Lang F, Quill T. Making decisions with families at the end of life. *Am Fam Physician* 2004; 70: 719-723 [R,II]
- Schulz R, Belle SH, Czaja SJ, McGinnis KA, Stevens A, Zhang S. Long-term care placement of dementia patients and caregiver health and well-being. *JAMA* 2004; 292: 961-967 [QE,I]

DOCENCIA. Incluye: pregrado, postgrado, formación medica continuada, metodología docente.

- Litaker D, Cebul RD, Masters S, Nosek T, Haynie R, Smith CK. Disease prevention and health promotion in medical education: reflections from an academic health center. *Acad Med* 2004; 79: 690-697 [CC,I]
- Egnew TR, Mauksch LB, Greer T, Farber SJ. Integrating communication training into a required family medicine clerkship. *Acad Med* 2004; 79: 737-743 [R,I]
- Liao S, Amin A, Rucker L. An innovative, longitudinal program to teach residents about end-of-life care. *Acad Med*. 2004; 79: 752-757 [S,I]
- Sullivan AM, Warren AG, Lakoma MD, Liaw KR, Hwang D, Block SD. End-of-life care in the curriculum: a national study of medical education deans. *Acad Med* 2004; 79: 760-768 [T,I]
- Porter-Williamson K, Von Gunten CF, Garman K, Herbst L, Bluestein HG, Evans W. Improving knowledge in palliative medicine with a required hospice rotation for third-year medical students. *Acad Med* 2004; 79: 777-782 [S,I]
- Benbassat J, Bauml R. What is empathy, and how can it be promoted during clinical clerkships? *Acad Med* 2004; 79: 832-839 [R,I]
- Pitt E, Rosenthal MM, Gay TL, Lewton E. Mental health services for residents: more important than ever. *Acad Med* 2004; 79: 840-844 [AO,I]
- Heard JK, O'Sullivan P, Smith CE, Harper RA, Schexnayder SM. An institutional system to monitor and improve the quality of residency education. *Acad Med* 2004; 79: 858-864 [S,I]
- Akl EA, Izuchukwu IS, El-Dika S, Fritsche L, Kunz R, Schunemann HJ. Integrating an evidence-based medicine rotation into an internal medicine residency program. *Acad Med* 2004; 79: 897-904 [EC, I]
- Maiburg BH, Rethans JJ, Van Ree JW. GPs' needs for practice-oriented nutrition education; a Delphi study among Dutch GPs. *Fam Pract* 2004; 21: 425-428 [T,I]
- Castejon M. Sistema de acreditación de formación continuada de profesiones sanitarias en España. *Med Clin (Barc)* 2004; 123: 224-229 [AO,II]

INVESTIGACION. Incluye: investigación cualitativa, estadística.

- Ferrando V. La legibilidad: un factor fundamental para comprender un texto. *Aten Primaria* 2004; 34: 143-146 [AO,I]

MEDICINA BASADA EN PRUEBAS.

- Akl EA, Izuchukwu IS, El-Dika S, Fritsche L, Kunz R, Schunemann HJ. Integrating an evidence-based medicine rotation into an internal medicine residency program. *Acad Med* 2004; 79: 897-904 [EC, I]
- Aymerich M, Sánchez E. Del conocimiento científico de la investigación clínica a la cabecera del enfermo: las guías de práctica clínica y su implementación. *Gac Sanit* 2004; 18: 326-334 [AO,I]
- Raine R, Sanderson C, Hutchings A, Carter S, Larkin K, Black N. An experimental study of determinants of group judgments in clinical guideline development. *Lancet* 2004; 364: 429-37 [QE,II]

PREVENCIÓN.

- Litaker D, Cebul RD, Masters S, Nosek T, Haynie R, Smith CK. Disease prevention and health promotion in medical education: reflections from an academic health center. *Acad Med* 2004; 79: 690-697 [CC,I]
- Lo Re V 3rd, Gluckman SJ. Travel immunizations. *Am Fam Physician* 2004; 70: 89-99 [R,I]
- Prandoni P, Lensing AWA, Prins MH, Frulla M, Marchiori A, Bernardi E, et al. Below-knee elastic compression stockings to prevent the

post-thrombotic syndrome. *Ann Intern Med* 2004; 141: 249-256 [QE,I]

- Pirotta M, Gunn J, Chondros P, Grover S, O'Malley P, Hurley S, et al. Effect of lactobacillus in preventing post-antibiotic vulvovaginal candidiasis: a randomised controlled trial. *BMJ* 2004; 329: 548-550 [EC,I]
- Van Sluijs EM, Van Poppel MN, Stalman WA, Van Mechelen W. Feasibility and acceptability of a physical activity promotion programme in general practice. *Fam Pract* 2004; 21: 429-436 [EC,I]
- Pena-Rey I, Pérez-Farinos N, Cortes-García M, Amela-Heras C. Coste-efectividad de la vacunación contra la varicela en adolescentes en España. *Gac Sanit* 2004; 18: 287-294 [EP,I]
- Granero L, Villalbi JR, Gallego R. ¿Quién se opone a la prevención? Un mapa de los actores pro tabaco en España. *Gac Sanit* 2004; 18: 374-379 [T,I]
- Pachón del Amo I. Calendario de vacunación infantil y recomendaciones de vacunación en adultos. *Inf Ter Sist Nac Salud* 2004; 28: 81-88 [R,II]
- Green MJ, Peterson SK, Baker MW, Harper GR, Friedman LC, Rubinstein WS, et al. Effect of a computer-based decision aid on knowledge, perceptions, and intentions about genetic testing for breast cancer susceptibility: a randomized controlled trial. *JAMA* 2004; 292: 442-452 [CC,I]
- Joensuu H, Lehtimäki T, Holli K, Elomaa L, Turpeenniemi-Hujanen T, Kataja V, et al. Risk for distant recurrence of breast cancer detected by mammography screening or other methods. *JAMA* 2004; 292: 1064-1073 [S,I]
- Knoops KT, de Groot LC, Kromhout D, Perrin AE, Moreiras-Varela O, Menotti A, et al. Mediterranean diet, lifestyle factors, and 10-year mortality in elderly European men and women: the HALE project. *JAMA* 2004; 292: 1433-1439 [S,II]
- Esposito K, Marfella R, Ciotola M, Di Palo C, Giugliano F, Giugliano G, et al. Effect of a mediterranean-style diet on endothelial dysfunction and markers of vascular inflammation in the metabolic syndrome: a randomized trial. *JAMA* 2004; 292: 1440-1446 [EC,I]
- Abbott RD, White LR, Ross GW, Masaki KH, Curb JD, Petrovitch H. Walking and dementia in physically capable elderly men. *JAMA* 2004; 292: 1447-1453 [S,I]
- Weuve J, Kang JH, Manson JE, Breteler MM, Ware JH, Grodstein F. Physical activity, including walking, and cognitive function in older women. *JAMA* 2004; 292: 1454-1461 [S,I]
- Aktas MK, Ozduran V, Pothier CE, Lang R, Lauer MS. Global risk scores and exercise testing for predicting all-cause mortality in a preventive medicine program. *JAMA* 2004; 292: 1462-1468 [S,II]
- Peto J, Gilham C, Fletcher O, Matthews FE. The cervical cancer epidemic that screening has prevented in the UK. *Lancet* 2004; 364: 249-256 [S,II]
- Colhoun HM, Betteridge DJ, Durrington PN, Hitman GA, Neil HA, Livingstone SJ, et al; CARDS investigators. Primary prevention of cardiovascular disease with atorvastatin in type 2 diabetes in the Collaborative Atorvastatin Diabetes Study (CARDS): multicentre randomised placebo-controlled trial. *Lancet* 2004; 364: 685-96 [EC,II]
- Smeeth L, Cook C, Fombonne E, Heavey L, Rodrigues LC, Smith PG, et al. MMR vaccination and pervasive developmental disorders: a case-control study. *Lancet* 2004; 364: 963-69 [CC,II]
- Kriege M, Brekelmans CT, Boetes C, Besnard PE, Zonderland HM, Obdeijn IM, et al; Magnetic Resonance Imaging Screening Study Group. Efficacy of MRI and mammography for breast-cancer screening in women with a familial or genetic predisposition. *N Engl J Med* 2004; 351: 427-437 [S,I]

EVALUACION / GARANTÍA DE CALIDAD.

Aymerich M, Sánchez E. Del conocimiento científico de la investigación clínica a la cabecera del enfermo: las guías de práctica clínica y su implementación. *Gac Sanit* 2004; 18: 326-334 [AO,I]

García-Altes A. La introducción de tecnologías en los sistemas sanitarios: del dicho al hecho. *Gac Sanit* 2004; 18: 398-405 [R,I]

BIOÉTICA.

LeBaron S. Can the future of medicine be saved from the success of science? *Acad Med* 2004; 79: 661-665 [AO,I]

Altisent R, Delgado-Marroquin MT. La doble faz de la técnica: informatización y confidencialidad en la historia clínica. *Aten Primaria* 2004; 34: 115-116 [AO,II]

Altisent R, Costa A, Delgado MT, Jarabo Y, Martín MN, Santos C, et al. Informatización y confidencialidad de la historia clínica. *Aten Primaria* 2004; 34: 140-142 [AO,II]

PLANIFICACION/GESTIÓN.

Salgado J, Maeso R, Machin S, Tapias E. ¿Cuánto nos cuestan los fármacos desechados? *Aten Primaria* 2004; 34: 152-153 [T,I]

O'Halloran J, Miller GC, Britt H. Defining chronic conditions for primary care with ICPC-2. *Fam Pract* 2004; 21: 381-386 [R,II]

Verstappen WH, Ter Riet G, Dubois WI, Winkens R, Grol RP, Van der Weijden T. Variation in test ordering behaviour of GPs: professional or context-related factors? *Fam Pract* 2004; 21: 387-395 [T,I]

Jordan K, Porcheret M, Croft P. Quality of morbidity coding in general practice computerized medical records: a systematic review. *Fam Pract* 2004; 21: 396-412 [M,II]

Sicras A, Navarro R. Prescripción ambulatoria de medicamentos entre los diferentes niveles asistenciales de una organización sanitaria. *Med Clin (Barc)* 2004; 123: 317-319 [T,I]

Kuusela M, Vainiomaki P, Hinkka S, Rautava P. The quality of GP consultation in two different salary systems. *Scand J Prim Health Care* 2004; 22: 168-173 [T,II]

Christensen MB, Christensen B, Mortensen JT, Olesen F. Intervention among frequent attenders of the out-of-hours service: a stratified cluster randomized controlled trial. *Scand J Prim Health Care* 2004; 22: 180-186 [EC,II]

INFORMÁTICA.

Altisent R, Delgado-Marroquin MT. La doble faz de la técnica: informatización y confidencialidad en la historia clínica. *Aten Primaria* 2004; 34: 115-116 [AO,II]

Altisent R, Costa A, Delgado MT, Jarabo Y, Martín MN, Santos C, et al. Informatización y confidencialidad de la historia clínica. *Aten Primaria* 2004; 34: 140-142 [AO,II]

Jordan K, Porcheret M, Croft P. Quality of morbidity coding in general practice computerized medical records: a systematic review. *Fam Pract* 2004; 21: 396-412 [M,II]

Domínguez-Castro A, Inesta-García A. Evaluación de la calidad de las webs de centros de farmacoconomía y economía de la salud en Internet mediante un cuestionario validado. *Gac Sanit* 2004; 18: 295-304 [T,I]

Green MJ, Peterson SK, Baker MW, Harper GR, Friedman LC, Rubinstein WS, et al. Effect of a computer-based decision aid on knowledge, perceptions, and intentions about genetic testing for breast cancer susceptibility: a randomized controlled trial. *JAMA* 2004; 292: 442-452 [CC,I]

OTRAS.

Wilson SA, Last A. Management of corneal abrasions. *Am Fam Physician* 2004; 70: 123-128 [R,I]

Ruiz-Ramos M, Viciana-Fernández F. Desigualdades en longevidad y calidad de vida entre Andalucía y España. *Gac Sanit* 2004; 18: 260-267 [T,I]

Grigor C, Capell H, Stirling A, McMahon AD, Lock P, Vallance R, et al. Effect of a treatment strategy of tight control for rheumatoid arthritis (the TICORA study): a single-blind randomised controlled trial. *Lancet* 2004; 364: 263-69 [EC,II]